

Processing Tomato Advisory Board CROP System - Posted Certificates Report

STATEWIDE TONNAGE AND HISTORY

Week 5 Ending 08/06/2022

Period	-----Certified, Paid-For Loads-----					-----Board Rejected Loads-----					-----Processor Rejected Loads-----				
	----- Loads-----		-----Tonnage-----		%Avg	----- Loads-----		-----Tonnage-----		%	----- Loads-----		-----Tonnage-----		%
	Total	PPA*	Total	PPA*	Dock	Total	PPA*	Total	PPA*	Tons	Total	PPA*	Total	PPA*	Tons
WEEK 07/09/2022	1,892		49,189		5.3%	0		0		0.00%	0		0		0.00%
WEEK 07/16/2022	15,043		392,607		4.8%	0		0		0.00%	12		247		0.06%
WEEK 07/23/2022	25,850		674,729	-	5.0%	0		0		0.00%	15		370		0.05%
WEEK 07/30/2022	29,409		774,905	-	4.6%	0		0		0.00%	20		506		0.06%
LAST WEEK YTD	72,194		1,891,431		4.8%	0		0		0.00%	47		1,123		0.06%
CUR WEEK ENDING 08/06/2022	31,426		822,498		4.9%	0		0		0.00%	22		542		0.06%
CURRENT YTD	103,620		2,713,928		4.9%	0		0		0.00%	69		1,665		0.06%
YTD WEEK ENDING 08/07/21	120,275		3,129,374		4.7%	0		0		0.00%	130		3,285		0.10%

\* PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add/(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

TONNAGE BY COUNTY

Week 5 Ending 08/06/2022

County	Current Week Delivered (Paid For)		Current Week Board Rejected		Current Week Processor Rejected		Year To Date Delivered (Paid For)		Year To Date Board Rejected		Year To Date Processor Rejected	
	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage	#Loads	Tonnage
COLUSA	2,014	51,653	0	0	0	0	2,931	75,652	0	0	0	0
CONTRA COSTA	1,054	29,170	0	0	0	0	1,989	55,191	0	0	0	0
FRESNO	13,461	354,873	0	0	1	25	44,556	1,182,394	0	0	5	128
KERN	1,912	49,247	0	0	0	0	19,648	505,415	0	0	0	0
KINGS	7,476	197,559	0	0	2	56	23,389	613,161	0	0	5	136
MADERA	188	3,911	0	0	0	0	188	3,911	0	0	0	0
MERCED	641	16,307	0	0	18	437	1,190	30,685	0	0	57	1,351
SAN JOAQUIN	105	2,913	0	0	0	0	135	3,731	0	0	0	0
SOLANO	334	8,461	0	0	0	0	587	15,024	0	0	0	0
STANISLAUS	57	1,396	0	0	0	0	254	6,566	0	0	1	25
SUTTER	540	13,937	0	0	0	0	833	21,698	0	0	0	0
TULARE	692	18,504	0	0	0	0	2,675	67,058	0	0	0	0
YOLO	2,952	74,567	0	0	1	25	5,245	133,442	0	0	1	25
<b>STATEWIDE TOTALS:</b>												
LAST WEEK YTD							72,194	1,891,432	0	0	0	1,123
CURRENT WEEK	31,426	822,498	0	0	22	543	103,620	2,713,928	0	0	69	1,665

Processing Tomato Advisory Board CROP System - Posted Certificates Repo

Rpt:RP90Ah

AVERAGE \* LOAD GRADES BY COUNTY - BOARD CERTIFIED LOADS

Page 1 of 1

Week 5 Ending 08/06/2022

County	Current Week									Year To Date								
	Worm	Mold	Green	MOT	Hue	Color	LU	Solids	pH	Worm	Mold	Green	MOT	Hue	Color	LU	Solids	pH
COLUSA	0.0	0.7	2.9	0.8	21.6	0.0	1.4	5.26	4.35	0.0	0.6	2.7	0.8	21.7	0.0	1.5	5.29	4.37
CONTRA COSTA	0.0	0.4	0.7	0.2	21.2	0.0	1.7	5.38	4.36	0.0	0.2	0.7	0.2	21.5	0.0	1.4	5.37	4.35
FRESNO	0.0	0.5	1.5	0.5	20.9	0.0	1.7	5.72	4.42	0.0	0.3	1.6	0.4	20.8	0.0	1.6	5.74	4.41
KERN	0.0	1.3	1.2	0.7	20.9	0.0	1.7	5.04	4.41	0.0	0.9	2.1	0.6	21.0	0.0	1.6	5.07	4.42
KINGS	0.0	0.6	1.5	0.5	20.8	0.0	2.0	5.56	4.43	0.0	0.4	1.9	0.4	20.8	0.0	1.7	5.49	4.41
MADERA	0.0	1.2	9.5	0.9	21.1	0.0	1.2	4.50	4.46	0.0	1.2	9.5	0.9	21.1	0.0	1.2	4.50	4.46
MERCED	0.0	0.3	2.7	0.6	21.5	0.0	2.3	5.88	4.43	0.0	0.3	2.2	0.7	21.9	0.0	2.4	5.91	4.41
SAN JOAQUIN	0.0	0.3	0.8	0.3	21.0	0.0	2.3	5.12	4.33	0.0	0.3	0.8	0.3	21.1	0.0	2.1	5.19	4.34
SOLANO	0.0	0.9	1.1	0.3	22.5	0.0	0.6	5.75	4.29	0.0	0.7	0.9	0.3	22.3	0.0	0.5	5.72	4.31
STANISLAUS	0.0	0.3	3.6	0.7	22.8	0.0	3.9	6.31	4.52	0.0	0.3	2.0	0.4	22.6	0.0	1.9	5.52	4.38
SUTTER	0.0	1.0	2.4	1.2	22.1	0.0	1.6	5.18	4.35	0.0	1.0	2.5	0.9	22.2	0.0	1.4	5.08	4.35
TULARE	0.0	1.4	2.5	0.7	21.4	0.0	3.4	4.73	4.42	0.0	0.9	5.6	0.9	21.5	0.0	2.9	4.70	4.42
YOLO	0.0	0.6	2.5	0.8	22.0	0.0	1.2	5.17	4.35	0.0	0.4	2.1	0.6	22.3	0.0	1.0	5.15	4.34
<b>STATEWIDE TOTALS:</b>																		
<b>CURRENT WEEK</b>	<b>0.0</b>	<b>0.6</b>	<b>1.7</b>	<b>0.5</b>	<b>21.1</b>	<b>0.0</b>	<b>1.7</b>	<b>5.51</b>	<b>4.41</b>	<b>0.0</b>	<b>0.5</b>	<b>1.9</b>	<b>0.5</b>	<b>21.0</b>	<b>0.0</b>	<b>1.7</b>	<b>5.47</b>	<b>4.41</b>
<b>LAST WEEK YTD</b>										<b>0.0</b>	<b>0.4</b>	<b>2.0</b>	<b>0.5</b>	<b>21.0</b>	<b>0.0</b>	<b>1.6</b>	<b>5.46</b>	<b>4.40</b>

\*Grades averaged over all Board Certified loads (including Processor Rejects)

GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	Color Last Week YTD					Color Current Week					Color Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
STATEWIDE	0					0					0				

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	Green Last Week YTD					Green Current Week					Green Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
COLUSA	917	2.36	1.00	1.50	1.93	2,014	2.86	0.50	2.50	1.91	2,931	2.70	1.00	2.50	1.93
CONTRA COSTA	935	0.84	0.50	0.50	0.91	1,054	0.67	0.50	0.50	0.68	1,989	0.75	0.50	0.50	0.80
FRESNO	31,099	1.59	1.00	1.50	1.38	13,462	1.50	0.50	1.00	1.52	44,561	1.57	1.00	1.00	1.42
KERN	17,736	2.25	1.00	2.00	2.01	1,912	1.16	0.50	1.00	1.16	19,648	2.14	0.50	1.50	1.97
KINGS	15,916	2.12	1.00	1.50	1.95	7,478	1.48	1.00	1.00	1.32	23,394	1.92	1.00	1.50	1.80
MADERA						188	9.47	9.00	9.50	3.03	188	9.47	9.00	9.50	3.03
MERCED	588	1.69	1.00	1.00	2.14	659	2.70	1.00	2.00	2.55	1,247	2.22	1.00	1.50	2.42
SAN JOAQUIN	30	0.83	1.00	1.00	0.40	105	0.77	0.50	0.50	0.49	135	0.79	0.50	0.50	0.47
SOLANO	253	0.67	0.00	0.50	0.74	334	1.15	0.50	1.00	0.88	587	0.94	0.50	1.00	0.85
STANISLAUS	198	1.59	1.00	1.00	1.35	57	3.60	4.00	3.50	2.01	255	2.04	1.00	1.50	1.73
SUTTER	293	2.56	2.00	2.50	1.15	540	2.44	1.50	2.00	1.77	833	2.48	2.00	2.00	1.58
TULARE	1,983	6.72	3.50	5.50	4.48	692	2.54	2.00	2.50	1.17	2,675	5.64	2.00	4.00	4.31
YOLO	2,293	1.63	0.50	1.50	1.48	2,953	2.46	1.00	1.50	2.20	5,246	2.10	1.00	1.50	1.96
STATEWIDE	72,241	2.01	1.00	1.50	2.03	31,448	1.74	0.50	1.00	1.77	103,689	1.93	1.00	1.50	1.96

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	Hue Last Week YTD					Hue Current Week					Hue Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
COLUSA	917	22.05	22.00	22.00	0.68	2,014	21.60	21.00	21.50	1.03	2,931	21.74	21.50	21.50	0.96
CONTRA COSTA	935	21.90	22.00	22.00	0.82	1,054	21.19	20.50	21.00	0.89	1,989	21.53	21.00	21.50	0.93
FRESNO	31,099	20.71	20.50	20.50	0.99	13,462	20.85	20.50	20.50	1.02	44,561	20.75	20.50	20.50	1.00
KERN	17,736	21.05	20.50	21.00	0.99	1,912	20.85	20.50	20.50	1.00	19,648	21.03	20.50	21.00	1.00
KINGS	15,916	20.80	20.50	20.50	1.00	7,478	20.78	20.50	20.50	0.92	23,394	20.80	20.50	20.50	0.97
MADERA						188	21.05	21.00	21.00	0.65	188	21.05	21.00	21.00	0.65
MERCED	588	22.23	22.50	22.00	1.19	659	21.52	21.50	21.50	1.10	1,247	21.86	21.00	21.50	1.20
SAN JOAQUIN	30	21.45	21.00	21.00	0.69	105	21.00	20.50	21.00	0.74	135	21.10	21.00	21.00	0.75
SOLANO	253	21.96	21.50	21.50	1.41	334	22.54	22.50	22.50	1.40	587	22.29	23.00	22.50	1.43
STANISLAUS	198	22.50	22.50	22.50	0.74	57	22.84	22.50	23.00	1.11	255	22.58	22.50	22.50	0.85
SUTTER	293	22.49	23.00	22.50	1.02	540	22.09	22.00	22.00	0.87	833	22.23	22.00	22.00	0.94
TULARE	1,983	21.49	21.00	21.50	0.87	692	21.42	21.00	21.50	0.61	2,675	21.47	21.00	21.50	0.81
YOLO	2,293	22.67	22.50	22.50	1.04	2,953	22.02	22.00	22.00	1.21	5,246	22.30	22.50	22.50	1.18
STATEWIDE	72,241	20.96	20.50	21.00	1.08	31,448	21.07	20.50	21.00	1.10	103,689	21.00	20.50	21.00	1.09

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	LU Last Week YTD					LU Current Week					LU Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
COLUSA	917	1.65	0.50	1.50	1.60	2,014	1.41	0.50	1.00	1.52	2,931	1.48	0.50	1.00	1.55
CONTRA COSTA	935	1.11	0.50	1.00	1.10	1,054	1.67	1.00	1.50	1.67	1,989	1.41	0.50	1.00	1.46
FRESNO	31,099	1.64	0.50	1.00	1.75	13,462	1.67	0.50	1.00	1.66	44,561	1.65	0.50	1.00	1.73
KERN	17,736	1.59	1.00	1.00	1.64	1,912	1.75	1.00	1.00	2.75	19,648	1.61	1.00	1.00	1.78
KINGS	15,916	1.60	0.00	1.00	1.93	7,478	2.03	0.00	1.50	2.19	23,394	1.74	0.00	1.00	2.03
MADERA						188	1.24	0.50	1.00	1.22	188	1.24	0.50	1.00	1.22
MERCED	588	2.55	0.00	1.50	3.00	659	2.28	0.00	1.00	2.90	1,247	2.40	0.00	1.50	2.95
SAN JOAQUIN	30	1.15	0.50	1.00	0.94	105	2.33	1.00	1.50	2.18	135	2.07	0.50	1.50	2.03
SOLANO	253	0.38	0.00	0.00	0.51	334	0.56	0.50	0.50	0.52	587	0.48	0.00	0.50	0.52
STANISLAUS	198	1.28	0.50	1.00	1.64	57	3.86	1.50	3.50	2.65	255	1.86	0.50	1.00	2.19
SUTTER	293	0.96	0.00	0.50	1.09	540	1.63	0.50	1.50	1.26	833	1.39	0.50	1.00	1.24
TULARE	1,983	2.66	1.00	2.00	2.62	692	3.44	2.00	3.00	2.27	2,675	2.86	1.00	2.00	2.55
YOLO	2,293	0.80	0.00	0.50	1.11	2,953	1.24	0.50	1.00	1.40	5,246	1.05	0.50	0.50	1.30
STATEWIDE	72,241	1.61	0.50	1.00	1.80	31,448	1.75	0.50	1.00	1.93	103,689	1.65	0.50	1.00	1.84

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	Mold Last Week YTD					Mold Current Week					Mold Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
COLUSA	917	0.39	0.00	0.50	0.48	2,014	0.66	0.50	0.50	0.74	2,931	0.58	0.00	0.50	0.68
CONTRA COSTA	935	0.06	0.00	0.00	0.20	1,054	0.36	0.00	0.00	0.57	1,989	0.22	0.00	0.00	0.46
FRESNO	31,099	0.23	0.00	0.00	0.57	13,462	0.48	0.00	0.00	0.78	44,561	0.31	0.00	0.00	0.65
KERN	17,736	0.84	0.00	0.50	1.01	1,912	1.26	0.00	1.00	1.22	19,648	0.88	0.00	0.50	1.04
KINGS	15,916	0.33	0.00	0.00	0.64	7,478	0.61	0.00	0.50	0.82	23,394	0.42	0.00	0.00	0.71
MADERA						188	1.15	0.00	1.00	1.12	188	1.15	0.00	1.00	1.12
MERCED	588	0.27	0.00	0.00	0.91	659	0.29	0.00	0.00	0.78	1,247	0.28	0.00	0.00	0.85
SAN JOAQUIN	30	0.18	0.00	0.00	0.33	105	0.33	0.00	0.00	0.38	135	0.30	0.00	0.00	0.38
SOLANO	253	0.32	0.00	0.00	0.44	334	0.94	0.00	0.50	0.88	587	0.67	0.00	0.50	0.79
STANISLAUS	198	0.26	0.00	0.00	0.35	57	0.30	0.00	0.00	0.41	255	0.26	0.00	0.00	0.36
SUTTER	293	1.01	0.50	0.50	1.28	540	1.05	0.50	0.50	1.39	833	1.03	0.50	0.50	1.35
TULARE	1,983	0.75	0.00	0.50	0.97	692	1.35	1.00	1.00	1.24	2,675	0.90	0.00	0.50	1.08
YOLO	2,293	0.21	0.00	0.00	0.37	2,953	0.59	0.00	0.50	0.61	5,246	0.42	0.00	0.50	0.55
STATEWIDE	72,241	0.42	0.00	0.00	0.77	31,448	0.61	0.00	0.50	0.86	103,689	0.48	0.00	0.00	0.80

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value



GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	MOT Last Week YTD					MOT Current Week					MOT Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
COLUSA	917	0.99	0.50	0.50	1.03	2,014	0.76	0.50	0.50	0.92	2,931	0.83	0.50	0.50	0.96
CONTRA COSTA	935	0.18	0.00	0.00	0.48	1,054	0.21	0.00	0.00	0.43	1,989	0.19	0.00	0.00	0.46
FRESNO	31,099	0.44	0.00	0.50	0.67	13,462	0.46	0.00	0.50	0.70	44,561	0.45	0.00	0.50	0.68
KERN	17,736	0.57	0.00	0.50	0.89	1,912	0.75	0.00	0.50	1.65	19,648	0.59	0.00	0.50	0.99
KINGS	15,916	0.42	0.00	0.00	0.93	7,478	0.47	0.00	0.50	0.75	23,394	0.43	0.00	0.00	0.88
MADERA						188	0.94	0.00	0.50	2.09	188	0.94	0.00	0.50	2.09
MERCED	588	0.76	0.00	0.50	1.00	659	0.60	0.00	0.50	0.76	1,247	0.68	0.00	0.50	0.89
SAN JOAQUIN	30	0.12	0.00	0.00	0.25	105	0.31	0.00	0.00	0.42	135	0.27	0.00	0.00	0.39
SOLANO	253	0.19	0.00	0.00	0.36	334	0.35	0.00	0.00	0.50	587	0.28	0.00	0.00	0.45
STANISLAUS	198	0.35	0.50	0.50	0.38	57	0.68	0.50	0.50	0.59	255	0.42	0.50	0.50	0.46
SUTTER	293	0.51	0.00	0.50	0.69	540	1.18	0.50	0.50	1.47	833	0.95	0.50	0.50	1.29
TULARE	1,983	0.89	0.50	0.50	1.10	692	0.75	0.50	0.50	0.68	2,675	0.85	0.50	0.50	1.01
YOLO	2,293	0.45	0.00	0.50	0.60	2,953	0.75	0.00	0.50	1.13	5,246	0.62	0.00	0.50	0.95
STATEWIDE	72,241	0.49	0.00	0.50	0.81	31,448	0.54	0.00	0.50	0.90	103,689	0.50	0.00	0.50	0.84

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	pH Last Week YTD					pH Current Week					pH Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
COLUSA	917	4.42	4.40	4.41	0.08	2,014	4.35	4.35	4.34	0.07	2,931	4.37	4.35	4.36	0.08
CONTRA COSTA	935	4.32	4.32	4.32	0.07	1,054	4.36	4.39	4.37	0.07	1,989	4.35	4.38	4.35	0.08
FRESNO	31,099	4.41	4.40	4.40	0.09	13,462	4.42	4.40	4.42	0.09	44,561	4.41	4.40	4.41	0.09
KERN	17,736	4.42	4.39	4.41	0.09	1,912	4.41	4.36	4.40	0.08	19,648	4.42	4.39	4.41	0.09
KINGS	15,916	4.41	4.39	4.40	0.09	7,478	4.43	4.44	4.43	0.09	23,394	4.41	4.41	4.41	0.09
MADERA						188	4.46	4.46	4.45	0.04	188	4.46	4.46	4.45	0.04
MERCED	588	4.39	4.41	4.39	0.09	659	4.43	4.37	4.41	0.08	1,247	4.41	4.37	4.40	0.09
SAN JOAQUIN	30	4.36	4.38	4.37	0.05	105	4.33	4.34	4.33	0.05	135	4.34	4.34	4.34	0.05
SOLANO	253	4.33	4.39	4.35	0.08	334	4.29	4.20	4.28	0.08	587	4.31	4.40	4.31	0.08
STANISLAUS	198	4.34	4.35	4.34	0.07	57	4.52	4.66	4.60	0.15	255	4.38	4.35	4.35	0.12
SUTTER	293	4.36	4.36	4.36	0.07	540	4.35	4.34	4.34	0.09	833	4.35	4.34	4.35	0.08
TULARE	1,983	4.42	4.35	4.41	0.11	692	4.42	4.39	4.41	0.08	2,675	4.42	4.35	4.41	0.10
YOLO	2,293	4.32	4.34	4.31	0.08	2,953	4.35	4.35	4.35	0.08	5,246	4.34	4.34	4.33	0.08
STATEWIDE	72,241	4.40	4.39	4.40	0.09	31,448	4.41	4.40	4.41	0.09	103,689	4.41	4.40	4.40	0.09

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	Solids Last Week YTD					Solids Current Week					Solids Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
COLUSA	917	5.37	5.20	5.40	0.32	2,014	5.26	5.30	5.30	0.40	2,931	5.29	5.40	5.30	0.38
CONTRA COSTA	935	5.36	5.30	5.30	0.25	1,054	5.38	5.40	5.40	0.30	1,989	5.37	5.40	5.40	0.28
FRESNO	31,099	5.75	5.70	5.70	0.44	13,462	5.72	6.00	5.70	0.47	44,561	5.74	5.60	5.70	0.45
KERN	17,736	5.08	5.10	5.00	0.45	1,912	5.04	5.10	5.00	0.43	19,648	5.07	5.10	5.00	0.45
KINGS	15,916	5.46	5.40	5.40	0.53	7,478	5.56	5.60	5.50	0.47	23,394	5.49	5.40	5.50	0.52
MADERA						188	4.50	4.40	4.50	0.23	188	4.50	4.40	4.50	0.23
MERCED	588	5.94	5.50	5.90	0.50	659	5.88	6.20	6.00	0.54	1,247	5.91	6.20	6.00	0.52
SAN JOAQUIN	30	5.44	5.30	5.40	0.23	105	5.12	5.30	5.10	0.36	135	5.19	5.30	5.20	0.36
SOLANO	253	5.68	5.60	5.60	0.30	334	5.75	5.60	5.70	0.31	587	5.72	5.60	5.70	0.31
STANISLAUS	198	5.29	5.20	5.20	0.39	57	6.31	6.70	6.50	0.56	255	5.52	5.20	5.30	0.61
SUTTER	293	4.88	4.80	4.80	0.24	540	5.18	5.20	5.10	0.54	833	5.08	4.80	5.00	0.48
TULARE	1,983	4.69	4.50	4.60	0.44	692	4.73	4.60	4.60	0.37	2,675	4.70	4.50	4.60	0.42
YOLO	2,293	5.12	5.10	5.10	0.33	2,953	5.17	5.30	5.20	0.44	5,246	5.15	5.10	5.10	0.40
STATEWIDE	72,241	5.46	5.40	5.40	0.55	31,448	5.51	5.40	5.50	0.53	103,689	5.47	5.40	5.50	0.55

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

GRADE DISTRIBUTION\* BY COUNTY

Week 5 Ending 08/06/2022

County	Worm Last Week YTD					Worm Current Week					Worm Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
COLUSA	917	0.00	0.00	0.00	0.02	2,014	0.00	0.00	0.00	0.01	2,931	0.00	0.00	0.00	0.01
CONTRA COSTA	935	0.00	0.00	0.00	0.00	1,054	0.00	0.00	0.00	0.05	1,989	0.00	0.00	0.00	0.03
FRESNO	31,099	0.00	0.00	0.00	0.05	13,462	0.00	0.00	0.00	0.05	44,561	0.00	0.00	0.00	0.05
KERN	17,736	0.01	0.00	0.00	0.09	1,912	0.01	0.00	0.00	0.09	19,648	0.01	0.00	0.00	0.09
KINGS	15,916	0.00	0.00	0.00	0.04	7,478	0.00	0.00	0.00	0.06	23,394	0.00	0.00	0.00	0.05
MADERA						188	0.00	0.00	0.00	0.04	188	0.00	0.00	0.00	0.04
MERCED	588	0.00	0.00	0.00	0.04	659	0.01	0.00	0.00	0.06	1,247	0.00	0.00	0.00	0.05
SAN JOAQUIN	30	0.00	0.00	0.00	0.00	105	0.00	0.00	0.00	0.00	135	0.00	0.00	0.00	0.00
SOLANO	253	0.00	0.00	0.00	0.00	334	0.00	0.00	0.00	0.04	587	0.00	0.00	0.00	0.03
STANISLAUS	198	0.00	0.00	0.00	0.00	57	0.00	0.00	0.00	0.00	255	0.00	0.00	0.00	0.00
SUTTER	293	0.00	0.00	0.00	0.03	540	0.00	0.00	0.00	0.00	833	0.00	0.00	0.00	0.02
TULARE	1,983	0.01	0.00	0.00	0.08	692	0.00	0.00	0.00	0.06	2,675	0.00	0.00	0.00	0.07
YOLO	2,293	0.00	0.00	0.00	0.01	2,953	0.00	0.00	0.00	0.01	5,246	0.00	0.00	0.00	0.01
STATEWIDE	72,241	0.00	0.00	0.00	0.06	31,448	0.00	0.00	0.00	0.05	103,689	0.00	0.00	0.00	0.06

\* Includes All Loads (Board Certified, Board Rejected, and Processor Rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Processing Tomato Advisory Board CROP System - Posted Certificates Report  
 LOAD GRADING CUMMULATIVE PERCENTAGES YEAR-TO-DATE - WORM, MOLD, GREEN, LU, AND MOT

Week 5 Ending 08/06/2022

Grade	Worm		Mold		Green		Limited Use		MOT	
	Percentile*	#Loads	Percentile*	#Loads	Percentile*	#Loads	Percentile*	#Loads	Percentile*	#Loads
0.0	99.2	102,884	55.0	56,994	10.5	10,936	18.0	18,700	48.1	49,828
0.5	99.9	103,581	77.6	80,459	27.9	28,925	37.2	38,568	78.6	81,481
1.0	100.0	103,656	88.5	91,735	45.8	47,532	53.9	55,911	90.2	93,476
1.5	100.0	103,680	93.5	96,976	59.4	61,624	66.2	68,665	94.5	98,016
2.0	100.0	103,689	96.1	99,678	69.8	72,374	75.0	77,762	96.6	100,189
2.5	100.0	103,689	97.7	101,301	77.6	80,482	81.2	84,223	97.8	101,392
3.0	100.0	103,689	98.6	102,195	83.3	86,406	85.9	89,048	98.5	102,096
3.5	100.0	103,689	99.1	102,736	87.5	90,723	89.3	92,596	98.9	102,556
4.0	100.0	103,689	99.4	103,070	90.4	93,731	91.9	95,313	99.2	102,865
4.5	100.0	103,689	99.6	103,289	92.5	95,961	93.8	97,246	99.4	103,078
5.0	100.0	103,689	99.7	103,412	94.1	97,616	95.2	98,719	99.6	103,235
5.5	100.0	103,689	99.8	103,507	95.4	98,894	96.2	99,800	99.7	103,343
6.0	100.0	103,689	99.9	103,564	96.3	99,875	97.1	100,652	99.7	103,414
6.5	100.0	103,689	99.9	103,595	97.0	100,628	97.7	101,324	99.8	103,469
7.0	100.0	103,689	99.9	103,626	97.6	101,219	98.2	101,840	99.8	103,515
7.5	100.0	103,689	100.0	103,643	98.1	101,693	98.6	102,230	99.9	103,558
8.0	100.0	103,689	100.0	103,656	98.4	102,037	98.9	102,501	99.9	103,592
8.5	100.0	103,689	100.0	103,663	98.7	102,309	99.1	102,743	99.9	103,605
9.0	100.0	103,689	100.0	103,672	98.9	102,550	99.3	102,917	99.9	103,615
9.5	100.0	103,689	100.0	103,676	99.1	102,738	99.4	103,048	99.9	103,625
10.0	100.0	103,689	100.0	103,680	99.2	102,887	99.5	103,168	99.9	103,634
10.5	100.0	103,689	100.0	103,681	99.4	103,023	99.6	103,270	100.0	103,640
11.0		103,689	100.0	103,681	99.5	103,129	99.7	103,339	100.0	103,647
11.5		103,689	100.0	103,683	99.5	103,219	99.7	103,401	100.0	103,656
12.0		103,689	100.0	103,684	99.6	103,295	99.8	103,451	100.0	103,664
12.5		103,689	100.0	103,684	99.7	103,360	99.8	103,500	100.0	103,669
13.0		103,689	100.0	103,684	99.7	103,407	99.8	103,533	100.0	103,672
13.5		103,689	100.0	103,684	99.8	103,446	99.9	103,557	100.0	103,674
14.0		103,689	100.0	103,684	99.8	103,488	99.9	103,590	100.0	103,676
14.5		103,689	100.0	103,686	99.8	103,513	99.9	103,600	100.0	103,678
15.0		103,689	100.0	103,687	99.9	103,550	99.9	103,617	100.0	103,681
>15		103,689	100.0	103,689	100.0	103,689	100.0	103,689	100.0	103,689

\* Percent of Loads Scoring Less Than Or Equal To Grade Value

**Processing Tomato Advisory Board CROP System - Posted Certificates Report**  
**LOAD GRADING CUMMULATIVE PERCENTAGES YEAR-TO-DATE - COLOR, SOLIDS, AND PH**

**Week 5 Ending 08/06/2022**

<b>Color</b>			<b>Solids</b>			<b>pH</b>		
<b>Grade</b>	<b>Percentile*</b>	<b>#Loads</b>	<b>Grade</b>	<b>Percentile*</b>	<b>#Loads</b>	<b>Grade</b>	<b>Percentile*</b>	<b>#Loads</b>
17.0	0.00	0	3.9	0.02	19	4.19	0.33	346
18.0	0.01	13	4.0	0.10	108	4.20	0.65	678
19.0	2.14	2,224	4.1	0.35	362	4.21	1.33	1,376
20.0	25.74	26,686	4.2	0.78	813	4.22	2.02	2,094
21.0	64.59	66,977	4.3	1.51	1,564	4.23	2.85	2,954
22.0	87.70	90,931	4.4	2.70	2,799	4.24	3.75	3,893
23.0	96.33	99,884	4.5	4.39	4,548	4.25	4.90	5,081
24.0	99.10	102,760	4.6	6.67	6,917	4.26	6.23	6,457
25.0	99.90	103,581	4.7	9.58	9,934	4.27	7.74	8,022
26.0	99.97	103,662	4.8	13.15	13,637	4.28	9.58	9,934
27.0	99.99	103,682	4.9	17.41	18,049	4.29	11.73	12,163
28.0	100.00	103,689	5.0	22.36	23,180	4.30	14.18	14,700
29.0	100.00	103,689	5.1	28.18	29,217	4.31	16.91	17,531
30.0	100.00	103,689	5.2	34.76	36,045	4.32	20.01	20,749
31.0	100.00	103,689	5.3	41.91	43,459	4.33	23.38	24,241
32.0	100.00	103,689	5.4	49.53	51,357	4.34	27.04	28,033
33.0	100.00	103,689	5.5	56.82	58,918	4.35	30.94	32,078
34.0	100.00	103,689	5.6	63.44	65,783	4.36	34.97	36,262
35.0	100.00	103,689	5.7	69.44	72,002	4.37	39.08	40,522
36.0	100.00	103,689	5.8	74.78	77,540	4.38	43.25	44,850
37.0	100.00	103,689	5.9	79.69	82,629	4.39	47.46	49,208
38.0	100.00	103,689	6.0	84.22	87,325	4.40	51.72	53,630
39.0	100.00	103,689	6.1	88.23	91,486	4.41	55.84	57,903
40.0	100.00	103,689	6.2	91.57	94,945	4.42	59.94	62,155
41.0	100.00	103,689	6.3	94.21	97,682	4.43	63.83	66,186
42.0	100.00	103,689	6.4	96.18	99,732	4.44	67.45	69,938
43.0	100.00	103,689	6.5	97.66	101,261	4.45	70.92	73,539
44.0	100.00	103,689	6.6	98.64	102,277	4.46	74.32	77,066
45.0	100.00	103,689	6.7	99.22	102,883	4.47	77.34	80,194
46.0	100.00	103,689	6.8	99.55	103,218	4.48	80.17	83,132
47.0	100.00	103,689	6.9	99.73	103,409	4.49	82.75	85,803
>47	100.00	103,689	7.0	99.83	103,514	4.50	85.16	88,300
		0	7.1	99.90	103,588	4.51	87.26	90,477
		0	7.2	99.95	103,638	4.52	89.10	92,387
		0	7.3	99.97	103,661	4.53	90.82	94,173
		0	7.4	99.99	103,676	4.54	92.30	95,701
		0	7.5	99.99	103,681	4.55	93.61	97,068
		0	7.6	100.00	103,685	4.56	94.75	98,244
		0	7.7	100.00	103,686	4.57	95.74	99,269
		0	7.8	100.00	103,688	4.58	96.60	100,162
		0	7.9	100.00	103,689	4.59	97.31	100,900
		0	8.0	100.00	103,689	4.60	97.95	101,564
		0	8.1	100.00	103,689	4.61	98.43	102,065
		0	8.2	100.00	103,689	>4.61	100.00	103,689
			8.3	100.00				
			8.4	100.00				
			8.5	100.00				

\* Percent of Loads Scoring Less Than Or Equal To Grade Value

Processing Tomato Advisory Board CROP System - Posted Certificates Report  
 LOAD GRADING CUMMULATIVE PERCENTAGES YEAR-TO-DATE - COLOR, SOLIDS, AND PH

Week 5 Ending 08/06/2022

Color			Solids			pH		
<u>Grade</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Grade</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Grade</u>	<u>Percentile*</u>	<u>#Loads</u>
			8.6	100.00				
			>8.6	100.00				

\* Percent of Loads Scoring Less Than Or Equal To Grade Value

ANALYSIS BY COUNTY FOR GRADE: MOLD

Week 5 Ending 08/06/2022

County	Current Week							Year To Date						
	MOLD	Percent Less than or Equal To:						MOLD	Percent Less than or Equal To:					
	#Loads	3%	4%	5%	6%	7%	8%	#Loads	3%	4%	5%	6%	7%	8%
COLUSA	2,014	98.0	99.0	100.0	100.0	100	100	2,931	99	99	100	100	100	100
CONTRA COSTA	1,054	99.0	99.0	100.0	100.0	100	100	1,989	99	99	100	100	100	100
FRESNO	13,462	98.0	99.0	99.0	99.0	99	99	44,561	99	99	99	99	99	99
KERN	1,912	93.0	97.0	98.0	99.0	99	99	19,648	96	98	99	99	99	99
KINGS	7,478	98.0	99.0	99.0	99.0	99	99	23,394	98	99	99	99	99	99
MADERA	188	94.0	98.0	99.0	100.0	100	100	188	94	98	99	100	100	100
MERCED	659	99.0	99.0	99.0	99.0	99	99	1,247	98	98	99	99	99	99
SAN JOAQUIN	105	100.0	100.0	100.0	100.0	100	100	135	100	100	100	100	100	100
SOLANO	334	98.0	99.0	100.0	100.0	100	100	587	98	99	100	100	100	100
STANISLAUS	57	100.0	100.0	100.0	100.0	100	100	255	100	100	100	100	100	100
SUTTER	540	92.0	96.0	97.0	98.0	99	99	833	92	96	97	98	99	99
TULARE	692	91.0	97.0	98.0	99.0	99	99	2,675	95	98	99	99	99	99
YOLO	2,953	99.0	99.0	100.0	100.0	100	100	5,246	99	99	100	100	100	100
<b>STATEWIDE TOTALS:</b>														
<b>CURRENT WEEK:</b>	<b>31,448</b>	<b>98.2</b>	<b>99.3</b>	<b>99.7</b>	<b>99.8</b>	<b>99.9</b>	<b>100.0</b>	<b>103,689</b>	<b>99</b>	<b>99</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>
<b>LAST WEEK YTD:</b>								<b>72241</b>	<b>99</b>	<b>99</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>



Processing Tomato Advisory Board CROP System - Posted Certificates Report

ANALYSIS BY COUNTY FOR GRADE: GREEN

Week 5 Ending 08/06/2022

County	Current Week					Year To Date				
	GREEN	Percent Less than or Equal To:				GREEN	Percent Less than or Equal To:			
	#Loads	1%	3%	3%	4%	#Loads	1%	3%	3%	4%
COLUSA	2,014	25.0	40.0	61.0	78.0	2,931	27	47	66	81
CONTRA COSTA	1,054	83.0	97.0	99.0	99.0	1,989	80	93	98	99
FRESNO	13,462	55.0	78.0	89.0	94.0	44,561	51	76	89	94
KERN	1,912	66.0	84.0	93.0	97.0	19,648	39	62	78	88
KINGS	7,478	54.0	79.0	91.0	95.0	23,394	45	70	83	90
MADERA	188	0.0	0.0	1.0	2.0	188	0	0	1	2
MERCED	659	34.0	53.0	69.0	78.0	1,247	42	67	79	85
SAN JOAQUIN	105	91.0	98.0	100.0	100.0	135	91	98	100	100
SOLANO	334	63.0	90.0	97.0	99.0	587	72	93	97	99
STANISLAUS	57	12.0	28.0	40.0	70.0	255	45	65	79	88
SUTTER	540	22.0	62.0	80.0	87.0	833	17	56	79	88
TULARE	692	10.0	49.0	75.0	91.0	2,675	7	23	37	50
YOLO	2,953	36.0	60.0	73.0	81.0	5,246	41	67	80	87
<b>STATEWIDE TOTALS:</b>										
<b>CURRENT WEEK:</b>	<b>31,448</b>	<b>51.0</b>	<b>73.7</b>	<b>85.7</b>	<b>92.0</b>	<b>103,689</b>	<b>46</b>	<b>70</b>	<b>83</b>	<b>90</b>
<b>LAST WEEK YTD:</b>						<b>72241</b>	<b>90</b>	<b>97</b>	<b>99</b>	<b>99</b>

Processing Tomato Advisory Board CROP System - Posted Certificates Report

ANALYSIS BY COUNTY FOR GRADE: MOT

Week 5 Ending 08/06/2022

County	Current Week					Year To Date				
	MOT	Percent Less than or Equal To:				MOT	Percent Less than or Equal To:			
	#Loads	0.5%	1%	2%	3%	#Loads	0.5%	1%	2%	3%
COLUSA	2,014	65.0	81.0	94.0	97.0	2,931	62	78	93	96
CONTRA COSTA	1,054	92.0	97.0	99.0	99.0	1,989	93	97	99	99
FRESNO	13,462	79.0	91.0	97.0	99.0	44,561	80	91	97	99
KERN	1,912	74.0	86.0	93.0	96.0	19,648	74	87	95	97
KINGS	7,478	80.0	91.0	96.0	98.0	23,394	83	92	96	98
MADERA	188	72.0	83.0	90.0	94.0	188	72	83	90	94
MERCED	659	71.0	86.0	95.0	98.0	1,247	68	82	93	97
SAN JOAQUIN	105	87.0	96.0	100.0	100.0	135	89	97	100	100
SOLANO	334	82.0	93.0	99.0	100.0	587	87	95	99	100
STANISLAUS	57	70.0	85.0	96.0	100.0	255	85	94	99	100
SUTTER	540	55.0	70.0	86.0	92.0	833	63	76	90	94
TULARE	692	58.0	84.0	96.0	99.0	2,675	58	80	92	96
YOLO	2,953	70.0	82.0	92.0	96.0	5,246	74	86	94	97
<b>STATEWIDE TOTALS:</b>										
<b>CURRENT WEEK:</b>	<b>31,448</b>	<b>76.9</b>	<b>89.2</b>	<b>96.4</b>	<b>98.4</b>	<b>103,689</b>	<b>79</b>	<b>90</b>	<b>97</b>	<b>98</b>
<b>LAST WEEK YTD:</b>						<b>72241</b>	<b>79</b>	<b>91</b>	<b>97</b>	<b>99</b>

ANALYSIS BY COUNTY FOR GRADE: LU

Week 5 Ending 08/06/2022

County	Current Week					Year To Date				
	LU	Percent Less than or Equal To:				LU	Percent Less than or Equal To:			
	#Loads	5%	8%	11%	14%	#Loads	5%	8%	11%	14%
COLUSA	2,014	96.0	99.0	100.0	100.0	2,931	96	99	99	100
CONTRA COSTA	1,054	95.0	99.0	99.0	100.0	1,989	97	99	99	100
FRESNO	13,462	96.0	99.0	99.0	99.0	44,561	95	99	99	99
KERN	1,912	93.0	95.0	97.0	98.0	19,648	96	98	99	99
KINGS	7,478	90.0	98.0	99.0	99.0	23,394	93	98	99	99
MADERA	188	97.0	100.0	100.0	100.0	188	97	100	100	100
MERCED	659	86.0	94.0	98.0	99.0	1,247	86	94	98	99
SAN JOAQUIN	105	87.0	99.0	100.0	100.0	135	90	99	100	100
SOLANO	334	100.0	100.0	100.0	100.0	587	100	100	100	100
STANISLAUS	57	68.0	92.0	100.0	100.0	255	89	97	100	100
SUTTER	540	98.0	100.0	100.0	100.0	833	98	100	100	100
TULARE	692	81.0	95.0	99.0	100.0	2,675	84	95	99	99
YOLO	2,953	97.0	99.0	99.0	99.0	5,246	98	99	99	99
<b>STATEWIDE TOTALS:</b>										
<b>CURRENT WEEK:</b>	<b>31,448</b>	<b>94.4</b>	<b>98.7</b>	<b>99.6</b>	<b>99.9</b>	<b>103,689</b>	<b>95</b>	<b>99</b>	<b>100</b>	<b>100</b>
<b>LAST WEEK YTD:</b>						<b>72241</b>	<b>96</b>	<b>99</b>	<b>100</b>	<b>100</b>

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

Rpt: RP10Ah  
 Page 1 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: COLUSA</b>												
0- UNCODED	Cur Wk	19	19	0	0.9	2.5	1.3	20.8	0	1.5	5.04	4.30
	YTD	19	19	0	0.9	2.5	1.3	20.8	0	1.5	5.04	4.30
13- 13, BP	Cur Wk	266	266	0	0.8	5.0	0.9	21.5	0	2.3	4.67	4.36
	YTD	458	458	0	0.7	5.1	1.2	21.7	0	2.0	4.91	4.37
111- 0311, AB	Cur Wk	66	66	0	2.3	1.8	0.4	21.4	0	0.7	5.83	4.32
	YTD	66	66	0	2.3	1.8	0.4	21.4	0	0.7	5.83	4.32
15- 1015, HEINZ	Cur Wk	129	129	0	0.6	1.5	1.0	22.2	0	3.1	5.14	4.51
	YTD	461	461	0	0.5	1.6	1.0	22.1	0	2.4	5.13	4.50
301- 7103, HMX61P	Cur Wk	90	90	0	0.3	1.6	0.9	20.9	0	1.1	5.74	4.32
	YTD	90	90	0	0.3	1.6	0.9	20.9	0	1.1	5.74	4.32
36- 8163, HM	Cur Wk	71	71	0	1.0	1.1	0.1	21.1	0	1.4	5.66	4.39
	YTD	71	71	0	1.0	1.1	0.1	21.1	0	1.4	5.66	4.39
913- 9013, SVTM	Cur Wk	236	236	0	0.9	4.2	0.5	21.4	0	1.5	5.12	4.34
	YTD	236	236	0	0.9	4.2	0.5	21.4	0	1.5	5.12	4.34
908- 9018, SVTM	Cur Wk	146	146	0	0.3	1.0	1.2	21.4	0	0.7	4.91	4.28
	YTD	146	146	0	0.3	1.0	1.2	21.4	0	0.7	4.91	4.28
27- 9027, SVTM	Cur Wk	764	764	0	0.6	3.1	0.8	21.3	0	0.5	5.41	4.34
	YTD	1,022	1,022	0	0.5	2.8	0.8	21.4	0	0.7	5.48	4.36
320- 9032, SVTM	Cur Wk	227	227	0	0.4	1.3	0.6	23.3	0	3.0	5.38	4.35
	YTD	362	362	0	0.3	1.3	0.6	23.1	0	2.4	5.44	4.35
<b>Total COLUSA</b>	<b>Cur Wk</b>	<b>2,014</b>	<b>2,014.00</b>	<b>0.0</b>	<b>0.7</b>	<b>2.9</b>	<b>0.8</b>	<b>21.6</b>	<b>0.0</b>	<b>1.4</b>	<b>5.26</b>	<b>4.35</b>
	<b>YTD</b>	<b>2,931</b>	<b>2931</b>	<b>0.0</b>	<b>0.6</b>	<b>2.7</b>	<b>0.8</b>	<b>21.7</b>	<b>0.0</b>	<b>1.5</b>	<b>5.29</b>	<b>4.37</b>
<b>County: CONTRA COSTA</b>												
111- 0311, AB	Cur Wk	81	81	0	1.4	1.2	0.2	20.7	0	2.2	5.63	4.34
	YTD	81	81	0	1.4	1.2	0.2	20.7	0	2.2	5.63	4.34
103- 403, BQ	Cur Wk	289	289	0	0.2	1.1	0.3	21.8	0	2.6	5.14	4.35
	YTD	509	509	0	0.2	1.3	0.2	21.9	0	2.1	5.21	4.33

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

Rpt: RP10Ah  
 Page 2 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: CONTRA COSTA</b>												
820- 1082, SVTM	Cur Wk	62	62	0	0.1	0.3	0	21.8	0	0.5	5.43	4.27
	YTD	89	89	0	0.1	0.4	0	21.8	0	0.7	5.42	4.27
552- 5522, HM 61P	Cur Wk	2	2	0	0.5	1.0	1.0	20.8	0	0	5.85	4.23
	YTD	2	2	0	0.5	1.0	1.0	20.8	0	0	5.85	4.23
366- 6366, SUN	Cur Wk	3	3	0	0.3	0.8	0	21.3	0	0.7	5.33	4.37
	YTD	130	130	0	0.1	0.6	0.2	21.1	0	1.1	5.43	4.39
42- 6402, N	Cur Wk	408	408	0	0.4	0.4	0.1	20.9	0	1.3	5.40	4.39
	YTD	439	439	0	0.3	0.4	0.1	20.9	0	1.3	5.41	4.39
301- 7103, HMX61P	Cur Wk	105	105	0	0.1	0.6	0.4	20.3	0	2.0	5.73	4.42
	YTD	361	361	0	0	0.5	0.1	21.5	0	1.3	5.42	4.36
919- 9019, SVTM	Cur Wk	17	17	0	0.2	1.2	0.1	21.9	0	0.1	5.50	4.20
	YTD	17	17	0	0.2	1.2	0.1	21.9	0	0.1	5.50	4.20
27- 9027, SVTM	Cur Wk	73	73	0	0.4	0.2	0.2	21.2	0	0.4	5.43	4.32
	YTD	129	129	0	0.2	0.8	0.2	21.3	0	0.3	5.60	4.33
320- 9032, SVTM	Cur Wk	14	14	0	0.5	1.1	2.1	22.8	0	0.9	5.02	4.30
	YTD	232	232	0	0.1	0.5	0.6	22.4	0	1.1	5.29	4.30
<b>Total CONTRA COSTA</b>	<b>Cur Wk</b>	<b>1,054</b>	<b>1,054.00</b>	<b>0.0</b>	<b>0.4</b>	<b>0.7</b>	<b>0.2</b>	<b>21.2</b>	<b>0.0</b>	<b>1.7</b>	<b>5.38</b>	<b>4.36</b>
	<b>YTD</b>	<b>1,989</b>	<b>1989</b>	<b>0.0</b>	<b>0.2</b>	<b>0.7</b>	<b>0.2</b>	<b>21.5</b>	<b>0.0</b>	<b>1.4</b>	<b>5.37</b>	<b>4.35</b>
<b>County: FRESNO</b>												
555- MISC TRIAL	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	4	4	0	0.3	1.6	0.3	21.3	0	1.4	5.23	4.37
565- MIX	Cur Wk	4	4	0	1.6	0.4	0.3	20.8	0	1.4	5.85	4.35
	YTD	7	7	0	1.3	0.9	0.2	20.8	0	1.6	5.71	4.36
0- UNCODED	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	1	1	0	1.5	2.0	0.5	20.5	0	2.0	4.70	4.35
43- 43, BP	Cur Wk	17	17	0	1.4	1.8	0.2	21.3	0	0.9	5.69	4.46
	YTD	17	17	0	1.4	1.8	0.2	21.3	0	0.9	5.69	4.46

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: FRESNO</b>												
170- 71, BP	Cur Wk	8	8	0	0.3	0.8	1.3	21.1	0	0.7	5.84	4.60
	YTD	8	8	0	0.3	0.8	1.3	21.1	0	0.7	5.84	4.60
72- 72, BP	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	78	78	0.1	1.2	1.6	0.8	21.1	0	2.7	6.34	4.42
740- 74, BP	Cur Wk	145	145	0	1.4	2.8	0.9	21.3	0	2.1	5.52	4.47
	YTD	145	145	0	1.4	2.8	0.9	21.3	0	2.1	5.52	4.47
78- 78, BP	Cur Wk	2	2	0	0.8	3.5	0	22.8	0	2.0	5.50	4.39
	YTD	2	2	0	0.8	3.5	0	22.8	0	2.0	5.50	4.39
80- 88, BP	Cur Wk	68	68	0	0.3	0.1	0.3	20.8	0	2.3	5.35	4.50
	YTD	68	68	0	0.3	0.1	0.3	20.8	0	2.3	5.35	4.50
961- 169, NB	Cur Wk	21	21	0	1.2	0.9	0.2	20.2	0	3.4	6.19	4.55
	YTD	29	29	0	0.8	2.2	0.2	20.4	0	2.9	6.04	4.52
187- 187, CXD	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	162	162	0	0.1	2.2	0.4	20.0	0	1.2	5.19	4.32
247- 247, E	Cur Wk	7	7	0	2.1	2.5	0.4	21.0	0	1.2	5.69	4.34
	YTD	7	7	0	2.1	2.5	0.4	21.0	0	1.2	5.69	4.34
273- 273, BQ	Cur Wk	781	781	0	0.3	2.4	0.9	21.1	0	2.6	5.33	4.41
	YTD	2,817	2,817	0	0.3	1.9	0.7	21.1	0	1.9	5.46	4.40
391- 391, BQ	Cur Wk	5	5	0	0.1	6.9	0.3	20.2	0	1.1	5.70	4.46
	YTD	5	5	0	0.1	6.9	0.3	20.2	0	1.1	5.70	4.46
400- 400, BQ	Cur Wk	107	107	0	0.1	0.3	1.0	20.6	0	2.2	5.44	4.61
	YTD	3,435	3,435	0	0.1	1.6	0.5	20.0	0	1.4	5.52	4.50
103- 403, BQ	Cur Wk	175	175	0	0.1	1.5	1.0	21.2	0	4.0	5.84	4.50
	YTD	3,594	3,594	0	0.2	1.8	0.6	20.9	0	2.4	5.70	4.38
59- 0599, SV	Cur Wk	1	1	0	0	2.0	0.5	22.5	0	0.5	5.80	4.42
	YTD	1	1	0	0	2.0	0.5	22.5	0	0.5	5.80	4.42
604- 604, BQ	Cur Wk	2	2	0	0	1.3	0	21.8	0	3.5	5.30	4.42
	YTD	2	2	0	0	1.3	0	21.8	0	3.5	5.30	4.42

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

Rpt: RP10Ah  
 Page 4 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: FRESNO</b>												
18- 0811, BOS	Cur Wk	652	652	0	0.1	2.0	0.4	20.2	0	0.9	5.47	4.37
	YTD	981	981	0	0.1	1.7	0.3	20.1	0	0.7	5.47	4.36
820- 1082, SVTM	Cur Wk	573	573	0	0.2	3.2	0.5	21.1	0	1.3	6.08	4.34
	YTD	801	801	0	0.2	2.9	0.5	21.2	0	1.2	5.99	4.34
776- 1776, HZ	Cur Wk	406	406	0	0.2	1.9	0.8	21.1	0	1.3	5.91	4.41
	YTD	406	406	0	0.2	1.9	0.8	21.1	0	1.3	5.91	4.41
996- 1996, HZ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	101	101	0	0.3	1.6	0.5	19.8	0	0.6	5.56	4.36
842- 3842, BOS	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	132	132	0	1.0	1.7	0.2	21.1	0	2.2	5.81	4.50
887- 3887, HM	Cur Wk	333	333	0	1.4	1.6	0.1	22.1	0	3.0	5.70	4.45
	YTD	733	733	0	1.2	2.4	0.2	21.9	0	2.7	5.81	4.45
452- 4521, HMX 61P	Cur Wk	213	213	0	0.3	2.5	0.1	21.1	0	0.7	5.49	4.40
	YTD	223	223	0	0.3	2.5	0.1	21.1	0	0.8	5.51	4.40
569- 4569, BOS	Cur Wk	1	1	0	0.5	0.5	0.5	20.5	0	2.5	5.50	4.48
	YTD	1	1	0	0.5	0.5	0.5	20.5	0	2.5	5.50	4.48
341- 5341, BOS	Cur Wk	3	3	0	0	4.5	0.5	20.3	0	3.3	6.00	4.46
	YTD	3	3	0	0	4.5	0.5	20.3	0	3.3	6.00	4.46
369- 5369, HMX61P	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	128	128	0	0.3	1.3	0.3	21.6	0	1.6	5.40	4.57
511- 5511, HMX61P	Cur Wk	467	467	0	0.4	1.9	0.4	20.6	0	2.4	5.98	4.41
	YTD	1,718	1,718	0	0.3	1.9	0.4	20.9	0	3.2	6.02	4.43
552- 5522, HM 61P	Cur Wk	1,919	1,919	0	0.2	1.0	0.4	20.5	0	1.0	5.98	4.36
	YTD	5,691	5,691	0	0.2	1.2	0.4	20.4	0	0.9	5.99	4.36
560- 5608, HZ	Cur Wk	1,059	1,059	0	0.7	1.3	0.2	20.3	0	2.3	5.24	4.47
	YTD	2,163	2,163	0	0.5	1.6	0.4	20.3	0	2.0	5.26	4.45
366- 6366, SUN	Cur Wk	69	69	0	0.2	0.2	0.3	20.8	0	1.6	5.48	4.52
	YTD	617	617	0	0.3	0.6	0.2	20.8	0	2.6	5.66	4.48

\* Loads Which Were Certified and Paid For

Compiled 3:35 pm on 08/08/2022

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
**Week 5 Ending 08/06/2022**

Rpt: RP10Ah  
Page 5 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: FRESNO</b>												
42- 6402, N	Cur Wk	1,170	1,170	0	0.9	1.1	0.5	20.3	0	2.3	5.99	4.50
	YTD	2,623	2,623	0	0.7	1.5	0.5	20.2	0	2.2	5.96	4.49
641- 6416, N	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	1,339	1,339	0	0.5	2.3	0.5	21.2	0	1.8	5.31	4.38
420- 6420, N	Cur Wk	226	226	0	0.6	0.8	0.4	21.9	0	1.9	5.34	4.56
	YTD	226	226	0	0.6	0.8	0.4	21.9	0	1.9	5.34	4.56
426- 6426, N	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	16	16	0	0.3	3.2	0.1	20.3	0	0.5	5.12	4.37
28- 6428, N	Cur Wk	135	135	0	1.5	5.4	1.2	22.1	0	2.0	5.05	4.41
	YTD	135	135	0	1.5	5.4	1.2	22.1	0	2.0	5.05	4.41
434- 6434, N	Cur Wk	290	290	0	0.9	2.0	0.9	22.4	0	2.2	5.10	4.52
	YTD	478	478	0	0.9	1.8	1.2	22.7	0	2.2	5.11	4.52
73- 6473, N	Cur Wk	95	95	0	1.1	0.2	0.2	20.4	0	1.9	5.11	4.54
	YTD	95	95	0	1.1	0.2	0.2	20.4	0	1.9	5.11	4.54
675- 6475, N	Cur Wk	8	8	0	1.4	1.1	0.5	21.0	0	2.1	5.08	4.57
	YTD	8	8	0	1.4	1.1	0.5	21.0	0	2.1	5.08	4.57
651- 6517, UG	Cur Wk	1	1	0	0	2.5	0.5	27.5	0	1.5	5.30	4.56
	YTD	1	1	0	0	2.5	0.5	27.5	0	1.5	5.30	4.56
845- 6845, BOS	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	25	25	0	0.1	3.7	0.3	20.6	0	3.3	5.49	4.46
848- 6848, BOS	Cur Wk	97	97	0	0.3	1.3	0.2	20.8	0	1.8	5.09	4.46
	YTD	167	167	0	0.3	1.4	0.3	20.6	0	1.5	5.10	4.44
301- 7103, HMX61P	Cur Wk	436	436	0	0.3	0.5	0.5	21.1	0	1.8	5.54	4.44
	YTD	4,355	4,355	0	0.1	0.9	0.3	20.9	0	1.7	5.71	4.40
131- 8131, BOS	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	5	5	0	0.4	1.5	0.2	21.3	0	1.3	5.28	4.34
36- 8163, HM	Cur Wk	599	599	0	0.6	0.7	0.4	20.4	0	1.7	6.26	4.46
	YTD	1,713	1,713	0	0.4	1.2	0.5	20.3	0	1.6	6.32	4.45

\* Loads Which Were Certified and Paid For



**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: FRESNO</b>												
37- 8237, HM	Cur Wk	77	77	0	0	0.9	0	21.4	0	0.1	5.73	4.26
	YTD	169	169	0	0	0.9	0.2	21.3	0	0.1	5.86	4.28
68- 8268, HM	Cur Wk	226	226	0	0.2	2.2	0.3	20.1	0	1.6	5.76	4.47
	YTD	226	226	0	0.2	2.2	0.3	20.1	0	1.6	5.76	4.47
900- 9000, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	146	146	0	0.3	3.4	0.1	21.0	0	0.5	5.18	4.35
98- 9008, SVTM	Cur Wk	132	132	0	0.4	1.2	0.1	21.8	0	1.2	5.73	4.41
	YTD	269	269	0	0.3	1.1	0.1	22.0	0	1.0	5.65	4.38
901- 9011, SVTM	Cur Wk	133	133	0	1.2	1.3	0.6	20.2	0	0.9	5.60	4.40
	YTD	389	389	0	0.7	1.2	0.4	20.8	0	1.5	5.75	4.40
912- 9012, SVTM	Cur Wk	136	136	0	1.2	0.4	0.3	20.7	0	1.7	6.14	4.38
	YTD	424	424	0	0.8	0.8	0.4	20.8	0	2.3	6.18	4.41
913- 9013, SVTM	Cur Wk	118	118	0	0.4	2.4	0.5	20.9	0	2.1	5.73	4.43
	YTD	634	634	0	0.3	1.8	0.4	20.9	0	1.5	5.61	4.42
914- 9014, SVTM	Cur Wk	445	445	0	0.6	1.3	0.2	20.4	0	1.5	5.90	4.40
	YTD	593	593	0	0.6	1.3	0.2	20.4	0	1.5	5.90	4.40
916- 9016, SVTM	Cur Wk	143	143	0	0.1	1.1	0.2	21.4	0	0.3	5.52	4.41
	YTD	194	194	0	0.1	1.1	0.2	21.4	0	0.3	5.52	4.40
919- 9019, SVTM	Cur Wk	217	217	0	0.3	2.9	0.4	21.9	0	2.2	6.07	4.25
	YTD	257	257	0	0.2	2.6	0.3	22.1	0	2.3	6.15	4.26
921- 9021, SVTM	Cur Wk	31	31	0	1.2	0.5	0.7	21.3	0	1.6	5.37	4.35
	YTD	31	31	0	1.2	0.5	0.7	21.3	0	1.6	5.37	4.35
239- 9023, SVTM	Cur Wk	494	494	0	0.2	1.0	0.2	21.8	0	0.9	5.44	4.37
	YTD	569	569	0	0.2	1.0	0.2	21.8	0	0.8	5.45	4.36
925- 9025, SVTM	Cur Wk	238	238	0	0.5	0.6	0.2	22.0	0	0.6	5.56	4.24
	YTD	552	552	0	0.4	2.2	0.4	22.5	0	1.5	5.72	4.30
27- 9027, SVTM	Cur Wk	437	437	0	0.4	1.0	0.4	20.6	0	1.1	5.97	4.42
	YTD	3,017	3,017	0	0.3	1.5	0.3	20.5	0	1.1	6.02	4.39

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

Rpt: RP10Ah  
 Page 7 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: FRESNO</b>												
320- 9032, SVTM	Cur Wk	96	96	0	0.2	1.0	0.6	21.2	0	0.9	5.93	4.31
	YTD	792	792	0	0.1	1.6	0.5	21.5	0	1.2	5.78	4.31
917- 9174, HM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	3	3	0	0.2	0.7	0.8	20.2	0	1.0	5.83	4.34
112- 16112, UG	Cur Wk	139	139	0	0.2	1.0	0.2	20.9	0	0.8	5.25	4.38
	YTD	388	388	0	0.2	1.5	0.2	21.0	0	0.7	5.20	4.33
166- 16609, UG	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	205	205	0	0.1	0.9	0.3	21.6	0	1.9	5.55	4.33
841- 58841, HM	Cur Wk	293	293	0	0.4	2.7	1.1	21.5	0	1.7	5.93	4.48
	YTD	421	421	0	0.4	2.6	1.2	21.7	0	1.7	6.04	4.50
627- 627849, HMC	Cur Wk	4	4	0	0.6	2.9	1.0	22.5	0	8.6	5.68	4.47
	YTD	4	4	0	0.6	2.9	1.0	22.5	0	8.6	5.68	4.47
628- 628512, HMC	Cur Wk	7	7	0	0.1	3.7	0.1	20.9	0	3.6	5.90	4.43
	YTD	7	7	0	0.1	3.7	0.1	20.9	0	3.6	5.90	4.43
<b>Total FRESNO</b>	<b>Cur Wk</b>	<b>13,461</b>	<b>13,461.00</b>	<b>0.0</b>	<b>0.5</b>	<b>1.5</b>	<b>0.5</b>	<b>20.9</b>	<b>0.0</b>	<b>1.7</b>	<b>5.72</b>	<b>4.42</b>
	<b>YTD</b>	<b>44,556</b>	<b>44556</b>	<b>0.0</b>	<b>0.3</b>	<b>1.6</b>	<b>0.4</b>	<b>20.8</b>	<b>0.0</b>	<b>1.6</b>	<b>5.74</b>	<b>4.41</b>
<b>County: KERN</b>												
577- HEINZ TRIAL	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	46	46	0	0.5	4.4	0.6	22.4	0	0.9	4.73	4.31
555- MISC TRIAL	Cur Wk	2	2	0	1.5	0.8	0.3	20.8	0	1.5	5.65	4.39
	YTD	7	7	0	1.7	0.6	0.3	21.2	0	1.1	4.86	4.47
565- MIX	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	2	2	0	0.3	0.3	0.8	21.8	0	1.0	5.55	4.48
0- UNCODED	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	37	37	0	1.5	2.8	0.8	21.5	0	4.2	5.51	4.59
187- 187, CXD	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	1,025	1,025	0	1.8	2.2	0.4	20.8	0	1.8	4.69	4.38

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

Rpt: RP10Ah  
 Page 8 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: KERN</b>												
273- 273, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	1,909	1,909	0	1.0	3.1	0.8	21.3	0	1.7	5.20	4.42
400- 400, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	2,456	2,456	0	0.4	2.4	0.7	20.6	0	1.1	5.05	4.49
103- 403, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	1,720	1,720	0	0.4	2.7	0.7	21.3	0	1.9	5.27	4.35
18- 0811, BOS	Cur Wk	359	359	0	0.7	1.8	2.0	20.1	0	0.7	5.04	4.34
	YTD	1,126	1,126	0	0.8	2.1	0.8	20.7	0	0.7	4.72	4.35
662- 1662, HZ	Cur Wk	137	137	0	0.7	1.1	0.2	22.9	0	2.0	5.04	4.43
	YTD	495	495	0	0.3	1.8	0.7	22.7	0	1.4	4.88	4.38
610- 2016, HZ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	64	64	0	0.3	2.4	0.6	21.2	0	1.4	5.22	4.45
887- 3887, HM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	210	210	0	0.2	4.0	0.3	21.3	0	2.9	5.35	4.44
452- 4521, HMX 61P	Cur Wk	20	20	0	0.3	1.6	0.7	21.8	0	0.9	5.06	4.48
	YTD	134	134	0	0.4	1.6	0.6	21.8	0	0.8	5.23	4.42
680- 4680, BOS	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	75	75	0	0.2	4.4	0.3	20.9	0	1.6	5.27	4.46
511- 5511, HMX61P	Cur Wk	91	91	0	3.2	3.3	0.3	21.5	0	12.3	5.53	4.54
	YTD	739	739	0	1.1	2.4	0.4	21.1	0	4.0	5.42	4.47
552- 5522, HM 61P	Cur Wk	118	118	0	0.9	0.3	0.1	21.0	0	1.0	5.56	4.33
	YTD	575	575	0	0.7	3.1	0.7	21.0	0	1.0	5.59	4.36
560- 5608, HZ	Cur Wk	455	455	0	2.0	1.2	0.5	20.5	0	1.1	4.56	4.42
	YTD	2,813	2,813	0	1.4	1.4	0.5	20.7	0	1.6	4.83	4.47
366- 6366, SUN	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	634	634	0	0.5	1.3	1.1	20.7	0	3.1	5.15	4.45
42- 6402, N	Cur Wk	31	31	0	1.2	0.6	0.6	20.9	0	4.0	4.92	4.51
	YTD	206	206	0	1.2	0.8	0.8	21.6	0	3.6	5.14	4.48

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: KERN</b>												
415- 6415, N	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	53	53	0	2.2	1.5	0.1	21.6	0	0.9	4.60	4.41
641- 6416, N	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	825	825	0	0.5	3.8	0.5	21.4	0	1.1	4.81	4.37
426- 6426, N	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	170	170	0	1.5	2.7	0.5	21.0	0	0.8	4.65	4.36
28- 6428, N	Cur Wk	93	93	0	1.3	0.5	0	22.1	0	0.7	4.73	4.42
	YTD	93	93	0	1.3	0.5	0	22.1	0	0.7	4.73	4.42
301- 7103, HMX61P	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	812	812	0	0.2	1.9	0.3	20.9	0	1.5	5.30	4.39
11- 8011, SV	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	167	167	0	1.0	1.5	0.2	22.5	0	2.1	4.36	4.48
36- 8163, HM	Cur Wk	59	59	0	2.2	0.4	2.3	21.0	0	1.8	5.87	4.51
	YTD	474	474	0	0.8	0.9	0.6	20.7	0	0.9	5.54	4.40
37- 8237, HM	Cur Wk	76	76	0	0.3	1.8	0.4	21.6	0	0.2	5.02	4.33
	YTD	76	76	0	0.3	1.8	0.4	21.6	0	0.2	5.02	4.33
900- 9000, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	40	40	0	0.6	1.0	0.4	21.2	0	0.7	5.23	4.46
901- 9011, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	248	248	0	1.4	0.7	0.7	20.8	0	1.8	5.61	4.37
912- 9012, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	196	196	0	2.1	2.0	0.6	20.8	0	1.6	5.17	4.35
913- 9013, SVTM	Cur Wk	470	470	0	0.9	0.6	0.5	20.5	0	1.5	5.24	4.42
	YTD	1,097	1,097	0	1.1	1.5	0.3	20.8	0	1.4	5.09	4.40
914- 9014, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	495	495	0.1	1.4	2.1	0.7	20.9	0	1.4	5.21	4.40
919- 9019, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	101	101	0	0.8	1.7	0.2	23.7	0	2.4	5.29	4.30

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: KERN</b>												
239- 9023, SVTM	Cur Wk	1	1	0	0.5	1.0	0.5	20.5	0	0.5	4.90	4.45
	YTD	208	208	0.1	1.1	0.7	0.1	23.4	0	1.8	4.72	4.45
925- 9025, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	57	57	0	0.6	0.5	0.2	23.4	0	0.5	5.65	4.24
27- 9027, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	238	238	0	0.4	0.3	0.3	20.6	0	0.6	5.64	4.39
320- 9032, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	25	25	0	0.5	2.7	0.3	22.6	0	1.5	5.00	4.35
<b>Total KERN</b>	<b>Cur Wk</b>	<b>1,912</b>	<b>1,912.00</b>	<b>0.0</b>	<b>1.3</b>	<b>1.2</b>	<b>0.7</b>	<b>20.9</b>	<b>0.0</b>	<b>1.7</b>	<b>5.04</b>	<b>4.41</b>
	<b>YTD</b>	<b>19,648</b>	<b>19648</b>	<b>0.0</b>	<b>0.9</b>	<b>2.1</b>	<b>0.6</b>	<b>21.0</b>	<b>0.0</b>	<b>1.6</b>	<b>5.07</b>	<b>4.42</b>
<b>County: KINGS</b>												
0- UNCODED	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	60	60	0	0.4	2.0	0.4	20.8	0	1.0	5.13	4.41
43- 43, BP	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	121	121	0	0.3	1.7	0.2	21.2	0	2.9	5.49	4.50
170- 71, BP	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	4	4	0	0.8	1.9	0.9	23.0	0	1.1	4.58	4.43
72- 72, BP	Cur Wk	11	11	0.1	1.6	0.7	0.4	21.1	0	2.9	5.27	4.43
	YTD	79	79	0.1	1.2	1.6	0.3	21.0	0	2.4	5.44	4.40
80- 88, BP	Cur Wk	4	4	0	4.0	1.9	0.5	21.9	0	2.9	4.40	4.52
	YTD	4	4	0	4.0	1.9	0.5	21.9	0	2.9	4.40	4.52
961- 169, NB	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	51	51	0	0.3	0.4	0.3	19.9	0	2.6	5.85	4.56
187- 187, CXD	Cur Wk	80	80	0	0.9	1.7	2.0	21.7	0	4.4	4.69	4.52
	YTD	528	528	0	0.7	2.6	1.1	21.0	0	3.5	4.84	4.45
273- 273, BQ	Cur Wk	625	625	0	0.5	1.6	0.5	21.4	0	3.0	5.47	4.47
	YTD	3,181	3,181	0	0.3	1.7	0.5	21.5	0	1.9	5.36	4.40

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

Rpt: RP10Ah  
 Page 11 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: KINGS</b>												
400- 400, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	1,519	1,519	0	0.2	2.8	0.3	20.4	0	1.5	5.23	4.49
103- 403, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	771	771	0	0.2	3.9	0.6	21.1	0	2.5	5.47	4.35
18- 0811, BOS	Cur Wk	322	322	0	0.6	3.8	1.3	20.6	0	1.6	5.19	4.43
	YTD	322	322	0	0.6	3.8	1.3	20.6	0	1.6	5.19	4.43
776- 1776, HZ	Cur Wk	283	283	0	0.5	2.2	0.7	20.7	0	1.1	5.48	4.38
	YTD	283	283	0	0.5	2.2	0.7	20.7	0	1.1	5.48	4.38
610- 2016, HZ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	112	112	0	0.1	4.4	0.3	21.1	0	0.3	4.66	4.32
128- 2128, HZ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	3	3	0	0	0.8	0.5	20.5	0	1.8	5.07	4.56
887- 3887, HM	Cur Wk	174	174	0	1.3	3.1	0.2	21.5	0	2.2	6.13	4.44
	YTD	268	268	0	1.6	3.6	0.3	21.4	0	2.1	5.83	4.44
452- 4521, HMX 61P	Cur Wk	1,034	1,034	0	0.3	0.9	0.3	20.9	0	0.6	5.61	4.35
	YTD	1,109	1,109	0	0.3	0.9	0.3	20.9	0	0.6	5.58	4.35
456- 4565, BOS	Cur Wk	134	134	0	0.7	3.1	0.4	20.5	0	2.3	5.08	4.37
	YTD	147	147	0	0.6	2.9	0.4	20.5	0	2.2	5.09	4.37
680- 4680, BOS	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	65	65	0	0.1	3.5	0.1	20.5	0	0.5	5.31	4.33
511- 5511, HMX61P	Cur Wk	1,309	1,309	0	0.9	1.4	0.4	21.1	0	4.3	5.57	4.49
	YTD	1,768	1,768	0	0.8	1.3	0.3	21.1	0	4.6	5.64	4.50
552- 5522, HM 61P	Cur Wk	424	424	0	0.2	0.9	0.3	20.1	0	0.8	6.00	4.38
	YTD	2,946	2,946	0	0.1	0.9	0.2	20.1	0	0.9	6.09	4.38
560- 5608, HZ	Cur Wk	1,142	1,142	0	0.5	1.9	0.4	20.0	0	0.8	5.33	4.45
	YTD	3,786	3,786	0	0.6	2.6	0.3	20.1	0	1.1	5.30	4.42
366- 6366, SUN	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	294	294	0	0.5	1.9	0.2	20.6	0	3.8	5.44	4.42

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

Rpt: RP10Ah  
 Page 12 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: KINGS</b>												
42- 6402, N	Cur Wk	513	513	0	0.7	0.9	0.5	20.1	0	3.0	6.14	4.52
	YTD	565	565	0	0.7	0.9	0.5	20.1	0	2.9	6.09	4.51
641- 6416, N	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	456	456	0	0.5	5.5	2.2	21.3	0	1.7	4.90	4.39
845- 6845, BOS	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	38	38	0	0	1.4	0.2	20.3	0	3.4	5.76	4.42
301- 7103, HMX61P	Cur Wk	192	192	0	0.6	0.4	0.4	21.2	0	4.9	5.78	4.53
	YTD	1,723	1,723	0	0.2	1.7	0.3	21.2	0	2.0	5.37	4.41
36- 8163, HM	Cur Wk	467	467	0	0.8	1.4	0.5	20.6	0	0.9	5.57	4.45
	YTD	816	816	0	0.6	1.2	0.4	20.6	0	0.8	5.46	4.43
37- 8237, HM	Cur Wk	40	40	0	0.3	1.2	0.3	21.8	0	0.3	5.51	4.37
	YTD	41	41	0	0.3	1.2	0.3	21.7	0	0.3	5.49	4.37
900- 9000, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	204	204	0	0.1	1.5	0	21.6	0	0.6	4.82	4.40
912- 9012, SVTM	Cur Wk	44	44	0	1.0	0.7	0.1	20.6	0	2.1	5.87	4.42
	YTD	120	120	0	0.8	0.9	0.2	20.4	0	2.2	5.88	4.39
914- 9014, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	246	246	0	0.7	2.6	0.1	21.2	0	1.5	6.24	4.39
916- 9016, SVTM	Cur Wk	147	147	0	0.3	1.4	0.1	21.4	0	0.6	5.33	4.33
	YTD	179	179	0	0.4	1.3	0.1	21.4	0	0.6	5.32	4.33
919- 9019, SVTM	Cur Wk	142	142	0	0.8	1.3	0.4	22.6	0	2.7	5.71	4.28
	YTD	212	212	0	0.6	2.1	0.3	22.8	0	2.4	5.68	4.25
239- 9023, SVTM	Cur Wk	52	52	0	2.0	0.9	0.8	22.1	0	1.2	4.92	4.38
	YTD	242	242	0	0.6	0.7	0.4	21.7	0	1.0	5.21	4.38
925- 9025, SVTM	Cur Wk	165	165	0	0.4	0.3	0.2	21.2	0	0.5	5.52	4.24
	YTD	223	223	0	0.4	0.6	0.2	21.6	0	0.6	5.60	4.26
27- 9027, SVTM	Cur Wk	167	167	0	0.6	1.2	1.0	21.3	0	2.1	5.25	4.47
	YTD	893	893	0	0.3	1.3	1.0	20.8	0	1.0	5.55	4.39

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: KINGS</b>												
507- 628507, HMC	Cur Wk	5	5	0	1.6	1.0	0.7	20.3	0	2.0	5.00	4.51
	YTD	10	10	0	1.0	1.3	0.6	20.3	0	1.6	5.19	4.48
<b>Total KINGS</b>	<b>Cur Wk</b>	<b>7,476</b>	<b>7,476.00</b>	<b>0.0</b>	<b>0.6</b>	<b>1.5</b>	<b>0.5</b>	<b>20.8</b>	<b>0.0</b>	<b>2.0</b>	<b>5.56</b>	<b>4.43</b>
	<b>YTD</b>	<b>23,389</b>	<b>23389</b>	<b>0.0</b>	<b>0.4</b>	<b>1.9</b>	<b>0.4</b>	<b>20.8</b>	<b>0.0</b>	<b>1.7</b>	<b>5.49</b>	<b>4.41</b>
<b>County: MADERA</b>												
675- 6475, N	Cur Wk	188	188	0	1.2	9.5	0.9	21.1	0	1.2	4.50	4.46
	YTD	188	188	0	1.2	9.5	0.9	21.1	0	1.2	4.50	4.46
<b>Total MADERA</b>	<b>Cur Wk</b>	<b>188</b>	<b>188.00</b>	<b>0.0</b>	<b>1.2</b>	<b>9.5</b>	<b>0.9</b>	<b>21.1</b>	<b>0.0</b>	<b>1.2</b>	<b>4.50</b>	<b>4.46</b>
	<b>YTD</b>	<b>188</b>	<b>188</b>	<b>0.0</b>	<b>1.2</b>	<b>9.5</b>	<b>0.9</b>	<b>21.1</b>	<b>0.0</b>	<b>1.2</b>	<b>4.50</b>	<b>4.46</b>
<b>County: MERCED</b>												
43- 43, BP	Cur Wk	10	10	0	0.4	1.6	0.4	23.2	0	4.6	6.23	4.54
	YTD	10	10	0	0.4	1.6	0.4	23.2	0	4.6	6.23	4.54
820- 1082, SVTM	Cur Wk	76	76	0	0.2	1.1	0.7	23.0	0	3.3	6.04	4.38
	YTD	81	81	0	0.2	1.3	0.7	23.0	0	3.3	6.06	4.38
996- 1996, HZ	Cur Wk	138	138	0	0	5.0	1.3	21.0	0	0.4	5.28	4.37
	YTD	138	138	0	0	5.0	1.3	21.0	0	0.4	5.28	4.37
511- 5511, HMX61P	Cur Wk	162	162	0	0.5	2.9	0.4	22.0	0	5.1	6.13	4.50
	YTD	193	193	0	0.6	2.7	0.5	21.9	0	5.1	6.11	4.50
913- 9013, SVTM	Cur Wk	59	59	0	0.3	2.4	0.5	20.4	0	0.8	5.08	4.44
	YTD	59	59	0	0.3	2.4	0.5	20.4	0	0.8	5.08	4.44
916- 9016, SVTM	Cur Wk	25	25	0	0.1	0.8	0.4	21.6	0	1.3	6.26	4.35
	YTD	106	106	0	0.2	1.2	0.5	22.6	0	1.9	6.33	4.34
908- 9018, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	250	250	0	0.3	1.2	0.9	22.6	0	1.9	5.64	4.35
27- 9027, SVTM	Cur Wk	171	171	0	0.3	1.0	0.3	21.1	0	1.0	6.34	4.43
	YTD	328	328	0	0.2	1.2	0.5	21.2	0	1.5	6.31	4.43
320- 9032, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	25	25	0	0.4	1.8	2.0	23.4	0	9.2	6.37	4.44

\* Loads Which Were Certified and Paid For



**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>Total MERCED</b>	<b>Cur Wk</b>	<b>641</b>	<b>641.00</b>	<b>0.0</b>	<b>0.3</b>	<b>2.5</b>	<b>0.6</b>	<b>21.5</b>	<b>0.0</b>	<b>2.2</b>	<b>5.90</b>	<b>4.43</b>
	<b>YTD</b>	<b>1,190</b>	<b>1190</b>	<b>0.0</b>	<b>0.3</b>	<b>2.0</b>	<b>0.7</b>	<b>21.9</b>	<b>0.0</b>	<b>2.3</b>	<b>5.94</b>	<b>4.41</b>
<b>County: SAN JOAQUIN</b>												
103- 403, BQ	Cur Wk	54	54	0	0.4	0.9	0.4	20.7	0	3.7	5.38	4.33
	YTD	54	54	0	0.4	0.9	0.4	20.7	0	3.7	5.38	4.33
18- 0811, BOS	Cur Wk	51	51	0	0.3	0.6	0.2	21.4	0	0.8	4.85	4.32
	YTD	81	81	0	0.2	0.7	0.2	21.4	0	1.0	5.07	4.34
<b>Total SAN JOAQUIN</b>	<b>Cur Wk</b>	<b>105</b>	<b>105.00</b>	<b>0.0</b>	<b>0.3</b>	<b>0.8</b>	<b>0.3</b>	<b>21.0</b>	<b>0.0</b>	<b>2.3</b>	<b>5.12</b>	<b>4.33</b>
	<b>YTD</b>	<b>135</b>	<b>135</b>	<b>0.0</b>	<b>0.3</b>	<b>0.8</b>	<b>0.3</b>	<b>21.1</b>	<b>0.0</b>	<b>2.1</b>	<b>5.19</b>	<b>4.34</b>
<b>County: SOLANO</b>												
247- 247, E	Cur Wk	51	51	0	0.3	1.2	0.1	21.6	0	0.8	5.38	4.35
	YTD	51	51	0	0.3	1.2	0.1	21.6	0	0.8	5.38	4.35
400- 400, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	64	64	0	0.1	0.2	0.2	21.2	0	0	5.53	4.39
103- 403, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	18	18	0	0.3	1.1	0.1	22.6	0	0.6	6.18	4.32
490- 4909, HMX	Cur Wk	197	197	0	1.2	1.0	0.3	23.2	0	0.5	5.82	4.24
	YTD	235	235	0	1.1	0.9	0.3	23.3	0	0.5	5.80	4.23
397- 6397, N	Cur Wk	35	35	0	0.1	1.1	0.1	20.5	0	0.7	5.78	4.44
	YTD	103	103	0	0.1	0.7	0.1	20.6	0	0.5	5.80	4.41
301- 7103, HMX61P	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	32	32	0	0.9	1.6	0.2	23.0	0	0.8	5.60	4.30
27- 9027, SVTM	Cur Wk	51	51	0	1.0	1.8	0.9	22.4	0	0.5	5.84	4.34
	YTD	58	58	0	1.0	1.8	0.8	22.4	0	0.5	5.80	4.34
320- 9032, SVTM	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	26	26	0	0.6	0.4	0.5	23.2	0	0.4	5.53	4.27
<b>Total SOLANO</b>	<b>Cur Wk</b>	<b>334</b>	<b>334.00</b>	<b>0.0</b>	<b>0.9</b>	<b>1.1</b>	<b>0.3</b>	<b>22.5</b>	<b>0.0</b>	<b>0.6</b>	<b>5.75</b>	<b>4.29</b>
	<b>YTD</b>	<b>587</b>	<b>587</b>	<b>0.0</b>	<b>0.7</b>	<b>0.9</b>	<b>0.3</b>	<b>22.3</b>	<b>0.0</b>	<b>0.5</b>	<b>5.72</b>	<b>4.31</b>

\* Loads Which Were Certified and Paid For

Processing Tomato Advisory Board CROP System - Posted Certificates Repo  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: STANISLAUS</b>												
43- 43, BP	Cur Wk	46	46	0	0.4	3.1	0.6	23.1	0	4.5	6.44	4.59
	YTD	99	99	0	0.3	2.0	0.5	23.0	0	3.7	6.06	4.49
820- 1082, SVTM	Cur Wk	9	9	0	0	6.1	1.3	21.9	0	1.1	5.87	4.27
	YTD	9	9	0	0	6.1	1.3	21.9	0	1.1	5.87	4.27
908- 9018, SVTM	Cur Wk	2	2	0	0	4.5	0	21.3	0	1.0	5.30	4.24
	YTD	146	146	0	0.2	1.8	0.3	22.3	0	0.7	5.13	4.32
<b>Total STANISLAUS</b>	<b>Cur Wk</b>	<b>57</b>	<b>57.00</b>	<b>0.0</b>	<b>0.3</b>	<b>3.6</b>	<b>0.7</b>	<b>22.8</b>	<b>0.0</b>	<b>3.9</b>	<b>6.31</b>	<b>4.52</b>
	<b>YTD</b>	<b>254</b>	<b>254</b>	<b>0.0</b>	<b>0.3</b>	<b>2.0</b>	<b>0.4</b>	<b>22.6</b>	<b>0.0</b>	<b>1.9</b>	<b>5.52</b>	<b>4.38</b>
<b>County: SUTTER</b>												
13- 13, BP	Cur Wk	212	212	0	0.6	2.1	1.6	22.1	0	2.1	5.40	4.38
	YTD	212	212	0	0.6	2.1	1.6	22.1	0	2.1	5.40	4.38
5- 51, BP	Cur Wk	53	53	0	0.6	1.9	0.4	22.8	0	1.3	5.13	4.25
	YTD	107	107	0	0.6	2.4	0.5	22.9	0	1.3	5.17	4.26
413- 413, BQ	Cur Wk	78	78	0	3.4	5.6	1.1	21.8	0	2.1	4.46	4.50
	YTD	78	78	0	3.4	5.6	1.1	21.8	0	2.1	4.46	4.50
15- 1015, HEINZ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	118	118	0	0.4	2.2	0.2	21.6	0	0.4	4.75	4.39
301- 7103, HMX61P	Cur Wk	16	16	0	2.1	2.1	1.5	23.2	0	2.0	4.96	4.38
	YTD	137	137	0	1.8	2.6	0.9	23.2	0	1.4	4.88	4.37
901- 9011, SVTM	Cur Wk	32	32	0	0.8	2.7	0.6	20.7	0	1.6	5.60	4.32
	YTD	32	32	0	0.8	2.7	0.6	20.7	0	1.6	5.60	4.32
27- 9027, SVTM	Cur Wk	72	72	0	0.8	1.4	1.4	21.6	0	0.8	5.21	4.30
	YTD	72	72	0	0.8	1.4	1.4	21.6	0	0.8	5.21	4.30
320- 9032, SVTM	Cur Wk	77	77	0	0.3	1.6	0.8	22.6	0	1.0	5.21	4.26
	YTD	77	77	0	0.3	1.6	0.8	22.6	0	1.0	5.21	4.26
<b>Total SUTTER</b>	<b>Cur Wk</b>	<b>540</b>	<b>540.00</b>	<b>0.0</b>	<b>1.0</b>	<b>2.4</b>	<b>1.2</b>	<b>22.1</b>	<b>0.0</b>	<b>1.6</b>	<b>5.18</b>	<b>4.35</b>
	<b>YTD</b>	<b>833</b>	<b>833</b>	<b>0.0</b>	<b>1.0</b>	<b>2.5</b>	<b>0.9</b>	<b>22.2</b>	<b>0.0</b>	<b>1.4</b>	<b>5.08</b>	<b>4.35</b>
<b>County: TULARE</b>												

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: TULARE</b>												
273- 273, BQ	Cur Wk	530	530	0	1.6	2.7	0.7	21.4	0	3.0	4.57	4.39
	YTD	530	530	0	1.6	2.7	0.7	21.4	0	3.0	4.57	4.39
400- 400, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	406	406	0	0.6	11.7	0.6	21.1	0	0.9	4.52	4.56
103- 403, BQ	Cur Wk	162	162	0	0.5	2.0	0.8	21.4	0	5.0	5.27	4.53
	YTD	972	972	0	0.5	4.1	1.2	21.5	0	3.7	5.09	4.40
366- 6366, SUN	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	334	334	0	1.7	2.4	0.6	21.7	0	5.0	4.52	4.43
641- 6416, N	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	433	433	0	0.5	9.4	0.6	21.6	0	1.2	4.31	4.37
<b>Total TULARE</b>	<b>Cur Wk</b>	<b>692</b>	<b>692.00</b>	<b>0.0</b>	<b>1.4</b>	<b>2.5</b>	<b>0.7</b>	<b>21.4</b>	<b>0.0</b>	<b>3.4</b>	<b>4.73</b>	<b>4.42</b>
	<b>YTD</b>	<b>2,675</b>	<b>2675</b>	<b>0.0</b>	<b>0.9</b>	<b>5.6</b>	<b>0.9</b>	<b>21.5</b>	<b>0.0</b>	<b>2.9</b>	<b>4.70</b>	<b>4.42</b>
<b>County: YOLO</b>												
13- 13, BP	Cur Wk	482	482	0	0.5	3.6	1.6	21.8	0	1.7	4.74	4.36
	YTD	614	614	0	0.4	3.5	1.4	21.8	0	1.5	4.75	4.35
630- 63, NB	Cur Wk	90	90	0	0.5	2.2	0.3	21.8	0	1.6	5.20	4.48
	YTD	103	103	0	0.4	3.2	0.3	21.7	0	1.5	5.16	4.47
198- 198, SSA	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	33	33	0	0.1	2.0	0.2	22.3	0	0.4	4.90	4.39
273- 273, BQ	Cur Wk	13	13	0	0.4	1.0	0	23.2	0	0.8	5.18	4.34
	YTD	136	136	0	0.2	0.4	0.1	22.5	0	0.2	5.06	4.27
400- 400, BQ	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	46	46	0	0.3	0.5	0.6	22.1	0	0.7	5.35	4.48
103- 403, BQ	Cur Wk	22	22	0	1.0	1.9	1.0	22.5	0	1.9	6.22	4.31
	YTD	475	475	0	0.3	0.9	0.5	23.2	0	1.6	5.37	4.35
15- 1015, HEINZ	Cur Wk	63	63	0	0.6	3.3	1.8	21.8	0	1.7	5.07	4.48
	YTD	63	63	0	0.6	3.3	1.8	21.8	0	1.7	5.07	4.48

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

Rpt: RP10Ah  
 Page 17 of 18

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
<b>County: YOLO</b>												
842- 3842, BOS	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	38	38	0	0.5	0.4	0.4	23.2	0	0.5	4.95	4.34
490- 4909, HMX	Cur Wk	336	336	0	0.9	1.0	0.4	22.7	0	1.5	5.43	4.28
	YTD	342	342	0	0.9	1.0	0.4	22.8	0	1.5	5.43	4.28
52- 5235, HM	Cur Wk	278	278	0	0.7	2.9	0.5	20.3	0	1.8	5.46	4.43
	YTD	287	287	0	0.7	2.9	0.5	20.3	0	1.8	5.46	4.43
511- 5511, HMX61P	Cur Wk	76	76	0	0.9	1.0	0.2	22.3	0	1.9	5.29	4.45
	YTD	80	80	0	0.8	1.0	0.2	22.4	0	1.8	5.29	4.44
397- 6397, N	Cur Wk	0	0	0	0	0	0	0.0	0	0	0.00	0.00
	YTD	116	116	0	0.2	1.9	0.3	22.9	0	1.3	5.31	4.43
28- 6428, N	Cur Wk	154	154	0	0.3	5.6	0.4	23.0	0	0.5	5.05	4.35
	YTD	154	154	0	0.3	5.6	0.4	23.0	0	0.5	5.05	4.35
301- 7103, HMX61P	Cur Wk	117	117	0	0.1	1.5	0.4	22.5	0	1.3	5.56	4.39
	YTD	295	295	0	0.1	1.8	0.3	23.2	0	1.2	5.38	4.38
901- 9011, SVTM	Cur Wk	5	5	0	0.5	1.1	0.4	21.5	0	1.4	5.14	4.40
	YTD	5	5	0	0.5	1.1	0.4	21.5	0	1.4	5.14	4.40
913- 9013, SVTM	Cur Wk	17	17	0	0.9	0.8	0.2	22.8	0	1.4	4.74	4.37
	YTD	18	18	0	0.9	0.9	0.2	22.8	0	1.4	4.76	4.37
27- 9027, SVTM	Cur Wk	837	837	0	0.7	2.7	0.4	22.0	0	0.6	5.02	4.34
	YTD	1,360	1,360	0	0.5	2.4	0.5	22.2	0	0.5	5.00	4.33
320- 9032, SVTM	Cur Wk	314	314	0	0.6	1.2	1.5	22.7	0	1.5	5.21	4.31
	YTD	932	932	0	0.3	1.4	0.9	22.6	0	0.9	5.13	4.27
841- 58841, HM	Cur Wk	148	148	0	0.2	1.2	0.5	21.7	0	1.1	5.89	4.34
	YTD	148	148	0	0.2	1.2	0.5	21.7	0	1.1	5.89	4.34
<b>Total YOLO</b>	<b>Cur Wk</b>	<b>2,952</b>	<b>2,952.00</b>	<b>0.0</b>	<b>0.6</b>	<b>2.5</b>	<b>0.8</b>	<b>22.0</b>	<b>0.0</b>	<b>1.2</b>	<b>5.17</b>	<b>4.35</b>
	<b>YTD</b>	<b>5,245</b>	<b>5,245</b>	<b>0.0</b>	<b>0.4</b>	<b>2.1</b>	<b>0.6</b>	<b>22.3</b>	<b>0.0</b>	<b>1.0</b>	<b>5.15</b>	<b>4.34</b>

\* Loads Which Were Certified and Paid For

Processing Tomato Advisory Board CROP System - Posted Certificates Repo

Rpt: RP10Ah

AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED\* LOADS

Page 18 of 18

Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
TOTAL STATEWIDE	Cur Wk	31,426	31426	0.0	0.6	1.7	0.5	21.1	0.0	1.7	5.51	4.41
	YTD	103,620	103620	0.0	0.5	1.9	0.5	21.0	0.0	1.7	5.47	4.41

\* Loads Which Were Certified and Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED\* LOADS**  
**Week 5 Ending 08/06/2022**

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
577- HEINZ TRIAL	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	46	46	0.0	0.5	4.4	0.6	22.4	0.0	0.9	4.73	4.31
555- MISC TRIAL	Cur Wk	2	2	0.0	1.5	0.8	0.3	20.8	0.0	1.5	5.65	4.39
	YTD	11	11	0.0	1.2	1.0	0.3	21.2	0.0	1.2	4.99	4.44
565- MIX	Cur Wk	4	4	0.0	1.6	0.4	0.3	20.8	0.0	1.4	5.85	4.35
	YTD	9	9	0.0	1.1	0.7	0.3	21.0	0.0	1.4	5.68	4.38
0- UNCODED	Cur Wk	19	19	0.0	0.9	2.5	1.3	20.8	0.0	1.5	5.04	4.30
	YTD	117	117	0.0	0.8	2.3	0.6	21.0	0.0	2.1	5.23	4.45
13- 13, BP	Cur Wk	960	960	0.0	0.6	3.7	1.4	21.8	0.0	2.0	4.87	4.36
	YTD	1,284	1,284	0.0	0.5	3.9	1.3	21.8	0.0	1.8	4.92	4.36
43- 43, BP	Cur Wk	73	73	0.0	0.6	2.6	0.5	22.7	0.0	3.7	6.24	4.55
	YTD	247	247	0.0	0.4	1.9	0.3	22.0	0.0	3.1	5.76	4.49
5- 51,BP	Cur Wk	53	53	0.0	0.6	1.9	0.4	22.8	0.0	1.3	5.13	4.25
	YTD	107	107	0.0	0.6	2.4	0.5	22.9	0.0	1.3	5.17	4.26
630- 63, NB	Cur Wk	90	90	0.0	0.5	2.2	0.3	21.8	0.0	1.6	5.20	4.48
	YTD	103	103	0.0	0.4	3.2	0.3	21.7	0.0	1.5	5.16	4.47
170- 71, BP	Cur Wk	8	8	0.0	0.3	0.8	1.3	21.1	0.0	0.7	5.84	4.60
	YTD	12	12	0.0	0.4	1.1	1.1	21.7	0.0	0.8	5.42	4.54
72- 72, BP	Cur Wk	11	11	0.1	1.6	0.7	0.4	21.1	0.0	2.9	5.27	4.43
	YTD	157	157	0.1	1.2	1.6	0.6	21.1	0.0	2.5	5.88	4.41
740- 74, BP	Cur Wk	145	145	0.0	1.4	2.8	0.9	21.3	0.0	2.1	5.52	4.47
	YTD	145	145	0.0	1.4	2.8	0.9	21.3	0.0	2.1	5.52	4.47
78- 78, BP	Cur Wk	2	2	0.0	0.8	3.5	0.0	22.8	0.0	2.0	5.50	4.39
	YTD	2	2	0.0	0.8	3.5	0.0	22.8	0.0	2.0	5.50	4.39
80- 88, BP	Cur Wk	72	72	0.0	0.5	0.2	0.3	20.8	0.0	2.3	5.30	4.50
	YTD	72	72	0.0	0.5	0.2	0.3	20.8	0.0	2.3	5.30	4.50

\* Loads Which Were Certified And Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED\* LOADS**  
**Week 5 Ending 08/06/2022**

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
961- 169, NB	Cur Wk	21	21	0.0	1.2	0.9	0.2	20.2	0.0	3.4	6.19	4.55
	YTD	80	80	0.0	0.5	1.0	0.2	20.1	0.0	2.7	5.92	4.54
187- 187, CXD	Cur Wk	80	80	0.0	0.9	1.7	2.0	21.7	0.0	4.4	4.69	4.52
	YTD	1,715	1,715	0.0	1.3	2.3	0.6	20.8	0.0	2.3	4.79	4.40
198- 198, SSA	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	33	33	0.0	0.1	2.0	0.2	22.3	0.0	0.4	4.90	4.39
247- 247, E	Cur Wk	58	58	0.0	0.5	1.3	0.2	21.5	0.0	0.9	5.42	4.35
	YTD	58	58	0.0	0.5	1.3	0.2	21.5	0.0	0.9	5.42	4.35
273- 273, BQ	Cur Wk	1,949	1,949	0.0	0.7	2.2	0.7	21.3	0.0	2.8	5.16	4.42
	YTD	8,573	8,573	0.0	0.5	2.1	0.6	21.3	0.0	1.9	5.30	4.40
111- 0311, AB	Cur Wk	147	147	0.0	1.8	1.5	0.3	21.0	0.0	1.5	5.72	4.33
	YTD	147	147	0.0	1.8	1.5	0.3	21.0	0.0	1.5	5.72	4.33
391- 391, BQ	Cur Wk	5	5	0.0	0.1	6.9	0.3	20.2	0.0	1.1	5.70	4.46
	YTD	5	5	0.0	0.1	6.9	0.3	20.2	0.0	1.1	5.70	4.46
400- 400, BQ	Cur Wk	107	107	0.0	0.1	0.3	1.0	20.6	0.0	2.2	5.44	4.61
	YTD	7,926	7,926	0.0	0.3	2.6	0.5	20.4	0.0	1.3	5.27	4.50
103- 403, BQ	Cur Wk	702	702	0.0	0.3	1.4	0.6	21.5	0.0	3.6	5.40	4.43
	YTD	8,113	8,113	0.0	0.3	2.4	0.7	21.3	0.0	2.4	5.46	4.37
413- 413, BQ	Cur Wk	78	78	0.0	3.4	5.6	1.1	21.8	0.0	2.1	4.46	4.50
	YTD	78	78	0.0	3.4	5.6	1.1	21.8	0.0	2.1	4.46	4.50
59- 0599, SV	Cur Wk	1	1	0.0	0.0	2.0	0.5	22.5	0.0	0.5	5.80	4.42
	YTD	1	1	0.0	0.0	2.0	0.5	22.5	0.0	0.5	5.80	4.42
604- 604, BQ	Cur Wk	2	2	0.0	0.0	1.3	0.0	21.8	0.0	3.5	5.30	4.42
	YTD	2	2	0.0	0.0	1.3	0.0	21.8	0.0	3.5	5.30	4.42
18- 0811, BOS	Cur Wk	1,384	1,384	0.0	0.4	2.3	1.0	20.3	0.0	1.0	5.27	4.38
	YTD	2,510	2,510	0.0	0.5	2.1	0.7	20.5	0.0	0.8	5.08	4.36

\* Loads Which Were Certified And Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED\* LOADS**  
**Week 5 Ending 08/06/2022**

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
15- 1015, HEINZ	Cur Wk	192	192	0.0	0.6	2.1	1.2	22.1	0.0	2.7	5.12	4.50
	YTD	642	642	0.0	0.5	1.9	1.0	22.0	0.0	2.0	5.06	4.48
820- 1082, SVTM	Cur Wk	720	720	0.0	0.2	2.8	0.5	21.4	0.0	1.4	6.02	4.34
	YTD	980	980	0.0	0.2	2.6	0.4	21.4	0.0	1.4	5.95	4.34
662- 1662, HZ	Cur Wk	137	137	0.0	0.7	1.1	0.2	22.9	0.0	2.0	5.04	4.43
	YTD	495	495	0.0	0.3	1.8	0.7	22.7	0.0	1.4	4.88	4.38
776- 1776, HZ	Cur Wk	689	689	0.0	0.3	2.0	0.7	20.9	0.0	1.2	5.73	4.40
	YTD	689	689	0.0	0.3	2.0	0.7	20.9	0.0	1.2	5.73	4.40
996- 1996, HZ	Cur Wk	138	138	0.0	0.0	5.0	1.3	21.0	0.0	0.4	5.28	4.37
	YTD	239	239	0.0	0.2	3.6	0.9	20.5	0.0	0.4	5.40	4.36
610- 2016, HZ	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	176	176	0.0	0.2	3.7	0.4	21.1	0.0	0.7	4.87	4.36
128- 2128, HZ	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	3	3	0.0	0.0	0.8	0.5	20.5	0.0	1.8	5.07	4.56
842- 3842, BOS	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	170	170	0.0	0.9	1.4	0.2	21.6	0.0	1.8	5.62	4.46
887- 3887, HM	Cur Wk	507	507	0.0	1.4	2.1	0.1	21.9	0.0	2.7	5.84	4.45
	YTD	1,211	1,211	0.0	1.1	3.0	0.2	21.7	0.0	2.6	5.73	4.45
452- 4521, HMX 61P	Cur Wk	1,267	1,267	0.0	0.3	1.2	0.3	20.9	0.0	0.6	5.58	4.36
	YTD	1,466	1,466	0.0	0.3	1.2	0.3	21.0	0.0	0.6	5.54	4.36
456- 4565, BOS	Cur Wk	134	134	0.0	0.7	3.1	0.4	20.5	0.0	2.3	5.08	4.37
	YTD	147	147	0.0	0.6	2.9	0.4	20.5	0.0	2.2	5.09	4.37
569- 4569, BOS	Cur Wk	1	1	0.0	0.5	0.5	0.5	20.5	0.0	2.5	5.50	4.48
	YTD	1	1	0.0	0.5	0.5	0.5	20.5	0.0	2.5	5.50	4.48
680- 4680, BOS	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	140	140	0.0	0.1	4.0	0.2	20.7	0.0	1.1	5.29	4.40

\* Loads Which Were Certified And Paid For



**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED\* LOADS**  
**Week 5 Ending 08/06/2022**

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
490- 4909, HMX	Cur Wk	533	533	0.0	1.0	1.0	0.4	22.9	0.0	1.1	5.57	4.26
	YTD	577	577	0.0	1.0	1.0	0.3	23.0	0.0	1.1	5.58	4.26
52- 5235, HM	Cur Wk	278	278	0.0	0.7	2.9	0.5	20.3	0.0	1.8	5.46	4.43
	YTD	287	287	0.0	0.7	2.9	0.5	20.3	0.0	1.8	5.46	4.43
341- 5341, BOS	Cur Wk	3	3	0.0	0.0	4.5	0.5	20.3	0.0	3.3	6.00	4.46
	YTD	3	3	0.0	0.0	4.5	0.5	20.3	0.0	3.3	6.00	4.46
369- 5369, HMX61P	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	128	128	0.0	0.3	1.3	0.3	21.6	0.0	1.6	5.40	4.57
511- 5511, HMX61P	Cur Wk	2,105	2,105	0.0	0.8	1.7	0.4	21.1	0.0	4.2	5.69	4.47
	YTD	4,498	4,498	0.0	0.6	1.8	0.4	21.1	0.0	3.9	5.77	4.47
552- 5522, HM 61P	Cur Wk	2,463	2,463	0.0	0.3	0.9	0.3	20.4	0.0	0.9	5.96	4.36
	YTD	9,214	9,214	0.0	0.2	1.2	0.4	20.3	0.0	0.9	6.00	4.36
560- 5608, HZ	Cur Wk	2,656	2,656	0.0	0.9	1.5	0.4	20.2	0.0	1.5	5.16	4.46
	YTD	8,762	8,762	0.0	0.8	2.0	0.4	20.3	0.0	1.5	5.14	4.45
366- 6366, SUN	Cur Wk	72	72	0.0	0.2	0.2	0.3	20.8	0.0	1.5	5.47	4.52
	YTD	2,009	2,009	0.0	0.6	1.3	0.6	20.9	0.0	3.2	5.26	4.45
397- 6397, N	Cur Wk	35	35	0.0	0.1	1.1	0.1	20.5	0.0	0.7	5.78	4.44
	YTD	219	219	0.0	0.1	1.3	0.2	21.8	0.0	0.9	5.54	4.42
42- 6402, N	Cur Wk	2,122	2,122	0.0	0.7	0.9	0.4	20.4	0.0	2.3	5.90	4.49
	YTD	3,833	3,833	0.0	0.7	1.2	0.5	20.4	0.0	2.3	5.87	4.48
415- 6415, N	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	53	53	0.0	2.2	1.5	0.1	21.6	0.0	0.9	4.60	4.41
641- 6416, N	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	3,053	3,053	0.0	0.5	4.2	0.7	21.3	0.0	1.5	4.97	4.38
420- 6420, N	Cur Wk	226	226	0.0	0.6	0.8	0.4	21.9	0.0	1.9	5.34	4.56
	YTD	226	226	0.0	0.6	0.8	0.4	21.9	0.0	1.9	5.34	4.56

\* Loads Which Were Certified And Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED\* LOADS**  
 Week 5 Ending 08/06/2022

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
426- 6426, N	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	186	186	0.0	1.4	2.8	0.4	21.0	0.0	0.8	4.69	4.36
28- 6428, N	Cur Wk	382	382	0.0	1.0	4.3	0.6	22.5	0.0	1.1	4.97	4.39
	YTD	382	382	0.0	1.0	4.3	0.6	22.5	0.0	1.1	4.97	4.39
434- 6434, N	Cur Wk	290	290	0.0	0.9	2.0	0.9	22.4	0.0	2.2	5.10	4.52
	YTD	478	478	0.0	0.9	1.8	1.2	22.7	0.0	2.2	5.11	4.52
73- 6473, N	Cur Wk	95	95	0.0	1.1	0.2	0.2	20.4	0.0	1.9	5.11	4.54
	YTD	95	95	0.0	1.1	0.2	0.2	20.4	0.0	1.9	5.11	4.54
675- 6475, N	Cur Wk	196	196	0.0	1.2	9.1	0.9	21.1	0.0	1.3	4.52	4.46
	YTD	196	196	0.0	1.2	9.1	0.9	21.1	0.0	1.3	4.52	4.46
651- 6517, UG	Cur Wk	1	1	0.0	0.0	2.5	0.5	27.5	0.0	1.5	5.30	4.56
	YTD	1	1	0.0	0.0	2.5	0.5	27.5	0.0	1.5	5.30	4.56
845- 6845, BOS	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	63	63	0.0	0.1	2.3	0.2	20.5	0.0	3.3	5.65	4.44
848- 6848, BOS	Cur Wk	97	97	0.0	0.3	1.3	0.2	20.8	0.0	1.8	5.09	4.46
	YTD	167	167	0.0	0.3	1.4	0.3	20.6	0.0	1.5	5.10	4.44
301- 7103, HMX61P	Cur Wk	956	956	0.0	0.3	0.7	0.5	21.2	0.0	2.3	5.62	4.44
	YTD	7,805	7,805	0.0	0.2	1.2	0.3	21.1	0.0	1.7	5.55	4.40
11- 8011, SV	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	167	167	0.0	1.0	1.5	0.2	22.5	0.0	2.1	4.36	4.48
131- 8131, BOS	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	5	5	0.0	0.4	1.5	0.2	21.3	0.0	1.3	5.28	4.34
36- 8163, HM	Cur Wk	1,196	1,196	0.0	0.8	1.0	0.5	20.5	0.0	1.4	5.94	4.46
	YTD	3,074	3,074	0.0	0.5	1.1	0.5	20.5	0.0	1.3	5.96	4.44
37- 8237, HM	Cur Wk	193	193	0.0	0.2	1.3	0.2	21.6	0.0	0.2	5.41	4.31
	YTD	286	286	0.0	0.1	1.2	0.3	21.4	0.0	0.2	5.58	4.31

\* Loads Which Were Certified And Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED\* LOADS**  
**Week 5 Ending 08/06/2022**

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
68- 8268, HM	Cur Wk	226	226	0.0	0.2	2.2	0.3	20.1	0.0	1.6	5.76	4.47
	YTD	226	226	0.0	0.2	2.2	0.3	20.1	0.0	1.6	5.76	4.47
900- 9000, SVTM	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	390	390	0.0	0.2	2.1	0.1	21.3	0.0	0.6	5.00	4.39
98- 9008, SVTM	Cur Wk	132	132	0.0	0.4	1.2	0.1	21.8	0.0	1.2	5.73	4.41
	YTD	269	269	0.0	0.3	1.1	0.1	22.0	0.0	1.0	5.65	4.38
901- 9011, SVTM	Cur Wk	170	170	0.0	1.1	1.6	0.6	20.3	0.0	1.1	5.59	4.39
	YTD	674	674	0.0	1.0	1.1	0.5	20.8	0.0	1.6	5.69	4.38
912- 9012, SVTM	Cur Wk	180	180	0.0	1.2	0.5	0.3	20.7	0.0	1.8	6.07	4.39
	YTD	740	740	0.0	1.1	1.1	0.4	20.7	0.0	2.1	5.86	4.39
913- 9013, SVTM	Cur Wk	900	900	0.0	0.8	1.9	0.5	20.9	0.0	1.5	5.25	4.40
	YTD	2,044	2,044	0.0	0.8	1.9	0.3	20.9	0.0	1.4	5.25	4.40
914- 9014, SVTM	Cur Wk	445	445	0.0	0.6	1.3	0.2	20.4	0.0	1.5	5.90	4.40
	YTD	1,334	1,334	0.0	0.9	1.8	0.4	20.8	0.0	1.5	5.71	4.40
916- 9016, SVTM	Cur Wk	315	315	0.0	0.2	1.2	0.1	21.4	0.0	0.5	5.49	4.37
	YTD	479	479	0.0	0.2	1.2	0.2	21.6	0.0	0.8	5.63	4.36
908- 9018, SVTM	Cur Wk	148	148	0.0	0.3	1.1	1.1	21.4	0.0	0.7	4.91	4.28
	YTD	542	542	0.0	0.3	1.3	0.8	22.2	0.0	1.3	5.31	4.32
919- 9019, SVTM	Cur Wk	376	376	0.0	0.5	2.2	0.4	22.2	0.0	2.3	5.91	4.26
	YTD	587	587	0.0	0.5	2.2	0.3	22.6	0.0	2.3	5.81	4.27
921- 9021, SVTM	Cur Wk	31	31	0.0	1.2	0.5	0.7	21.3	0.0	1.6	5.37	4.35
	YTD	31	31	0.0	1.2	0.5	0.7	21.3	0.0	1.6	5.37	4.35
239- 9023, SVTM	Cur Wk	547	547	0.0	0.4	1.0	0.3	21.8	0.0	0.9	5.39	4.37
	YTD	1,019	1,019	0.0	0.5	0.8	0.2	22.1	0.0	1.1	5.24	4.38
925- 9025, SVTM	Cur Wk	403	403	0.0	0.5	0.5	0.2	21.7	0.0	0.5	5.54	4.24
	YTD	832	832	0.0	0.4	1.6	0.3	22.4	0.0	1.2	5.68	4.29

\* Loads Which Were Certified And Paid For

**Processing Tomato Advisory Board CROP System - Posted Certificates Repo**  
**AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED\* LOADS**  
**Week 5 Ending 08/06/2022**

<u>Variety ID &amp; Name</u>		<u>#Loads</u>	<u>#Hue Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg Color</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
27- 9027, SVTM	Cur Wk	2,572	2,572	0.0	0.6	2.2	0.6	21.4	0.0	0.8	5.43	4.37
	YTD	7,117	7,117	0.0	0.4	1.8	0.5	21.1	0.0	0.9	5.67	4.37
320- 9032, SVTM	Cur Wk	728	728	0.0	0.4	1.2	1.0	22.7	0.0	1.9	5.35	4.32
	YTD	2,471	2,471	0.0	0.2	1.4	0.7	22.3	0.0	1.3	5.42	4.30
917- 9174, HM	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	3	3	0.0	0.2	0.7	0.8	20.2	0.0	1.0	5.83	4.34
112- 16112, UG	Cur Wk	139	139	0.0	0.2	1.0	0.2	20.9	0.0	0.8	5.25	4.38
	YTD	388	388	0.0	0.2	1.5	0.2	21.0	0.0	0.7	5.20	4.33
166- 16609, UG	Cur Wk	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00
	YTD	205	205	0.0	0.1	0.9	0.3	21.6	0.0	1.9	5.55	4.33
841- 58841, HM	Cur Wk	441	441	0.0	0.4	2.2	0.9	21.6	0.0	1.5	5.92	4.43
	YTD	569	569	0.0	0.4	2.2	1.0	21.7	0.0	1.6	6.00	4.46
627- 627849, HMC	Cur Wk	4	4	0.0	0.6	2.9	1.0	22.5	0.0	8.6	5.68	4.47
	YTD	4	4	0.0	0.6	2.9	1.0	22.5	0.0	8.6	5.68	4.47
507- 628507, HMC	Cur Wk	5	5	0.0	1.6	1.0	0.7	20.3	0.0	2.0	5.00	4.51
	YTD	10	10	0.0	1.0	1.3	0.6	20.3	0.0	1.6	5.19	4.48
628- 628512, HMC	Cur Wk	7	7	0.0	0.1	3.7	0.1	20.9	0.0	3.6	5.90	4.43
	YTD	7	7	0.0	0.1	3.7	0.1	20.9	0.0	3.6	5.90	4.43
<b>TOTAL STATEWIDE</b>	<b>Cur Wk</b>	<b>31,426</b>	<b>31,426.00</b>	<b>0</b>	<b>0.6</b>	<b>1.7</b>	<b>0.5</b>	<b>21.1</b>	<b>0</b>	<b>1.7</b>	<b>5.51</b>	<b>4.41</b>
	<b>YTD</b>	<b>103,620</b>	<b>103,620</b>	<b>0</b>	<b>0.5</b>	<b>1.9</b>	<b>0.5</b>	<b>21.0</b>	<b>0</b>	<b>1.7</b>	<b>5.47</b>	<b>4.41</b>

\* Loads Which Were Certified And Paid For