

Processing Tomato Advisory Board CROP System - Posted Certificates Report
STATEWIDE TONNAGE AND HISTORY
Week 14 Ending 10/4/2025

Rpt70P
Page 1 of 1

<u>Period</u>	<u>Certified, Paid For Loads</u>				<u>Processor Rejected Loads</u>			
	<u>#Loads</u>	<u>Tonnage</u>	<u>PPA*</u>	<u>Avg Load</u> <u>Dockage</u>	<u>#Loads</u>	<u>Tonnage</u>	<u>PPA*</u>	<u>Rejected</u> <u>Tonnage</u>
WEEK 07/05/2025	495	13,735	0	2.1%	0	0	0	0.00%
WEEK 07/12/2025	7,714	205,637	0	2.9%	13	346	0	0.16%
WEEK 07/19/2025	19,069	506,366	0	3.8%	26	704	0	0.13%
WEEK 07/26/2025	26,929	706,532	0	3.7%	27	674	0	0.09%
WEEK 08/02/2025	34,418	908,905	2	3.7%	44	1,173	0	0.12%
WEEK 08/09/2025	35,884	944,660	0	4.2%	28	739	0	0.07%
WEEK 08/16/2025	38,449	1,014,443	3	4.7%	30	806	0	0.08%
WEEK 08/23/2025	39,756	1,041,934	0	5.1%	44	1,196	0	0.11%
WEEK 08/30/2025	39,259	1,028,858	29	5.4%	85	2,364	(30)	0.22%
WEEK 09/06/2025	38,507	1,007,929	0	5.4%	91	2,574	0	0.24%
WEEK 09/13/2025	37,794	985,219	(5)	5.3%	57	1,527	0	0.15%
WEEK 09/20/2025	34,234	889,548	1	5.7%	34	892	0	0.09%
WEEK 09/27/2025	33,748	878,015	0	5.9%	30	783	0	0.08%
LAST WEEK YTD	386,256	10,131,780	0	4.8%	509	13,778	0	0.13%
CUR WEEK ENDING 10/04/2025	30,095	774,101	0	6.8%	56	1,474	0	0.18%
CURRENT YTD	416,351	10,905,882	0	5.0%	565	15,253	0	0.13%
YTD WEEK ENDING 10/05/24	417,779	10,462,845	0	8.1%	1,497	39,723	0	0.35%

* PPA (Prior Period Adjustments) = Net of all corrections to week after close of week. Add(subtract) this to/from the week's originally published report total to arrive at the corrected total to the left.

Processing Tomato Advisory Board CROP System - Posted Certificates Report

Rpt60

TONNAGE BY COUNTY

Page 1 of 1

Week 14 Ending 10/4/2025

County	Current Week		Current Week		Year To Date		Year To Date	
	Delivered (Paid For)		Processor Rejected		Delivered (Paid For)		Processor Rejected	
	<u>#Loads</u>	<u>Tonnage</u>	<u>#Loads</u>	<u>Tonnage</u>	<u>#Loads</u>	<u>Tonnage</u>	<u>#Loads</u>	<u>Tonnage</u>
BUTTE	659	15,840	0	0	2,351	56,855	3	85
COLUSA	1,505	38,172	2	55	29,717	770,064	7	194
CONTRA COSTA	0	0	0	0	7,974	219,032	0	0
FRESNO	3,551	91,520	3	77	118,182	3,134,019	157	4,335
GLENN	151	3,735	0	0	4,107	102,079	2	60
KERN	0	0	0	0	10,602	280,000	4	112
KINGS	225	3,483	0	0	47,325	1,200,166	58	1,608
MADERA	1,802	47,125	0	0	10,414	273,994	2	50
MERCED	3,890	102,883	20	507	44,575	1,175,995	213	5,568
SACRAMENTO	2,300	57,853	0	0	7,913	204,228	2	49
SAN BENITO	285	7,406	1	25	647	16,842	13	345
SAN JOAQUIN	5,053	129,419	11	292	20,571	541,235	15	394
SANTA CLARA	297	7,825	0	0	1,432	37,284	0	0
SOLANO	1,381	35,807	7	196	16,372	427,475	24	667
STANISLAUS	2,686	71,193	0	0	12,726	342,407	3	76
SUTTER	2,236	55,520	2	55	20,214	517,016	8	216
TEHAMA	0	0	0	0	719	18,364	1	27
TULARE	0	0	0	0	4,545	118,453	0	0
YOLO	4,074	106,322	10	267	54,776	1,440,416	52	1,440
YUBA	0	0	0	0	1,189	29,959	1	27
STATEWIDE TOTALS:								
LAST WEEK YTD					386,256	10,131,780	509	13,778
CURRENT WEEK	30,095	774,101	56	1,474	416,351	10,905,882	565	15,253

Processing Tomato Advisory Board CROP System - Posted Certificates Report

Rpt90A

AVERAGE* LOAD GRADES BY COUNTY - BOARD CERTIFIED LOADS

Page 1 of 1

Week 14 Ending 10/4/2025

County	Current Week								Year To Date							
	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
BUTTE	0.0	3.6	3.1	4.5	21.3	1.4	4.8	4.50	0.0	4.1	3.2	3.0	21.2	1.7	4.6	4.53
COLUSA	0.0	2.0	2.2	2.1	20.7	0.9	5.0	4.44	0.0	1.5	2.4	1.3	20.7	1.9	5.0	4.43
CONTRA COSTA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	0.8	0.5	0.4	19.7	0.9	5.4	4.44
FRESNO	0.0	4.2	2.1	1.1	20.4	0.8	4.9	4.52	0.0	1.2	1.4	0.5	20.3	1.0	5.3	4.43
GLENN	0.0	2.5	1.4	1.2	21.1	0.8	5.5	4.45	0.0	2.9	3.6	1.8	20.5	1.7	4.8	4.48
KERN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.0	1.5	0.6	20.4	0.9	5.2	4.40
KINGS	0.0	17.8	8.8	3.0	21.3	0.8	3.8	4.48	0.0	1.4	2.0	0.6	20.4	1.0	5.2	4.41
MADERA	0.0	4.0	1.2	0.5	20.7	1.3	5.1	4.56	0.0	2.6	2.5	0.7	20.5	1.1	4.9	4.50
MERCED	0.0	2.0	1.2	0.7	21.0	1.0	4.9	4.46	0.0	1.5	1.7	1.0	20.9	1.2	5.0	4.46
SACRAMENTO	0.0	1.6	2.9	2.5	21.0	1.5	5.0	4.48	0.0	1.4	2.0	2.3	21.0	1.8	5.1	4.50
SAN BENITO	0.0	1.0	2.4	2.7	20.8	0.6	4.8	4.40	0.0	0.6	1.4	1.6	20.5	0.9	5.3	4.36
SAN JOAQUIN	0.0	2.0	0.6	0.8	20.4	1.2	5.0	4.47	0.0	1.4	0.6	0.8	20.5	1.2	5.1	4.45
SANTA CLARA	0.0	1.4	1.3	2.8	22.2	1.5	5.1	4.38	0.0	0.5	2.0	1.8	20.7	0.6	5.1	4.38
SOLANO	0.0	1.5	0.4	0.6	20.2	0.7	5.1	4.47	0.0	1.1	0.5	0.5	20.5	0.9	5.3	4.45
STANISLAUS	0.0	1.7	0.5	0.5	20.8	1.0	5.1	4.47	0.0	1.2	0.6	0.4	20.8	1.1	5.2	4.44
SUTTER	0.0	2.7	3.1	1.5	20.8	1.0	5.0	4.44	0.0	1.7	2.3	1.2	20.8	1.6	4.9	4.43
TEHAMA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.3	5.8	1.6	20.8	1.4	4.9	4.35
TULARE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	1.3	4.1	1.0	20.1	0.9	4.8	4.45
YOLO	0.0	1.5	0.7	1.5	20.7	0.9	5.1	4.42	0.0	0.9	1.0	0.7	20.6	1.0	5.1	4.41
YUBA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.0	2.4	3.7	1.9	20.8	1.4	4.7	4.46
STATEWIDE TOTALS:																
CURRENT WEEK	0.0	2.4	1.5	1.2	20.7	1.0	5.0	4.47	0.0	1.3	1.6	0.8	20.5	1.1	5.1	4.43
LAST WEEK YTD									0.0	1.2	1.6	0.8	20.5	1.1	5.2	4.43

* Grades averaged over all Board Certified loads (including Processor Rejects)

Compiled 10/6/2025 12:45:57 PM

GRADE DISTRIBUTION* BY COUNTY

Week 14 Ending 10/4/2025

County	Green Last Week YTD					Green Current Week					Green Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
BUTTE	1,695	3.2	2.0	2.5	2.0	659	3.1	2.5	3.0	1.5	2,354	3.2	2.0	3.0	1.9
COLUSA	28,217	2.5	1.0	2.0	1.8	1,507	2.2	1.5	2.0	1.5	29,724	2.4	1.0	2.0	1.8
CONTRA COSTA	7,974	0.5	0.0	0.5	0.7						7,974	0.5	0.0	0.5	0.7
FRESNO	114,785	1.4	0.5	1.0	1.7	3,554	2.1	1.0	1.5	1.6	118,339	1.4	0.5	1.0	1.7
GLENN	3,958	3.7	2.0	3.0	2.7	151	1.4	1.0	1.5	0.7	4,109	3.6	2.0	3.0	2.7
KERN	10,606	1.5	0.5	1.0	1.6						10,606	1.5	0.5	1.0	1.6
KINGS	47,158	2.0	0.5	1.5	1.9	225	8.8	9.0	8.5	3.2	47,383	2.0	0.5	1.5	1.9
MADERA	8,614	2.7	1.0	2.0	2.4	1,802	1.3	0.5	1.0	1.3	10,416	2.5	1.0	2.0	2.4
MERCED	40,878	1.7	0.5	1.0	1.9	3,910	1.3	0.0	0.5	1.7	44,788	1.7	0.5	1.0	1.8
SACRAMENTO	5,615	1.7	0.5	1.0	1.8	2,300	2.9	0.5	2.0	3.3	7,915	2.0	0.5	1.0	2.4
SAN BENITO	374	0.5	0.5	0.5	0.6	286	2.4	0.5	2.0	1.8	660	1.4	0.5	0.5	1.5
SAN JOAQUIN	15,522	0.6	0.0	0.5	0.9	5,064	0.6	0.0	0.0	1.0	20,586	0.6	0.0	0.5	0.9
SANTA CLARA	1,135	2.2	0.5	1.5	2.1	297	1.3	0.5	0.5	1.5	1,432	2.0	0.5	1.0	2.0
SOLANO	15,008	0.5	0.0	0.0	1.0	1,388	0.4	0.0	0.5	0.6	16,396	0.5	0.0	0.0	1.0
STANISLAUS	10,043	0.6	0.0	0.5	0.8	2,686	0.5	0.0	0.0	0.8	12,729	0.6	0.0	0.5	0.8
SUTTER	17,984	2.3	0.5	1.5	2.5	2,238	3.1	0.0	2.5	2.8	20,222	2.4	0.5	1.5	2.5
TEHAMA	720	5.8	4.5	5.5	2.1						720	5.8	4.5	5.5	2.1
TULARE	4,545	4.1	0.0	4.0	3.1						4,545	4.1	0.0	4.0	3.1
YOLO	50,744	1.0	0.0	0.5	1.3	4,084	0.7	0.0	0.5	1.0	54,828	1.0	0.0	0.5	1.3
YUBA	1,190	3.7	1.0	3.0	2.7						1,190	3.7	1.0	3.0	2.7
STATEWIDE	386,765	1.6	0.0	1.0	1.9	30,151	1.5	0.0	1.0	2.0	416,916	1.6	0.0	1.0	1.9

* Includes all loads (board certified, board rejected, and processor rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Compiled 10/6/2025 12:49:00 PM

GRADE DISTRIBUTION* BY COUNTY

County	Hue Last Week YTD					Week 14 Ending 10/4/2025 Hue Current Week					Hue Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
BUTTE	1,695	21.2	22.0	21.5	1.3	659	21.3	21.5	21.5	0.7	2,354	21.2	21.5	21.5	1.2
COLUSA	28,217	20.7	20.5	20.5	1.0	1,507	20.7	20.5	20.5	0.7	29,724	20.7	20.5	20.5	1.0
CONTRA COSTA	7,974	19.7	19.0	19.5	1.1						7,974	19.7	19.0	19.5	1.1
FRESNO	114,785	20.3	20.0	20.0	1.2	3,554	20.4	20.5	20.5	1.1	118,339	20.3	20.0	20.0	1.2
GLENN	3,958	20.5	20.0	20.5	1.0	151	21.1	20.5	21.0	0.7	4,109	20.5	20.0	20.5	1.0
KERN	10,606	20.4	20.0	20.0	1.3						10,606	20.4	20.0	20.0	1.3
KINGS	47,158	20.4	20.5	20.5	1.2	225	21.3	21.0	21.0	1.0	47,383	20.4	20.5	20.5	1.2
MADERA	8,614	20.4	20.0	20.5	1.1	1,802	20.7	20.5	20.5	1.1	10,416	20.5	20.5	20.5	1.1
MERCED	40,878	20.9	20.5	21.0	1.1	3,910	21.0	21.0	21.0	1.3	44,788	20.9	20.5	21.0	1.2
SACRAMENTO	5,615	21.0	20.5	21.0	1.2	2,300	21.0	20.0	20.5	1.4	7,915	21.0	20.5	21.0	1.3
SAN BENITO	374	20.3	19.5	20.0	1.1	286	20.8	21.0	20.5	0.7	660	20.5	21.0	20.5	1.0
SAN JOAQUIN	15,522	20.5	20.0	20.5	1.3	5,064	20.4	21.0	20.5	1.4	20,586	20.5	20.5	20.5	1.3
SANTA CLARA	1,135	20.3	20.0	20.0	0.9	297	22.2	22.5	22.5	1.1	1,432	20.7	20.0	20.5	1.2
SOLANO	15,008	20.5	20.0	20.5	1.3	1,388	20.2	20.5	20.5	1.0	16,396	20.5	20.0	20.5	1.3
STANISLAUS	10,043	20.8	20.5	20.5	1.2	2,686	20.8	21.0	21.0	1.2	12,729	20.8	20.5	20.5	1.2
SUTTER	17,984	20.8	20.5	20.5	1.1	2,238	20.8	21.0	20.5	1.1	20,222	20.8	20.5	20.5	1.1
TEHAMA	720	20.8	20.5	21.0	0.9						720	20.8	20.5	21.0	0.9
TULARE	4,545	20.1	19.5	20.0	1.2						4,545	20.1	19.5	20.0	1.2
YOLO	50,744	20.6	20.5	20.5	1.2	4,084	20.7	20.5	20.5	1.1	54,828	20.6	20.5	20.5	1.2
YUBA	1,190	20.8	20.0	21.0	1.0						1,190	20.8	20.0	21.0	1.0
STATEWIDE	386,765	20.5	20.0	20.5	1.2	30,151	20.7	20.5	20.5	1.2	416,916	20.5	20.5	20.5	1.2

* Includes all loads (board certified, board rejected, and processor rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Compiled 10/6/2025 12:49:00 PM

GRADE DISTRIBUTION* BY COUNTY

County	LU Last Week YTD					Week 14 Ending 10/4/2025					LU Current Week					LU Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
BUTTE	1,695	1.8	1.0	1.5	1.4	659	1.4	1.0	1.5	0.9	2,354	1.7	1.0	1.5	1.3					
COLUSA	28,217	1.9	1.0	1.5	2.0	1,507	0.9	0.5	0.5	1.0	29,724	1.9	1.0	1.5	2.0					
CONTRA COSTA	7,974	0.9	0.0	0.5	1.1						7,974	0.9	0.0	0.5	1.1					
FRESNO	114,785	1.0	0.0	0.5	1.3	3,554	0.8	0.0	0.5	0.9	118,339	1.0	0.0	0.5	1.2					
GLENN	3,958	1.7	1.0	1.5	1.3	151	0.8	1.0	1.0	0.6	4,109	1.7	1.0	1.5	1.3					
KERN	10,606	0.9	0.0	0.5	1.1						10,606	0.9	0.0	0.5	1.1					
KINGS	47,158	1.0	0.0	0.5	1.3	225	0.9	0.5	0.5	0.8	47,383	1.0	0.0	0.5	1.3					
MADERA	8,614	1.1	0.0	0.5	1.5	1,802	1.3	0.5	1.0	1.4	10,416	1.1	0.0	0.5	1.5					
MERCED	40,878	1.2	0.0	1.0	1.4	3,910	1.0	0.0	0.5	1.2	44,788	1.2	0.0	1.0	1.4					
SACRAMENTO	5,615	2.0	0.0	1.5	1.9	2,300	1.5	1.0	1.0	1.7	7,915	1.8	0.0	1.5	1.8					
SAN BENITO	374	1.1	0.0	0.5	1.3	286	0.6	0.0	0.5	0.8	660	0.9	0.0	0.5	1.1					
SAN JOAQUIN	15,522	1.2	0.5	1.0	1.3	5,064	1.2	0.5	1.0	1.2	20,586	1.2	0.5	1.0	1.3					
SANTA CLARA	1,135	0.4	0.0	0.5	0.6	297	1.5	0.0	1.0	1.9	1,432	0.7	0.0	0.5	1.1					
SOLANO	15,008	0.9	0.0	0.5	1.4	1,388	0.7	0.0	0.5	1.0	16,396	0.9	0.0	0.5	1.4					
STANISLAUS	10,043	1.2	0.0	1.0	1.4	2,686	1.0	0.0	0.5	1.4	12,729	1.1	0.0	0.5	1.4					
SUTTER	17,984	1.6	1.0	1.0	1.7	2,238	1.0	0.0	1.0	1.0	20,222	1.6	1.0	1.0	1.6					
TEHAMA	720	1.4	1.0	1.0	1.1						720	1.4	1.0	1.0	1.1					
TULARE	4,545	0.9	0.0	0.5	1.0						4,545	0.9	0.0	0.5	1.0					
YOLO	50,744	1.0	0.0	0.5	1.4	4,084	0.9	0.0	0.5	1.2	54,828	1.0	0.0	0.5	1.4					
YUBA	1,190	1.4	1.0	1.0	1.1						1,190	1.4	1.0	1.0	1.1					
STATEWIDE	386,765	1.1	0.0	0.5	1.4	30,151	1.0	0.0	0.5	1.2	416,916	1.1	0.0	0.5	1.4					

* Includes all loads (board certified, board rejected, and processor rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Compiled 10/6/2025 12:49:00 PM

GRADE DISTRIBUTION* BY COUNTY

County	Mold Last Week YTD					Week 14 Ending 10/4/2025 Mold Current Week					Mold Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
BUTTE	1,695	4.3	3.0	4.0	2.4	659	3.6	3.0	3.0	2.4	2,354	4.1	3.0	3.5	2.4
COLUSA	28,217	1.5	0.0	1.0	1.8	1,507	2.0	1.0	1.5	2.0	29,724	1.5	0.0	1.0	1.8
CONTRA COSTA	7,974	0.8	0.0	0.5	1.2						7,974	0.8	0.0	0.5	1.2
FRESNO	114,785	1.1	0.0	0.5	1.7	3,554	4.2	1.0	3.0	4.1	118,339	1.2	0.0	0.5	1.9
GLENN	3,958	2.9	2.0	2.5	2.1	151	2.5	2.5	2.5	1.1	4,109	2.9	2.0	2.5	2.1
KERN	10,606	1.0	0.0	0.5	1.4						10,606	1.0	0.0	0.5	1.4
KINGS	47,158	1.3	0.0	0.5	2.1	225	17.8	16.0	18.0	4.2	47,383	1.4	0.0	0.5	2.4
MADERA	8,614	2.3	1.0	1.5	2.6	1,802	4.0	2.0	3.5	2.9	10,416	2.6	1.0	1.5	2.7
MERCED	40,878	1.5	0.0	1.0	1.9	3,910	2.0	1.0	1.5	2.0	44,788	1.5	0.0	1.0	1.9
SACRAMENTO	5,615	1.3	0.0	1.0	1.5	2,300	1.6	0.0	1.0	2.0	7,915	1.4	0.0	1.0	1.7
SAN BENITO	374	0.4	0.0	0.0	0.6	286	1.0	0.0	0.5	1.1	660	0.6	0.0	0.5	0.9
SAN JOAQUIN	15,522	1.2	0.0	0.5	1.6	5,064	2.0	1.0	1.5	2.0	20,586	1.4	0.0	1.0	1.7
SANTA CLARA	1,135	0.2	0.0	0.0	0.4	297	1.4	0.0	1.0	1.9	1,432	0.5	0.0	0.0	1.1
SOLANO	15,008	1.1	0.0	0.5	1.4	1,388	1.5	0.5	1.0	1.4	16,396	1.1	0.0	0.5	1.4
STANISLAUS	10,043	1.1	0.0	0.5	1.4	2,686	1.7	0.0	1.0	2.0	12,729	1.2	0.0	1.0	1.6
SUTTER	17,984	1.6	0.0	1.0	1.8	2,238	2.7	1.5	2.0	2.2	20,222	1.7	0.0	1.0	1.9
TEHAMA	720	1.3	1.0	1.0	0.9						720	1.3	1.0	1.0	0.9
TULARE	4,545	1.3	1.0	1.0	1.2						4,545	1.3	1.0	1.0	1.2
YOLO	50,744	0.8	0.0	0.5	1.3	4,084	1.5	0.5	1.0	1.8	54,828	0.9	0.0	0.5	1.4
YUBA	1,190	2.4	1.5	2.0	1.7						1,190	2.4	1.5	2.0	1.7
STATEWIDE	386,765	1.2	0.0	0.5	1.8	30,151	2.4	1.0	1.5	2.9	416,916	1.3	0.0	0.5	1.9

* Includes all loads (board certified, board rejected, and processor rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Compiled 10/6/2025 12:49:00 PM

GRADE DISTRIBUTION* BY COUNTY

County	MOT Last Week YTD					Week 14 Ending 10/4/2025 MOT Current Week					MOT Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
BUTTE	1,695	2.5	1.0	2.0	2.5	659	4.5	3.5	4.0	2.7	2,354	3.1	1.0	2.5	2.7
COLUSA	28,217	1.3	0.5	1.0	1.4	1,507	2.1	1.0	1.5	2.1	29,724	1.3	0.5	1.0	1.4
CONTRA COSTA	7,974	0.4	0.0	0.0	0.6						7,974	0.4	0.0	0.0	0.6
FRESNO	114,785	0.5	0.0	0.5	0.9	3,554	1.1	0.5	1.0	1.2	118,339	0.6	0.0	0.5	0.9
GLENN	3,958	1.8	1.0	1.5	1.6	151	1.2	0.5	1.0	1.1	4,109	1.8	1.0	1.5	1.6
KERN	10,606	0.6	0.0	0.5	0.9						10,606	0.6	0.0	0.5	0.9
KINGS	47,158	0.6	0.0	0.5	0.9	225	3.0	1.5	2.0	2.8	47,383	0.6	0.0	0.5	1.0
MADERA	8,614	0.7	0.0	0.5	1.0	1,802	0.5	0.0	0.5	0.6	10,416	0.7	0.0	0.5	1.0
MERCED	40,878	1.0	0.0	0.5	1.4	3,910	0.7	0.5	0.5	0.8	44,788	1.0	0.0	0.5	1.4
SACRAMENTO	5,615	2.3	0.0	1.5	2.6	2,300	2.5	1.0	1.5	2.8	7,915	2.3	0.5	1.5	2.6
SAN BENITO	374	0.7	0.5	0.5	0.6	286	2.7	1.0	2.0	2.4	660	1.6	0.5	1.0	1.9
SAN JOAQUIN	15,522	0.8	0.0	0.5	1.5	5,064	0.8	0.0	0.5	1.3	20,586	0.8	0.0	0.5	1.5
SANTA CLARA	1,135	1.5	0.5	0.5	2.0	297	2.8	1.0	2.0	2.3	1,432	1.8	0.5	1.0	2.1
SOLANO	15,008	0.5	0.0	0.0	0.9	1,388	0.6	0.0	0.5	0.9	16,396	0.5	0.0	0.0	0.9
STANISLAUS	10,043	0.4	0.0	0.0	0.6	2,686	0.5	0.0	0.5	0.9	12,729	0.4	0.0	0.0	0.7
SUTTER	17,984	1.2	0.0	1.0	1.4	2,238	1.6	0.5	1.0	1.8	20,222	1.2	0.0	1.0	1.5
TEHAMA	720	1.6	0.5	1.0	1.6						720	1.6	0.5	1.0	1.6
TULARE	4,545	1.0	0.5	0.5	1.1						4,545	1.0	0.5	0.5	1.1
YOLO	50,744	0.7	0.0	0.5	1.1	4,084	1.5	0.0	1.0	2.2	54,828	0.7	0.0	0.5	1.2
YUBA	1,190	1.9	0.0	1.5	1.9						1,190	1.9	0.0	1.5	1.9
STATEWIDE	386,765	0.8	0.0	0.5	1.2	30,151	1.3	0.0	0.5	1.8	416,916	0.8	0.0	0.5	1.3

* Includes all loads (board certified, board rejected, and processor rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Compiled 10/6/2025 12:49:00 PM

GRADE DISTRIBUTION* BY COUNTY

County	pH Last Week YTD					Week 14 Ending 10/4/2025 pH Current Week					pH Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
BUTTE	1,695	4.54	4.58	4.55	0.09	659	4.50	4.48	4.49	0.06	2,354	4.53	4.53	4.53	0.08
COLUSA	28,217	4.43	4.43	4.43	0.10	1,507	4.44	4.39	4.43	0.08	29,724	4.43	4.43	4.43	0.10
CONTRA COSTA	7,974	4.44	4.43	4.44	0.10						7,974	4.44	4.43	4.44	0.10
FRESNO	114,785	4.43	4.40	4.42	0.10	3,554	4.52	4.54	4.53	0.07	118,339	4.43	4.40	4.42	0.10
GLENN	3,958	4.49	4.51	4.49	0.07	151	4.45	4.45	4.45	0.04	4,109	4.48	4.51	4.49	0.07
KERN	10,606	4.40	4.37	4.39	0.10						10,606	4.40	4.37	4.39	0.10
KINGS	47,158	4.40	4.41	4.40	0.09	225	4.48	4.48	4.48	0.05	47,383	4.41	4.41	4.40	0.09
MADERA	8,614	4.49	4.46	4.48	0.09	1,802	4.56	4.64	4.57	0.08	10,416	4.50	4.47	4.49	0.09
MERCED	40,878	4.46	4.46	4.46	0.09	3,910	4.46	4.46	4.46	0.08	44,788	4.46	4.46	4.46	0.09
SACRAMENTO	5,615	4.50	4.42	4.50	0.11	2,300	4.48	4.37	4.47	0.11	7,915	4.50	4.42	4.49	0.11
SAN BENITO	374	4.34	4.38	4.34	0.07	286	4.40	4.39	4.40	0.04	660	4.36	4.39	4.37	0.07
SAN JOAQUIN	15,522	4.44	4.41	4.44	0.10	5,064	4.47	4.48	4.47	0.11	20,586	4.45	4.44	4.45	0.11
SANTA CLARA	1,135	4.38	4.37	4.37	0.07	297	4.38	4.29	4.34	0.10	1,432	4.38	4.37	4.37	0.08
SOLANO	15,008	4.45	4.45	4.45	0.10	1,388	4.47	4.50	4.48	0.11	16,396	4.45	4.45	4.45	0.10
STANISLAUS	10,043	4.43	4.42	4.43	0.09	2,686	4.47	4.48	4.47	0.08	12,729	4.44	4.46	4.44	0.09
SUTTER	17,984	4.43	4.44	4.43	0.09	2,238	4.44	4.45	4.43	0.09	20,222	4.43	4.44	4.43	0.09
TEHAMA	720	4.35	4.37	4.35	0.06						720	4.35	4.37	4.35	0.06
TULARE	4,545	4.45	4.47	4.45	0.09						4,545	4.45	4.47	4.45	0.09
YOLO	50,744	4.40	4.39	4.40	0.10	4,084	4.42	4.40	4.41	0.08	54,828	4.41	4.39	4.41	0.10
YUBA	1,190	4.46	4.49	4.46	0.08						1,190	4.46	4.49	4.46	0.08
STATEWIDE	386,765	4.43	4.41	4.43	0.10	30,151	4.47	4.46	4.47	0.10	416,916	4.43	4.41	4.43	0.10

* Includes all loads (board certified, board rejected, and processor rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Compiled 10/6/2025 12:49:00 PM

GRADE DISTRIBUTION* BY COUNTY

County	Solids Last Week YTD					Week 14 Ending 10/4/2025 Solids Current Week					Solids Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
BUTTE	1,695	4.6	4.7	4.6	0.3	659	4.8	4.8	4.8	0.2	2,354	4.6	4.7	4.7	0.3
COLUSA	28,217	5.0	4.8	4.9	0.4	1,507	5.0	4.9	5.0	0.4	29,724	5.0	4.9	4.9	0.4
CONTRA COSTA	7,974	5.4	5.4	5.4	0.5						7,974	5.4	5.4	5.4	0.5
FRESNO	114,785	5.3	5.4	5.3	0.5	3,554	4.9	5.0	4.9	0.5	118,339	5.3	5.4	5.3	0.5
GLENN	3,958	4.8	4.7	4.8	0.4	151	5.5	5.5	5.5	0.3	4,109	4.8	4.7	4.8	0.4
KERN	10,606	5.2	5.2	5.2	0.6						10,606	5.2	5.2	5.2	0.6
KINGS	47,158	5.2	5.2	5.2	0.5	225	3.8	3.8	3.8	0.2	47,383	5.2	5.2	5.2	0.5
MADERA	8,614	4.8	4.7	4.8	0.4	1,802	5.1	4.7	5.1	0.4	10,416	4.9	4.7	4.8	0.4
MERCED	40,878	5.1	4.9	5.0	0.5	3,910	4.9	4.7	4.9	0.5	44,788	5.0	4.9	5.0	0.5
SACRAMENTO	5,615	5.2	5.1	5.1	0.5	2,300	5.0	4.8	4.9	0.5	7,915	5.1	4.9	5.1	0.5
SAN BENITO	374	5.7	5.1	5.2	1.1	286	4.8	4.5	4.8	0.4	660	5.3	5.1	5.0	1.0
SAN JOAQUIN	15,522	5.1	5.2	5.1	0.5	5,064	5.0	4.8	5.0	0.5	20,586	5.1	5.1	5.1	0.5
SANTA CLARA	1,135	5.1	4.9	5.0	0.4	297	5.1	5.1	5.2	0.6	1,432	5.1	5.1	5.0	0.4
SOLANO	15,008	5.3	5.3	5.3	0.5	1,388	5.1	5.2	5.2	0.3	16,396	5.3	5.3	5.3	0.5
STANISLAUS	10,043	5.2	4.9	5.1	0.5	2,686	5.1	4.8	5.0	0.4	12,729	5.2	4.9	5.1	0.5
SUTTER	17,984	4.9	4.8	4.9	0.5	2,238	5.0	4.9	5.0	0.4	20,222	4.9	4.9	4.9	0.5
TEHAMA	720	4.9	4.9	4.9	0.2						720	4.9	4.9	4.9	0.2
TULARE	4,545	4.8	4.6	4.7	0.4						4,545	4.8	4.6	4.7	0.4
YOLO	50,744	5.1	5.0	5.1	0.4	4,084	5.1	5.3	5.1	0.5	54,828	5.1	5.0	5.1	0.5
YUBA	1,190	4.7	4.6	4.7	0.3						1,190	4.7	4.6	4.7	0.3
STATEWIDE	386,765	5.2	5.0	5.1	0.5	30,151	5.0	4.8	5.0	0.5	416,916	5.2	5.0	5.1	0.5

* Includes all loads (board certified, board rejected, and processor rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Compiled 10/6/2025 12:49:00 PM

GRADE DISTRIBUTION* BY COUNTY

County	Worm Last Week YTD					Week 14 Ending 10/4/2025 Worm Current Week					Worm Year To Date				
	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev	#Loads	Mean	Mode	Median	Std Dev
BUTTE	1,695	0.0	0.0	0.0	0.0	659	0.0	0.0	0.0	0.1	2,354	0.0	0.0	0.0	0.0
COLUSA	28,217	0.0	0.0	0.0	0.0	1,507	0.0	0.0	0.0	0.0	29,724	0.0	0.0	0.0	0.0
CONTRA COSTA	7,974	0.0	0.0	0.0	0.0						7,974	0.0	0.0	0.0	0.0
FRESNO	114,785	0.0	0.0	0.0	0.0	3,554	0.0	0.0	0.0	0.0	118,339	0.0	0.0	0.0	0.0
GLENN	3,958	0.0	0.0	0.0	0.0	151	0.0	0.0	0.0	0.0	4,109	0.0	0.0	0.0	0.0
KERN	10,606	0.0	0.0	0.0	0.1						10,606	0.0	0.0	0.0	0.1
KINGS	47,158	0.0	0.0	0.0	0.0	225	0.0	0.0	0.0	0.1	47,383	0.0	0.0	0.0	0.0
MADERA	8,614	0.0	0.0	0.0	0.1	1,802	0.0	0.0	0.0	0.0	10,416	0.0	0.0	0.0	0.1
MERCED	40,878	0.0	0.0	0.0	0.0	3,910	0.0	0.0	0.0	0.0	44,788	0.0	0.0	0.0	0.0
SACRAMENTO	5,615	0.0	0.0	0.0	0.0	2,300	0.0	0.0	0.0	0.0	7,915	0.0	0.0	0.0	0.0
SAN BENITO	374	0.0	0.0	0.0	0.0	286	0.0	0.0	0.0	0.0	660	0.0	0.0	0.0	0.0
SAN JOAQUIN	15,522	0.0	0.0	0.0	0.0	5,064	0.0	0.0	0.0	0.0	20,586	0.0	0.0	0.0	0.0
SANTA CLARA	1,135	0.0	0.0	0.0	0.0	297	0.0	0.0	0.0	0.0	1,432	0.0	0.0	0.0	0.0
SOLANO	15,008	0.0	0.0	0.0	0.0	1,388	0.0	0.0	0.0	0.0	16,396	0.0	0.0	0.0	0.0
STANISLAUS	10,043	0.0	0.0	0.0	0.0	2,686	0.0	0.0	0.0	0.1	12,729	0.0	0.0	0.0	0.0
SUTTER	17,984	0.0	0.0	0.0	0.0	2,238	0.0	0.0	0.0	0.0	20,222	0.0	0.0	0.0	0.0
TEHAMA	720	0.0	0.0	0.0	0.1						720	0.0	0.0	0.0	0.1
TULARE	4,545	0.0	0.0	0.0	0.0						4,545	0.0	0.0	0.0	0.0
YOLO	50,744	0.0	0.0	0.0	0.0	4,084	0.0	0.0	0.0	0.0	54,828	0.0	0.0	0.0	0.0
YUBA	1,190	0.0	0.0	0.0	0.0						1,190	0.0	0.0	0.0	0.0
STATEWIDE	386,765	0.0	0.0	0.0	0.0	30,151	0.0	0.0	0.0	0.0	416,916	0.0	0.0	0.0	0.0

* Includes all loads (board certified, board rejected, and processor rejected Loads)

Mean: Average grade

Mode: Most often-occurring grade

Median: Middle grade value when all loads are sorted in order of grade value

Compiled 10/6/2025 12:49:00 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
LOAD GRADING CUMMULATIVE PERCENTAGES YEAR-TO-DATE - WORM, MOLD, GREEN, LU, AND MOT

Rpt120A

Page 1 of 1

Week 14 Ending 10/4/2025

Grade	Worm		Mold		Green		Limited Use		MOT	
	<u>Percentile*</u>	<u>#Loads</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Percentile*</u>	<u>#Loads</u>
0.0	99.7	415,648	31.2	129,911	22.4	93,239	27.8	115,988	39.3	163,980
0.5	100.0	416,840	52.0	216,782	42.8	178,523	50.5	210,488	67.8	282,519
1.0	100.0	416,898	66.8	278,641	58.4	243,631	68.1	283,727	81.5	339,669
1.5	100.0	416,911	75.7	315,571	68.4	285,308	78.5	327,368	87.9	366,437
2.0	100.0	416,916	81.8	340,859	75.9	316,533	85.4	356,092	91.6	382,086
2.5	100.0	416,916	86.0	358,403	81.5	339,700	89.9	374,729	94.0	391,953
3.0	100.0	416,916	89.1	371,303	85.7	357,454	92.9	387,261	95.6	398,554
3.5	100.0	416,916	91.4	380,943	88.9	370,746	94.9	395,717	96.7	403,173
4.0	100.0	416,916	93.1	388,326	91.4	381,152	96.3	401,662	97.5	406,400
4.5	100.0	416,916	94.5	394,033	93.3	389,160	97.3	405,715	98.0	408,717
5.0	100.0	416,916	95.6	398,489	94.8	395,317	98.0	408,556	98.5	410,490
5.5	100.0	416,916	96.4	401,985	96.0	400,216	98.5	410,569	98.8	411,796
6.0	100.0	416,916	97.1	404,874	96.9	403,899	98.8	412,101	99.0	412,879
6.5	100.0	416,916	97.6	407,092	97.6	406,830	99.1	413,191	99.2	413,700
7.0	100.0	416,916	98.1	408,979	98.1	409,161	99.3	414,017	99.4	414,384
7.5	100.0	416,916	98.5	410,499	98.6	410,962	99.5	414,686	99.5	414,900
8.0	100.0	416,916	98.7	411,664	98.9	412,366	99.6	415,162	99.6	415,310
8.5	100.0	416,916	99.0	412,583	99.2	413,446	99.7	415,550	99.7	415,598
9.0	100.0	416,916	99.1	413,357	99.4	414,238	99.7	415,852	99.7	415,871
9.5	100.0	416,916	99.3	413,994	99.5	414,817	99.8	416,079	99.8	416,056
10.0	100.0	416,916	99.4	414,511	99.6	415,250	99.8	416,254	99.8	416,213
10.5	100.0	416,916	99.5	414,903	99.7	415,588	99.9	416,384	99.9	416,338
11.0	100.0	416,916	99.6	415,230	99.7	415,830	99.9	416,486	99.9	416,463
11.5	100.0	416,916	99.7	415,512	99.8	416,037	99.9	416,572	99.9	416,544
12.0	100.0	416,916	99.7	415,745	99.8	416,172	99.9	416,642	99.9	416,618
12.5	100.0	416,916	99.8	415,901	99.9	416,315	99.9	416,699	99.9	416,660
13.0	100.0	416,916	99.8	416,028	99.9	416,424	100.0	416,734	99.9	416,696
13.5	100.0	416,916	99.8	416,142	99.9	416,504	100.0	416,768	100.0	416,737
14.0	100.0	416,916	99.8	416,251	99.9	416,566	100.0	416,792	100.0	416,769
14.5	100.0	416,916	99.9	416,325	99.9	416,629	100.0	416,812	100.0	416,790
15.0	100.0	416,916	99.9	416,392	99.9	416,675	100.0	416,835	100.0	416,812
>15	100.0	416,916	100.0	416,916	100.0	416,916	100.0	416,916	100.0	416,916

* Percent of loads scoring less than or equal to grade value

Compiled 10/6/2025 12:51:09 P

Processing Tomato Advisory Board CROP System - Posted Certificates Report
LOAD GRADING CUMMULATIVE PERCENTAGES YEAR-TO-DATE - WORM, MOLD, GREEN, LU, AND MOT

Rpt120B
Page 1 of 2

Week 14 Ending 10/4/2025

Color			Solids			pH		
<u>Grade</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Grade</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Grade</u>	<u>Percentile</u>	<u>#Loads</u>
17.0	0.01	53	3.9	0.20	824	4.19	0.29	1,211
18.0	1.74	7,260	4.0	0.52	2,183	4.20	0.54	2,253
19.0	14.21	59,251	4.1	1.13	4,709	4.21	1.00	4,163
20.0	44.01	183,476	4.2	2.25	9,388	4.22	1.50	6,249
21.0	74.58	310,931	4.3	4.12	17,177	4.23	2.06	8,586
22.0	91.82	382,818	4.4	6.97	29,058	4.24	2.71	11,279
23.0	97.80	407,747	4.5	10.91	45,497	4.25	3.50	14,597
24.0	99.50	414,816	4.6	15.98	66,635	4.26	4.44	18,526
25.0	99.94	416,648	4.7	22.17	92,444	4.27	5.54	23,108
26.0	99.99	416,856	4.8	29.24	121,917	4.28	6.81	28,409
27.0	100.00	416,903	4.9	36.85	153,616	4.29	8.31	34,645
28.0	100.00	416,914	5.0	44.76	186,608	4.30	10.05	41,903
29.0	100.00	416,915	5.1	52.60	219,280	4.31	12.00	50,046
30.0	100.00	416,915	5.2	60.17	250,865	4.32	14.21	59,225
31.0	100.00	416,916	5.3	67.34	280,749	4.33	16.67	69,489
32.0	100.00	416,916	5.4	73.96	308,355	4.34	19.35	80,669
33.0	100.00	416,916	5.5	79.69	332,227	4.35	22.32	93,055
34.0	100.00	416,916	5.6	84.43	352,006	4.36	25.52	106,417
35.0	100.00	416,916	5.7	88.27	368,025	4.37	28.99	120,856
36.0	100.00	416,916	5.8	91.29	380,593	4.38	32.58	135,813
37.0	100.00	416,916	5.9	93.58	390,168	4.39	36.27	151,221
38.0	100.00	416,916	6.0	95.39	397,690	4.40	40.06	166,996
39.0	100.00	416,916	6.1	96.75	403,366	4.41	43.96	183,294
40.0	100.00	416,916	6.2	97.73	407,465	4.42	47.84	199,456
41.0	100.00	416,916	6.3	98.45	410,473	4.43	51.69	215,520
42.0	100.00	416,916	6.4	98.98	412,651	4.44	55.59	231,746
43.0	100.00	416,916	6.5	99.31	414,046	4.45	59.39	247,593
44.0	100.00	416,916	6.6	99.55	415,044	4.46	63.09	263,049
45.0	100.00	416,916	6.7	99.70	415,680	4.47	66.62	277,742
46.0	100.00	416,916	6.8	99.80	416,091	4.48	70.06	292,112
47.0	100.00	416,916	6.9	99.86	416,333	4.49	73.30	305,599
>47	100.00	416,916	7.0	99.91	416,522	4.50	76.30	318,098
			7.1	99.94	416,653	4.51	79.14	329,960
			7.2	99.96	416,732	4.52	81.68	340,545
			7.3	99.97	416,779	4.53	84.11	350,668
			7.4	99.98	416,819	4.54	86.27	359,675
			7.5	99.98	416,851	4.55	88.25	367,930
			7.6	99.99	416,881	4.56	90.00	375,208
			7.7	99.99	416,894	4.57	91.50	381,479
			7.8	100.00	416,902	4.58	92.86	387,137
			7.9	100.00	416,912	4.59	94.04	392,076

* Percent of loads scoring less than or equal to grade value

Processing Tomato Advisory Board CROP System - Posted Certificates Report
LOAD GRADING CUMMULATIVE PERCENTAGES YEAR-TO-DATE - WORM, MOLD, GREEN, LU, AND MOT

Rpt120B
Page 2 of 2

			Week 14 Ending 10/4/2025					
Color			Solids			pH		
<u>Grade</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Grade</u>	<u>Percentile*</u>	<u>#Loads</u>	<u>Grade</u>	<u>Percentile</u>	<u>#Loads</u>
			8.0	100.00	416,916	4.60	95.09	396,432
			8.1	100.00	416,916	4.61	95.97	400,120
			8.2	100.00	416,916	>4.61	100.00	416,916
			8.3	100.00	416,916			
			8.4	100.00	416,916			
			8.5	100.00	416,916			
			8.6	100.00	416,916			
			>8.6	100.00	416,916			

* Percent of loads scoring less than or equal to grade value

Processing Tomato Advisory Board CROP System - Posted Certificates Report

Rpt130

ANALYSIS BY COUNTY FOR GRADE: MOLD

Page 1 of 4

Week 14 Ending 10/4/2025

County	Current Week							Year To Date						
	MOLD Percent Less Than or Equal To:							MOLD Percent Less Than or Equal To:						
	#Loads	3%	4%	5%	6%	7%	8%	#Loads	3%	4%	5%	6%	7%	8%
BUTTE	659	55%	70%	83%	90%	93%	95%	2,354	42%	59%	74%	85%	91%	94%
COLUSA	1,507	85%	94%	96%	97%	97%	98%	29,724	87%	92%	95%	97%	98%	99%
CONTRA COSTA	0	0%	0%	0%	0%	0%	0%	7,974	96%	98%	99%	100%	100%	100%
FRESNO	3,554	55%	62%	69%	74%	79%	84%	118,339	91%	94%	96%	97%	98%	98%
GLENN	151	76%	95%	98%	100%	100%	100%	4,109	68%	82%	90%	94%	96%	97%
KERN	0	0%	0%	0%	0%	0%	0%	10,606	94%	97%	98%	99%	99%	100%
KINGS	225	0%	0%	0%	0%	0%	0%	47,383	85%	90%	93%	95%	97%	98%
MADERA	1,802	49%	62%	72%	80%	86%	91%	10,416	73%	81%	87%	91%	93%	95%
MERCED	3,910	82%	89%	93%	96%	97%	98%	44,788	87%	92%	95%	97%	98%	99%
SACRAMENTO	2,300	87%	91%	94%	96%	97%	98%	7,915	89%	94%	96%	98%	99%	99%
SAN BENITO	286	96%	98%	99%	100%	100%	100%	660	98%	99%	100%	100%	100%	100%
SAN JOAQUIN	5,064	81%	88%	93%	96%	97%	99%	20,586	88%	93%	96%	98%	99%	99%
SANTA CLARA	297	85%	91%	94%	96%	98%	99%	1,432	97%	98%	99%	99%	100%	100%
SOLANO	1,388	88%	94%	98%	99%	100%	100%	16,396	92%	96%	98%	99%	99%	100%
STANISLAUS	2,686	85%	91%	94%	96%	98%	99%	12,729	91%	95%	97%	98%	99%	99%
SUTTER	2,238	71%	82%	88%	92%	95%	97%	20,222	85%	91%	95%	97%	98%	99%
TEHAMA	0	0%	0%	0%	0%	0%	0%	720	97%	100%	100%	100%	100%	100%
TULARE	0	0%	0%	0%	0%	0%	0%	4,545	93%	97%	99%	99%	100%	100%
YOLO	4,084	89%	93%	96%	97%	98%	99%	54,828	95%	98%	99%	99%	100%	100%
YUBA	0	0%	0%	0%	0%	0%	0%	1,190	75%	86%	93%	97%	99%	100%
STATEWIDE TOTALS:														
CURRENT WEEK:	30,151	77%	84%	89%	92%	94%	96%	416,916	89%	93%	96%	97%	98%	99%
LAST WEEK YTD:								386,765	90%	94%	96%	98%	98%	99%

Processing Tomato Advisory Board CROP System - Posted Certificates Report

Rpt130

ANALYSIS BY COUNTY FOR GRADE: GREEN

Page 2 of 4

Week 14 Ending 10/4/2025

Current Week

Year To Date

GREEN Percent Less Than or Equal To:

GREEN Percent Less Than or Equal To:

<u>County</u>	<u>#Loads</u>	<u>1%</u>	<u>2%</u>	<u>3%</u>	<u>4%</u>	<u>#Loads</u>	<u>1%</u>	<u>3%</u>	<u>3%</u>	<u>4%</u>
BUTTE	659	14%	30%	56%	78%	2,354	12%	36%	61%	77%
COLUSA	1,507	27%	62%	80%	90%	29,724	29%	56%	74%	85%
CONTRA COSTA	0	0%	0%	0%	0%	7,974	89%	98%	99%	100%
FRESNO	3,554	37%	65%	80%	89%	118,339	61%	80%	89%	93%
GLENN	151	47%	91%	97%	100%	4,109	10%	33%	54%	70%
KERN	0	0%	0%	0%	0%	10,606	57%	79%	89%	94%
KINGS	225	0%	0%	1%	5%	47,383	45%	66%	80%	88%
MADERA	1,802	65%	85%	92%	96%	10,416	37%	60%	74%	83%
MERCED	3,910	69%	83%	90%	94%	44,788	55%	75%	86%	92%
SACRAMENTO	2,300	40%	55%	69%	79%	7,915	51%	67%	78%	87%
SAN BENITO	286	30%	52%	72%	87%	660	66%	78%	88%	95%
SAN JOAQUIN	5,064	86%	94%	97%	99%	20,586	86%	95%	98%	99%
SANTA CLARA	297	68%	78%	85%	93%	1,432	50%	63%	75%	85%
SOLANO	1,388	94%	98%	100%	100%	16,396	88%	96%	99%	99%
STANISLAUS	2,686	90%	96%	98%	99%	12,729	87%	96%	99%	99%
SUTTER	2,238	35%	47%	59%	70%	20,222	45%	62%	74%	82%
TEHAMA	0	0%	0%	0%	0%	720	0%	2%	9%	21%
TULARE	0	0%	0%	0%	0%	4,545	20%	31%	43%	56%
YOLO	4,084	80%	92%	97%	99%	54,828	73%	87%	94%	97%
YUBA	0	0%	0%	0%	0%	1,190	19%	40%	53%	66%
STATEWIDE TOTALS:										
CURRENT WEEK:	30,151	63%	78%	86%	92%	416,916	58%	76%	86%	91%
LAST WEEK YTD:						386,765	69%	83%	90%	94%

Processing Tomato Advisory Board CROP System - Posted Certificates Report

Rpt130

ANALYSIS BY COUNTY FOR GRADE: MOT

Page 3 of 4

Week 14 Ending 10/4/2025

Current Week						Year To Date				
MOT Percent Less Than or Equal To:						MOT Percent Less Than or Equal To:				
<u>County</u>	<u>#Loads</u>	<u>0.5%</u>	<u>1%</u>	<u>2%</u>	<u>3%</u>	<u>#Loads</u>	<u>0.5%</u>	<u>1%</u>	<u>2%</u>	<u>3%</u>
BUTTE	659	1%	5%	21%	39%	2,354	17%	29%	49%	64%
COLUSA	1,507	24%	42%	65%	80%	29,724	41%	62%	83%	92%
CONTRA COSTA	0	0%	0%	0%	0%	7,974	81%	92%	98%	99%
FRESNO	3,554	50%	74%	89%	95%	118,339	76%	89%	96%	98%
GLENN	151	41%	65%	85%	94%	4,109	22%	45%	74%	87%
KERN	0	0%	0%	0%	0%	10,606	78%	90%	96%	98%
KINGS	225	7%	20%	52%	72%	47,383	77%	89%	96%	98%
MADERA	1,802	77%	91%	98%	99%	10,416	70%	85%	94%	97%
MERCED	3,910	68%	85%	95%	98%	44,788	61%	77%	89%	94%
SACRAMENTO	2,300	25%	43%	63%	74%	7,915	30%	46%	65%	75%
SAN BENITO	286	20%	34%	55%	68%	660	46%	63%	79%	86%
SAN JOAQUIN	5,064	69%	82%	91%	96%	20,586	73%	84%	91%	95%
SANTA CLARA	297	13%	31%	52%	69%	1,432	43%	57%	73%	83%
SOLANO	1,388	69%	85%	96%	98%	16,396	79%	89%	96%	98%
STANISLAUS	2,686	79%	89%	95%	98%	12,729	84%	92%	97%	99%
SUTTER	2,238	38%	57%	78%	89%	20,222	48%	67%	84%	92%
TEHAMA	0	0%	0%	0%	0%	720	30%	52%	78%	89%
TULARE	0	0%	0%	0%	0%	4,545	50%	73%	91%	96%
YOLO	4,084	49%	66%	81%	88%	54,828	69%	82%	92%	96%
YUBA	0	0%	0%	0%	0%	1,190	32%	45%	66%	79%
STATEWIDE TOTALS:										
CURRENT WEEK:	30,151	54%	71%	84%	90%	416,916	68%	81%	92%	96%
LAST WEEK YTD:						386,765	69%	82%	92%	96%

Processing Tomato Advisory Board CROP System - Posted Certificates Report

Rpt130

ANALYSIS BY COUNTY FOR GRADE: LU

Page 4 of 4

Week 14 Ending 10/4/2025

<u>County</u>	Current Week					Year To Date				
	LU Percent Less Than or Equal To:					LU Percent Less Than or Equal To:				
	<u>#Loads</u>	<u>5%</u>	<u>8%</u>	<u>11%</u>	<u>14%</u>	<u>#Loads</u>	<u>5%</u>	<u>8%</u>	<u>11%</u>	<u>14%</u>
BUTTE	659	99%	100%	100%	100%	2,354	98%	100%	100%	100%
COLUSA	1,507	99%	100%	100%	100%	29,724	94%	98%	99%	100%
CONTRA COSTA	0	0%	0%	0%	0%	7,974	99%	100%	100%	100%
FRESNO	3,554	100%	100%	100%	100%	118,339	99%	100%	100%	100%
GLENN	151	100%	100%	100%	100%	4,109	98%	100%	100%	100%
KERN	0	0%	0%	0%	0%	10,606	99%	100%	100%	100%
KINGS	225	100%	100%	100%	100%	47,383	99%	100%	100%	100%
MADERA	1,802	98%	100%	100%	100%	10,416	98%	99%	100%	100%
MERCED	3,910	99%	100%	100%	100%	44,788	98%	100%	100%	100%
SACRAMENTO	2,300	97%	99%	100%	100%	7,915	95%	99%	100%	100%
SAN BENITO	286	100%	100%	100%	100%	660	99%	100%	100%	100%
SAN JOAQUIN	5,064	99%	100%	100%	100%	20,586	99%	100%	100%	100%
SANTA CLARA	297	94%	98%	100%	100%	1,432	99%	100%	100%	100%
SOLANO	1,388	99%	100%	100%	100%	16,396	98%	99%	100%	100%
STANISLAUS	2,686	98%	99%	100%	100%	12,729	98%	99%	100%	100%
SUTTER	2,238	100%	100%	100%	100%	20,222	96%	99%	100%	100%
TEHAMA	0	0%	0%	0%	0%	720	99%	100%	100%	100%
TULARE	0	0%	0%	0%	0%	4,545	99%	100%	100%	100%
YOLO	4,084	99%	100%	100%	100%	54,828	98%	100%	100%	100%
YUBA	0	0%	0%	0%	0%	1,190	99%	100%	100%	100%
STATEWIDE TOTALS:										
CURRENT WEEK:	30,151	99%	100%	100%	100%	416,916	98%	100%	100%	100%
LAST WEEK YTD:						386,765	98%	100%	100%	100%

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 1 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>		<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
BUTTE											
	510: 2015, HZ	Curr Wk	48	0.0	9.6	1.6	6.9	20.2	1.6	4.4	4.59
		YTD	464	0.0	6.1	2.2	4.0	19.7	1.5	4.3	4.57
	610: 2016, HZ	Curr Wk	38	0.0	4.9	0.8	4.5	21.0	1.8	4.6	4.49
		YTD	207	0.0	4.4	2.0	3.7	20.3	1.3	4.4	4.45
	028: 6428, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	377	0.0	4.6	3.5	1.3	21.9	2.7	4.6	4.56
	074: 6474, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	474	0.0	3.8	2.8	2.4	22.1	2.0	4.7	4.59
	037: 8237, HM	Curr Wk	573	0.0	3.1	3.3	4.3	21.4	1.3	4.9	4.49
		YTD	783	0.0	2.8	4.0	3.5	21.4	1.3	4.9	4.47
	830: 9038, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	4.2	6.9	3.1	21.7	0.9	4.4	4.44
	941: 9041, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	5.8	3.4	1.4	21.7	0.6	4.6	4.41
TOTAL BUTTE		Curr Wk	659	0.0	3.6	3.1	4.5	21.3	1.4	4.8	4.50
		YTD	2,351	0.0	4.1	3.2	3.0	21.2	1.7	4.6	4.53
COLUSA											
	565: MIX	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.3	0.8	19.0	0.8	5.6	4.39
	000: UNCODED	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	75	0.0	0.8	2.5	2.4	20.7	2.2	5.0	4.37
	101: 101, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	48	0.0	3.2	0.6	0.6	20.0	0.7	4.9	4.56
	210: 110, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	24	0.0	1.7	0.1	0.1	19.9	0.6	4.8	4.34
	161: 116, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	72	0.0	0.4	2.0	0.5	20.9	0.4	5.2	4.41

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 2 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
118:	118,BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	65	0.0	0.1	2.1	0.3	20.9	0.8	4.33
173:	0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	159	0.0	0.5	1.9	0.8	19.7	0.6	4.37
064:	0645, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	0.9	0.7	1.1	19.5	0.7	4.49
015:	1015, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	788	0.0	1.0	1.0	0.8	20.3	1.7	4.53
662:	1662, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	644	0.0	3.8	1.7	1.4	22.0	4.2	4.52
996:	1996, HZ	Curr Wk	264	0.0	1.9	3.6	3.4	21.0	0.8	4.47
		YTD	3,751	0.0	1.3	2.4	1.7	20.5	1.7	4.48
510:	2015, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	525	0.0	4.5	3.1	2.3	19.7	2.1	4.54
610:	2016, HZ	Curr Wk	165	0.0	3.0	2.0	1.6	20.0	1.4	4.54
		YTD	7,747	0.0	2.1	2.2	1.3	20.4	2.2	4.44
479:	2479, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	2.4	0.7	2.4	21.4	12.7	4.61
477:	4707, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	396	0.0	2.5	4.4	2.9	22.0	1.2	4.48
052:	5235, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	184	0.0	0.4	0.8	0.5	19.7	4.4	4.48
552:	5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	161	0.0	1.7	0.3	0.3	19.7	0.3	4.41
028:	6428, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,839	0.0	1.3	3.2	1.2	21.6	2.6	4.46
434:	6434, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,502	0.0	1.7	2.4	1.2	21.9	3.0	4.45

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 3 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
485:	6485, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	58	0.0	0.6	0.9	3.1	19.9	4.9	4.59
394:	6493, N	Curr Wk	37	0.0	2.5	1.9	1.0	20.0	1.2	4.52
		YTD	39	0.0	2.5	2.0	1.0	20.0	1.3	4.51
649:	6498, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	25	0.0	0.4	1.7	2.2	20.2	2.4	4.60
099:	6499, N	Curr Wk	36	0.0	7.5	1.2	1.5	20.6	4.4	4.62
		YTD	40	0.0	6.9	1.2	2.0	20.6	4.5	4.61
650:	6500, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.7	0.6	5.6	20.5	2.8	4.53
652:	6502, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	3.7	0.5	0.3	20.3	2.2	4.46
654:	6504, N	Curr Wk	1	0.0	15.0	0.5	2.0	21.0	5.5	4.64
		YTD	1	0.0	15.0	0.5	2.0	21.0	5.5	4.64
556:	6505, N	Curr Wk	3	0.0	12.8	1.5	1.8	21.5	3.8	4.79
		YTD	3	0.0	12.8	1.5	1.8	21.5	3.8	4.79
566:	6506, N	Curr Wk	2	0.0	18.0	2.0	4.0	22.3	4.0	4.71
		YTD	2	0.0	18.0	2.0	4.0	22.3	4.0	4.71
576:	6507, N	Curr Wk	2	0.0	14.8	1.5	3.3	21.8	3.8	4.70
		YTD	2	0.0	14.8	1.5	3.3	21.8	3.8	4.70
856:	6508, N	Curr Wk	2	0.0	12.5	2.5	3.5	20.8	3.3	4.65
		YTD	2	0.0	12.5	2.5	3.5	20.8	3.3	4.65
659:	6509, N	Curr Wk	2	0.0	15.5	1.3	1.5	22.5	2.0	4.67
		YTD	2	0.0	15.5	1.3	1.5	22.5	2.0	4.67
561:	6510, N	Curr Wk	2	0.0	16.3	1.0	4.8	21.0	3.3	4.79
		YTD	2	0.0	16.3	1.0	4.8	21.0	3.3	4.79
848:	6848, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	92	0.0	2.7	1.6	1.3	20.1	3.0	4.50

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 4 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	630	0.0	0.5	3.2	1.2	20.2	1.3	5.3	4.40
036: 8163, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	235	0.0	4.8	0.7	0.9	19.7	1.1	5.4	4.52
037: 8237, HM	Curr Wk	10	0.0	0.9	2.5	1.0	21.0	0.9	5.1	4.45
	YTD	1,040	0.0	0.4	4.1	0.7	21.2	0.5	5.0	4.31
068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	602	0.0	0.8	3.1	0.8	19.1	1.3	5.6	4.46
913: 9013, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	399	0.0	1.0	5.3	0.6	20.3	0.9	4.8	4.36
916: 9016, SVTM	Curr Wk	804	0.0	1.4	1.8	1.6	20.8	0.7	5.2	4.40
	YTD	1,507	0.0	1.5	2.7	1.4	21.0	0.7	5.1	4.39
919: 9019, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	33	0.0	0.7	1.0	1.4	21.8	0.6	5.7	4.29
921: 9021, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	334	0.0	1.3	3.8	1.3	20.8	1.0	4.9	4.35
027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,166	0.0	0.7	1.5	0.8	20.0	0.6	5.3	4.34
320: 9032, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3,157	0.0	0.4	1.9	1.3	20.8	1.7	5.4	4.32
430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	93	0.0	0.5	2.3	0.8	20.1	0.7	5.2	4.48
941: 9041, SVTM	Curr Wk	175	0.0	1.5	2.7	3.0	21.0	0.7	5.1	4.43
	YTD	175	0.0	1.5	2.7	3.0	21.0	0.7	5.1	4.43
153: 10153, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	17	0.0	8.3	1.9	1.7	20.0	4.9	5.3	4.72
841: 58841, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 5 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
	YTD	1,007	0.0	1.2	2.7	2.2	20.9	1.3	5.3	4.44
TOTAL COLUSA	Curr Wk	1,505	0.0	2.0	2.2	2.1	20.7	0.9	5.0	4.44
	YTD	29,717	0.0	1.5	2.4	1.3	20.7	1.9	5.0	4.43
CONTRA COSTA										
565: MIX	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	0.5	1.0	0.0	20.5	4.0	5.2	4.47
740: 74, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	619	0.0	1.8	0.7	0.3	19.4	1.2	5.5	4.51
173: 0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	126	0.0	0.0	0.7	0.2	19.0	0.1	5.3	4.36
064: 0645, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	357	0.0	0.5	0.3	0.4	19.7	1.4	5.2	4.55
820: 1082, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	587	0.0	2.0	0.9	1.1	21.0	1.7	5.0	4.41
552: 5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,914	0.0	0.3	0.3	0.3	19.3	0.5	5.6	4.42
648: 6480, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	75	0.0	2.0	0.6	0.6	19.9	0.5	4.4	4.53
848: 6848, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	250	0.0	1.4	0.6	0.4	19.1	0.6	5.1	4.42
301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	321	0.0	0.2	0.6	0.3	19.7	1.3	5.3	4.45
036: 8163, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	256	0.0	2.1	0.6	0.4	19.3	1.2	5.5	4.55
068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,383	0.0	0.7	0.5	0.3	19.1	1.0	5.4	4.50

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 6 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
912: 9012, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	86	0.0	1.4	0.4	0.3	19.2	1.7	6.0	4.51
921: 9021, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	167	0.0	0.6	0.5	0.2	20.2	0.4	4.9	4.30
239: 9023, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	423	0.0	0.6	0.4	0.5	21.9	0.7	4.9	4.38
320: 9032, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	604	0.0	0.1	0.7	0.8	20.3	0.6	5.4	4.30
841: 58841, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	805	0.0	0.5	0.8	0.3	20.2	0.8	5.5	4.46
TOTAL CONTRA COSTA	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	7,974	0.0	0.8	0.5	0.4	19.7	0.9	5.4	4.44
FRESNO										
577: HEINZ TRIAL	Curr Wk	37	0.0	7.6	0.7	0.5	20.4	0.9	4.6	4.54
	YTD	311	0.0	2.7	1.4	0.7	21.5	1.2	4.8	4.48
555: MISC TRIAL	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	34	0.0	1.7	0.7	0.3	20.9	2.8	5.2	4.38
565: MIX	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	68	0.0	1.3	0.7	0.3	20.4	1.1	5.3	4.47
740: 74, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	2.0	0.5	0.5	21.5	7.0	4.7	4.58
101: 101, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,804	0.0	1.1	1.4	0.5	19.9	1.3	4.9	4.50
219: 109, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	5	0.0	5.0	0.5	0.1	20.3	0.4	5.1	4.36
210: 110, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	92	0.0	1.1	0.4	0.1	19.5	0.6	5.6	4.41
161: 116, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	29	0.0	0.1	4.6	0.4	19.6	0.3	5.2	4.46

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 7 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
118:	118,BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	0.1	3.0	0.5	20.6	0.7	4.40
187:	187, CXD	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	146	0.0	0.3	0.9	0.3	20.1	1.2	4.29
124:	0221, HMC	Curr Wk	2	0.0	8.3	1.5	0.3	22.0	5.0	4.61
		YTD	9	0.1	4.1	0.6	0.4	21.3	5.1	4.49
247:	247, E	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	111	0.0	1.1	0.9	0.2	19.2	3.8	4.45
273:	273, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	275	0.0	1.0	3.2	0.8	20.6	1.4	4.40
173:	0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,005	0.0	0.4	0.8	0.3	19.4	0.8	4.39
400:	400, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,688	0.0	0.2	1.9	0.5	19.7	0.7	4.44
064:	0645, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	413	0.0	0.8	0.2	0.3	19.6	1.7	4.59
196:	0691, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	219	0.0	0.1	1.3	0.5	19.7	1.3	4.43
018:	0811, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	644	0.0	0.8	1.1	0.7	19.6	0.9	4.40
820:	1082, SVTM	Curr Wk	68	0.0	2.6	3.2	1.8	21.2	2.0	4.49
		YTD	2,709	0.0	1.3	1.2	0.5	20.9	1.8	4.37
165:	1657, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	733	0.0	0.7	2.6	0.8	19.2	0.4	4.47
662:	1662, HZ	Curr Wk	46	0.0	9.9	0.9	1.0	20.9	1.4	4.66
		YTD	1,491	0.0	3.9	1.7	0.8	21.4	1.3	4.55
171:	1715, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	2.7	0.7	0.6	20.2	0.8	4.47

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 8 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
176: 1765, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	6	0.0	0.7	1.1	0.4	22.8	0.3	4.8	4.35
765: 1765, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	28	0.0	1.0	0.2	0.6	21.2	0.4	4.9	4.46
776: 1776, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	2,399	0.0	0.3	1.8	1.0	19.9	0.3	5.3	4.36
191: 1991, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	473	0.0	1.1	0.6	0.4	19.6	1.3	4.9	4.45
996: 1996, HZ	Curr Wk	1,318	0.0	3.4	2.6	1.0	19.8	0.6	4.9	4.55
	YTD	9,249	0.0	1.4	1.8	0.7	20.1	0.6	5.0	4.47
110: 2011, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	1.0	0.5	0.5	20.0	3.0	6.4	4.54
012: 2012, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	219	0.0	0.6	3.0	1.3	21.5	0.6	5.3	4.39
510: 2015, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	62	0.0	0.8	2.1	0.5	19.6	1.0	5.1	4.50
610: 2016, HZ	Curr Wk	458	0.0	7.8	2.2	0.7	20.1	0.8	4.4	4.48
	YTD	4,337	0.0	3.4	2.1	0.6	20.0	0.9	4.6	4.44
128: 2128, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	63	0.0	3.0	0.7	0.2	18.8	2.6	4.8	4.68
354: 2354, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	75	0.0	2.0	1.3	0.4	20.9	1.3	5.4	4.50
325: 2355, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	42	0.0	6.8	0.7	0.5	20.0	1.9	5.2	4.46
365: 2365, HZ	Curr Wk	93	0.0	3.6	1.6	0.5	21.1	0.5	4.4	4.55
	YTD	239	0.0	3.0	1.6	0.8	20.6	0.5	4.7	4.54
476: 2476, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	180	0.0	1.1	0.8	0.3	20.2	1.2	5.2	4.46

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 9 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
	479: 2479, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.2	4.5	0.4	19.6	0.6	4.37
	256: 2516, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	2.7	0.2	0.0	20.2	0.7	4.46
	842: 3842, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	141	0.0	1.6	0.8	0.4	21.0	1.5	4.41
	452: 4521, HMX 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	386	0.0	2.0	0.8	0.3	21.4	0.9	4.44
	456: 4565, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	232	0.0	0.5	6.9	1.3	19.9	1.7	4.38
	477: 4707, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	894	0.0	2.0	1.1	0.5	21.9	0.6	4.47
	341: 5341, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	117	0.0	1.7	0.4	0.1	18.5	0.9	4.42
	369: 5369, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	809	0.0	1.0	0.5	0.1	19.7	0.5	4.63
	511: 5511, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	726	0.0	0.6	0.8	0.3	19.9	1.4	4.47
	552: 5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6,545	0.0	0.6	0.6	0.3	19.3	0.5	4.38
	560: 5608, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	873	0.0	1.2	1.1	0.3	19.7	1.7	4.41
	042: 6402, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,774	0.0	0.8	1.0	0.4	20.0	1.9	4.45
	641: 6416, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,300	0.0	0.2	1.4	0.3	21.0	1.6	4.32
	028: 6428, N	Curr Wk	3	0.0	1.3	3.3	1.5	19.8	0.5	4.62
		YTD	2,983	0.0	1.1	2.7	1.0	20.7	1.8	4.50

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 10 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	434: 6434, N	Curr Wk	170	0.0	3.1	2.0	1.6	21.1	1.7	5.2	4.60
		YTD	984	0.0	1.9	2.4	1.2	21.4	2.0	5.2	4.55
	074: 6474, N	Curr Wk	57	0.0	2.5	3.4	0.8	20.6	0.7	4.8	4.54
		YTD	1,354	0.0	1.2	3.4	1.2	20.8	1.0	5.3	4.49
	675: 6475, N	Curr Wk	41	0.0	1.1	1.3	1.2	19.8	0.6	5.1	4.59
		YTD	41	0.0	1.1	1.3	1.2	19.8	0.6	5.1	4.59
	648: 6480, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	155	0.0	1.8	1.4	1.0	20.1	0.9	4.8	4.46
	485: 6485, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,186	0.0	1.0	0.9	0.3	19.5	0.6	4.7	4.56
	489: 6489, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	41	0.0	0.3	1.5	0.3	19.4	0.2	5.6	4.38
	394: 6493, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	1.1	1.3	1.4	21.0	0.9	5.1	4.58
	649: 6498, N	Curr Wk	1	0.0	1.0	1.5	0.5	20.0	1.5	5.7	4.37
		YTD	24	0.0	2.3	0.5	0.5	20.4	0.7	5.3	4.56
	650: 6500, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	61	0.0	0.4	1.5	0.4	19.4	0.6	5.2	4.41
	652: 6502, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	158	0.0	1.0	0.7	0.3	19.6	1.5	4.7	4.56
	848: 6848, BOS	Curr Wk	120	0.0	1.1	1.4	1.1	18.6	0.8	5.4	4.55
		YTD	799	0.0	1.2	4.0	1.3	19.1	0.7	5.0	4.47
	301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	5,544	0.0	0.2	0.9	0.4	19.9	0.9	5.3	4.40
	774: 7704, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	6.6	1.0	0.7	21.9	5.0	4.6	4.47
	075: 7705, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	22	0.0	3.5	1.1	0.5	21.5	4.1	4.7	4.50

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 11 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
178: 7708, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	53	0.0	3.2	0.2	0.2	19.1	3.2	5.5	4.56
036: 8163, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	4,471	0.0	1.5	0.7	0.5	19.1	1.3	5.8	4.54
823: 8232, SV	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	0.0	1.0	0.0	19.5	0.0	5.7	4.37
037: 8237, HM	Curr Wk	269	0.0	2.8	1.9	1.2	20.8	0.9	5.0	4.46
	YTD	10,951	0.0	1.1	1.6	0.4	21.0	0.6	5.3	4.39
068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	4,999	0.0	0.9	1.4	0.5	18.8	1.2	5.6	4.47
324: 8423, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	145	0.0	2.1	0.6	0.7	21.0	1.5	4.8	4.43
807: 8507, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	145	0.0	2.3	1.3	0.7	18.2	1.2	5.5	4.55
913: 9013, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	620	0.0	1.5	3.9	1.2	19.3	1.4	5.4	4.46
914: 9014, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	5	0.0	2.8	0.4	0.0	21.5	0.2	5.2	4.32
916: 9016, SVTM	Curr Wk	434	0.0	6.9	1.9	0.8	21.4	0.4	4.8	4.48
	YTD	3,474	0.0	3.9	2.2	0.9	21.0	0.4	5.1	4.43
919: 9019, SVTM	Curr Wk	5	0.0	1.2	4.5	1.2	21.1	1.6	5.7	4.40
	YTD	2,800	0.0	1.0	2.1	0.9	21.6	1.9	5.6	4.30
921: 9021, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	2,387	0.0	0.7	1.9	0.9	19.6	0.6	5.4	4.35
239: 9023, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3,924	0.0	0.9	0.8	0.3	21.2	1.4	5.2	4.40
925: 9025, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	214	0.0	0.3	1.6	0.6	21.5	0.6	6.0	4.25

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 12 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
FRESNO	027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8,237	0.0	0.7	1.3	0.4	19.8	0.6	5.6	4.39
	320: 9032, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,910	0.0	0.2	2.9	1.5	20.0	0.8	5.6	4.34
	330: 9033, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	727	0.0	0.8	1.0	0.5	20.7	1.0	4.8	4.38
	430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2,425	0.0	0.7	0.7	0.3	19.9	0.8	5.7	4.51
	903: 9036, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3,266	0.0	0.8	0.4	0.4	21.0	1.9	5.2	4.47
	730: 9037, SVTM	Curr Wk	53	0.0	1.7	1.7	0.6	21.1	1.4	4.9	4.48
		YTD	2,339	0.0	1.0	1.1	0.5	21.6	1.1	5.1	4.39
	409: 9040, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	381	0.0	0.6	0.7	0.3	19.8	1.6	6.1	4.45
	941: 9041, SVTM	Curr Wk	110	0.0	1.5	0.5	0.5	20.5	1.1	5.5	4.46
		YTD	4,475	0.0	1.4	0.4	0.4	21.2	1.0	5.2	4.42
	112: 16112, UG	Curr Wk	73	0.0	2.1	0.2	0.5	21.3	1.2	4.9	4.53
		YTD	1,405	0.0	1.1	0.6	0.3	20.8	0.8	4.8	4.39
841: 58841, HM	Curr Wk	193	0.0	3.6	1.4	3.1	20.6	1.3	5.4	4.58	
	YTD	1,407	0.0	1.2	3.6	1.3	20.5	0.8	5.7	4.47	
TOTAL FRESNO		Curr Wk	3,551	0.0	4.2	2.1	1.1	20.4	0.8	4.9	4.52
		YTD	118,182	0.0	1.2	1.4	0.5	20.2	1.0	5.3	4.43
GLENN											
	000: UNCODED	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	26	0.0	3.5	3.5	1.9	20.6	1.9	5.4	4.48
	662: 1662, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	140	0.0	3.1	1.6	1.4	21.5	3.3	4.9	4.56
	996: 1996, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,551	0.0	2.5	3.6	1.6	20.8	1.4	4.7	4.51

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 13 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
	610: 2016, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,984	0.0	3.3	3.6	2.0	20.1	2.0	4.47
	649: 6498, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	32	0.0	6.1	4.5	1.9	22.0	1.5	4.67
	037: 8237, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	173	0.0	1.0	7.0	1.7	21.1	0.6	4.34
	068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	3.0	7.1	2.4	19.5	2.7	4.43
	916: 9016, SVTM	Curr Wk	151	0.0	2.5	1.4	1.2	21.1	0.8	4.45
		YTD	193	0.0	2.5	2.7	1.2	21.0	0.8	4.43
TOTAL GLENN		Curr Wk	151	0.0	2.5	1.4	1.2	21.1	0.8	4.45
		YTD	4,107	0.0	2.9	3.6	1.8	20.5	1.7	4.48
KERN										
	577: HEINZ TRIAL	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	28	0.0	2.1	0.3	0.4	21.5	1.2	4.49
	000: UNCODED	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	33	0.0	0.9	2.3	0.4	20.1	0.5	4.36
	101: 101, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	49	0.0	1.2	0.7	0.3	20.2	1.9	4.60
	187: 187, CXD	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	374	0.0	1.0	1.1	0.2	21.5	1.1	4.40
	247: 247, E	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	200	0.0	0.2	1.7	0.2	21.9	0.2	4.26
	173: 0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	188	0.0	2.5	2.4	0.5	20.0	1.5	4.41
	400: 400, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	262	0.0	1.1	2.4	1.0	19.5	1.3	4.55
	103: 403, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	212	0.0	1.0	3.4	1.0	20.5	2.6	4.41

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 14 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
662: 1662, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	81	0.0	0.3	0.1	0.4	21.1	0.9	4.9	4.44
776: 1776, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	555	0.0	0.4	2.0	0.6	21.1	0.4	5.1	4.36
996: 1996, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	309	0.0	0.3	0.6	0.4	20.2	0.2	4.7	4.38
610: 2016, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	355	0.0	0.2	0.8	0.4	20.0	0.5	4.8	4.33
479: 2479, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	70	0.0	0.3	4.5	0.4	20.9	0.8	4.6	4.34
842: 3842, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	98	0.0	1.9	1.2	1.2	20.3	1.7	5.8	4.49
452: 4521, HMX 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	127	0.0	0.3	0.7	0.3	20.1	0.5	5.5	4.35
552: 5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	833	0.0	0.9	1.4	0.6	19.4	0.7	5.5	4.39
560: 5608, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,390	0.0	1.3	1.5	0.3	19.8	0.6	4.9	4.40
366: 6366, SUN	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	364	0.0	0.5	0.6	0.2	20.2	1.3	5.2	4.48
641: 6416, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	383	0.0	0.4	2.2	0.4	20.6	1.2	4.6	4.29
489: 6489, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	46	0.0	0.1	0.9	0.1	21.1	0.3	4.7	4.38
394: 6493, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	9	0.0	0.4	0.5	0.2	21.2	0.7	4.9	4.35
649: 6498, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	4	0.0	0.4	0.3	0.1	20.1	0.9	5.1	4.38

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 15 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	635	0.0	0.2	1.6	0.6	20.1	0.8	5.5	4.36
	036: 8163, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	529	0.0	3.8	0.8	0.8	19.5	1.1	5.4	4.54
	037: 8237, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	277	0.0	0.9	0.2	0.4	21.3	1.3	4.9	4.37
	068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	1.3	0.6	0.3	19.0	2.1	5.9	4.59
	900: 9000, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	138	0.0	0.4	1.4	0.1	23.8	0.4	4.7	4.40
	916: 9016, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	3	0.0	0.0	0.3	0.2	21.2	2.0	5.2	4.23
	919: 9019, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	305	0.0	0.5	0.5	0.5	22.9	1.5	5.1	4.24
	239: 9023, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	891	0.0	1.1	0.6	0.4	21.6	1.8	5.7	4.42
	027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,339	0.0	0.6	2.6	1.2	20.0	0.6	5.5	4.40
	330: 9033, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	1.0	1.9	0.6	20.5	0.5	5.0	4.38
	430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	171	0.0	0.8	0.3	0.1	20.9	0.8	5.4	4.56
	730: 9037, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	39	0.0	0.9	2.2	0.5	21.7	0.6	4.5	4.37
TOTAL KERN		Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10,602	0.0	1.0	1.5	0.6	20.4	0.9	5.2	4.40
KINGS											
	577: HEINZ TRIAL	Curr Wk	41	0.0	16.2	8.8	3.3	21.0	0.7	3.9	4.46
		YTD	69	0.0	10.4	6.6	2.1	21.5	1.0	4.4	4.47

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 16 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
555: MISC TRIAL	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	10	0.0	2.9	0.7	0.1	21.1	1.8	5.2	4.52
565: MIX	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3	0.0	1.0	0.2	0.2	19.7	2.2	4.9	4.47
000: UNCODED	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	507	0.0	1.6	1.6	0.4	20.6	0.9	5.3	4.42
101: 101, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	95	0.0	0.8	0.4	0.3	20.2	1.1	4.7	4.51
161: 116, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	174	0.0	0.1	4.1	0.2	21.2	0.8	5.4	4.39
187: 187, CXD	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	415	0.0	0.2	1.1	0.2	20.6	2.3	4.8	4.38
247: 247, E	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	437	0.0	0.4	2.6	0.4	20.0	0.9	5.1	4.35
173: 0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	567	0.0	0.2	1.7	0.3	20.1	1.3	5.6	4.39
400: 400, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	329	0.0	0.1	1.9	0.3	20.1	1.1	5.3	4.44
103: 403, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	202	0.0	0.6	3.1	1.8	20.8	1.7	5.0	4.37
018: 0811, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	222	0.0	2.4	6.8	1.3	20.0	1.0	4.6	4.51
820: 1082, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	202	0.0	1.2	1.6	0.1	20.8	0.9	5.5	4.28
165: 1657, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	172	0.0	1.4	6.7	1.5	18.9	0.7	4.6	4.48
662: 1662, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	324	0.0	2.7	4.2	1.6	21.8	1.6	5.2	4.56

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 17 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
	776: 1776, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,282	0.0	0.6	3.3	0.7	20.2	0.5	4.37
	191: 1991, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	100	0.0	1.7	2.3	0.4	18.9	0.9	4.44
	996: 1996, HZ	Curr Wk	1	0.0	22.0	8.5	2.5	20.5	0.5	4.45
		YTD	988	0.0	2.1	1.8	0.9	20.5	0.3	4.41
	610: 2016, HZ	Curr Wk	183	0.0	18.2	8.8	3.0	21.4	0.9	4.49
		YTD	9,375	0.0	0.9	2.7	0.5	19.5	0.6	4.37
	128: 2128, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	0.4	0.2	0.2	19.1	1.1	4.62
	354: 2354, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	45	0.0	0.4	0.1	0.1	21.0	0.5	4.46
	365: 2365, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	251	0.0	2.2	2.4	0.9	20.5	0.9	4.53
	479: 2479, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	53	0.0	0.1	2.5	0.3	20.9	1.6	4.42
	251: 2515, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.3	0.8	21.8	3.8	4.62
	452: 4521, HMX 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	998	0.0	0.6	1.4	0.2	19.6	0.5	4.38
	477: 4707, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	328	0.0	1.4	3.2	0.6	22.1	0.5	4.44
	511: 5511, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	420	0.0	0.1	3.2	0.7	19.7	1.1	4.37
	552: 5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,110	0.0	0.4	1.5	0.2	19.3	0.5	4.34
	560: 5608, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,386	0.0	0.5	3.1	0.2	19.5	0.6	4.37

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 18 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
042: 6402, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	222	0.0	0.8	2.7	0.2	20.4	1.1	5.4	4.36
641: 6416, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,816	0.0	0.2	2.6	0.3	21.1	1.4	4.9	4.31
648: 6480, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	590	0.0	1.2	3.4	1.1	20.2	0.6	4.6	4.45
485: 6485, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	114	0.0	2.2	2.5	0.7	20.3	1.0	4.7	4.58
649: 6498, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3	0.0	0.5	0.5	0.5	20.2	4.0	5.9	4.56
650: 6500, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	19	0.0	0.5	3.1	2.5	20.2	0.5	4.5	4.38
652: 6502, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	5	0.0	2.9	0.0	0.5	19.7	0.0	4.4	4.50
667: 6762, SSA	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	2	0.0	0.8	0.8	0.5	20.5	8.0	6.0	4.55
301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,636	0.0	0.2	1.5	0.4	20.9	1.7	5.2	4.39
077: 7744, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	1.0	0.0	0.0	19.5	0.0	5.7	4.36
011: 8011, SV	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	435	0.0	1.2	3.9	2.5	19.8	0.5	5.0	4.42
036: 8163, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,021	0.0	2.7	0.5	1.1	19.5	1.5	5.7	4.55
037: 8237, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	2,635	0.0	1.4	1.3	0.5	21.0	1.4	5.5	4.39
068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	75	0.0	0.4	0.1	0.1	19.5	1.0	5.3	4.52

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 19 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
900: 9000, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	323	0.0	0.2	1.3	0.1	21.9	0.6	4.7	4.48
916: 9016, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,984	0.0	1.7	1.2	0.4	20.6	0.6	5.7	4.41
919: 9019, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	408	0.0	1.0	3.1	0.8	21.1	2.3	6.7	4.31
239: 9023, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	8,498	0.0	3.0	1.1	0.7	21.2	1.6	5.3	4.47
027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	2,428	0.0	0.3	1.9	0.2	19.8	0.6	5.8	4.37
320: 9032, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	748	0.0	0.4	4.0	2.1	20.5	1.0	5.0	4.34
330: 9033, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	451	0.0	0.3	0.5	0.1	23.3	1.1	4.6	4.48
430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	186	0.0	0.5	1.0	0.2	20.8	1.3	5.9	4.50
903: 9036, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	49	0.0	0.5	0.2	0.1	19.0	0.4	5.3	4.36
730: 9037, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3,321	0.0	2.4	1.7	0.4	21.0	0.9	5.5	4.41
830: 9038, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	4	0.0	0.3	0.3	0.1	19.4	1.4	5.1	4.30
941: 9041, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	256	0.0	3.1	0.5	0.6	21.2	3.6	5.9	4.52
TOTAL KINGS	Curr Wk	225	0.0	17.8	8.8	3.0	21.3	0.8	3.8	4.48
	YTD	47,325	0.0	1.4	2.0	0.6	20.4	1.0	5.2	4.41
MADERA										
577: HEINZ TRIAL	Curr Wk	28	0.0	4.6	1.4	0.2	20.6	0.7	4.9	4.49
	YTD	28	0.0	4.6	1.4	0.2	20.6	0.7	4.9	4.49

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 20 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
662: 1662, HZ	Curr Wk	99	0.0	1.9	4.4	0.4	19.9	1.2	5.2	4.62
	YTD	510	0.0	1.7	5.1	0.7	20.7	1.3	4.9	4.56
996: 1996, HZ	Curr Wk	221	0.0	3.3	0.6	0.5	20.5	0.6	4.7	4.57
	YTD	1,882	0.0	1.4	2.0	0.5	20.0	0.4	4.8	4.48
510: 2015, HZ	Curr Wk	35	0.0	2.9	3.2	0.3	18.7	1.1	4.9	4.60
	YTD	167	0.0	1.8	4.6	0.6	18.9	0.7	4.7	4.52
610: 2016, HZ	Curr Wk	93	0.0	7.5	1.7	0.7	18.7	0.8	4.8	4.50
	YTD	1,617	0.0	2.6	1.9	0.6	19.5	0.8	4.7	4.46
365: 2365, HZ	Curr Wk	17	0.0	1.9	1.4	0.3	19.7	0.8	4.8	4.59
	YTD	55	0.0	2.1	1.8	0.7	19.8	0.7	5.0	4.57
477: 4707, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	734	0.0	0.8	4.7	0.9	21.7	0.6	4.5	4.47
558: 5508, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	18	0.0	1.6	0.6	0.1	20.1	0.3	4.4	4.45
028: 6428, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	372	0.0	5.8	1.6	0.6	21.7	3.6	4.9	4.61
434: 6434, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	168	0.0	4.4	1.7	1.4	21.3	2.4	4.8	4.60
073: 6473, N	Curr Wk	143	0.0	6.5	1.0	0.6	19.2	1.2	5.1	4.65
	YTD	445	0.0	8.0	1.6	1.1	19.4	1.5	5.0	4.62
074: 6474, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	501	0.0	1.4	1.8	1.4	21.4	3.0	4.7	4.57
394: 6493, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	11	0.0	0.7	12.6	1.2	19.6	0.6	4.5	4.56
848: 6848, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	153	0.0	5.3	5.0	1.6	19.1	1.2	4.8	4.54
037: 8237, HM	Curr Wk	127	0.0	1.2	1.0	0.2	20.9	0.5	5.1	4.48
	YTD	127	0.0	1.2	1.0	0.2	20.9	0.5	5.1	4.48

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 21 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	217	0.0	2.5	3.2	0.4	19.3	1.6	5.2	4.57
	324: 8423, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	193	0.0	3.0	1.6	0.9	20.8	2.5	4.7	4.49
	913: 9013, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	251	0.0	3.2	3.0	1.5	19.9	1.6	5.3	4.54
	916: 9016, SVTM	Curr Wk	151	0.0	6.3	1.0	0.4	20.5	0.4	5.1	4.48
		YTD	993	0.0	2.5	2.8	0.5	20.9	0.5	5.1	4.42
	921: 9021, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	203	0.0	1.4	5.8	0.5	20.3	0.4	4.7	4.49
	239: 9023, SVTM	Curr Wk	153	0.0	1.5	0.7	0.7	20.9	0.9	4.7	4.48
		YTD	230	0.0	1.6	1.7	0.7	20.9	1.2	4.9	4.47
	925: 9025, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	179	0.0	3.0	0.5	0.1	21.5	1.3	5.0	4.42
	027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	181	0.0	0.9	4.2	0.4	20.1	0.4	5.0	4.49
	903: 9036, SVTM	Curr Wk	8	0.0	2.5	0.7	0.4	22.0	3.4	5.1	4.54
		YTD	8	0.0	2.5	0.7	0.4	22.0	3.4	5.1	4.54
	730: 9037, SVTM	Curr Wk	170	0.0	2.4	0.1	0.1	22.6	2.0	4.7	4.51
		YTD	553	0.0	2.0	0.9	0.3	21.7	1.4	4.9	4.47
	951: 9516, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	0.9	5.3	0.6	20.3	0.3	4.7	4.42
	841: 58841, HM	Curr Wk	557	0.0	4.6	1.5	0.7	21.0	2.0	5.6	4.62
		YTD	608	0.0	4.6	1.5	0.7	21.0	2.0	5.6	4.62
TOTAL MADERA		Curr Wk	1,802	0.0	4.0	1.2	0.5	20.7	1.3	5.1	4.56
		YTD	10,414	0.0	2.6	2.5	0.7	20.5	1.1	4.9	4.50
MERCED											
	577: HEINZ TRIAL	Curr Wk	25	0.0	3.0	0.3	0.3	19.5	0.7	4.6	4.51
		YTD	49	0.0	2.4	0.4	0.4	19.8	0.9	4.8	4.49

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 22 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
	555: MISC TRIAL	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	2.9	0.1	0.8	21.2	2.3	4.49
	565: MIX	Curr Wk	6	0.0	0.2	0.7	0.3	19.3	0.3	4.39
		YTD	9	0.0	0.6	0.6	0.2	19.2	0.4	4.43
	740: 74, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	469	0.0	1.8	1.2	0.6	20.1	1.6	4.51
	082: 82, BP	Curr Wk	1	0.0	4.0	0.0	0.5	21.0	1.0	4.45
		YTD	2	0.0	8.0	0.0	0.3	20.0	0.5	4.35
	101: 101, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	402	0.0	2.3	1.0	0.7	20.4	2.4	4.55
	210: 110, BP	Curr Wk	2	0.0	7.0	1.0	1.0	21.3	0.8	4.55
		YTD	24	0.0	1.6	1.0	0.3	20.5	0.8	4.45
	211: 121, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	1.0	0.8	0.3	20.9	0.5	4.45
	173: 0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	206	0.0	0.9	1.8	0.6	19.6	2.0	4.48
	400: 400, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	186	0.0	0.1	3.3	0.3	19.7	0.3	4.39
	820: 1082, SVTM	Curr Wk	108	0.0	2.4	3.6	0.7	21.5	1.5	4.43
		YTD	1,936	0.0	2.6	1.7	1.1	21.3	2.3	4.41
	165: 1657, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	82	0.0	0.7	2.4	1.6	20.6	0.6	4.43
	662: 1662, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,304	0.0	0.7	1.8	0.7	21.5	1.0	4.46
	171: 1715, LS	Curr Wk	4	0.0	0.8	0.6	0.4	20.0	1.8	4.40
		YTD	4	0.0	0.8	0.6	0.4	20.0	1.8	4.40
	176: 1765, HZ	Curr Wk	3	0.0	0.7	0.7	0.3	19.8	0.2	4.42
		YTD	3	0.0	0.7	0.7	0.3	19.8	0.2	4.42

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 23 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	996: 1996, HZ	Curr Wk	424	0.0	0.9	1.1	0.6	19.5	0.5	4.9	4.50
		YTD	6,606	0.0	1.1	1.6	1.0	20.3	0.7	4.9	4.50
	012: 2012, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	36	0.0	1.5	0.8	1.6	20.9	1.5	5.3	4.49
	510: 2015, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	523	0.0	0.8	2.3	0.6	18.9	0.4	4.6	4.48
	610: 2016, HZ	Curr Wk	230	0.0	1.5	0.3	0.4	19.7	0.8	4.5	4.43
		YTD	5,688	0.0	0.6	2.2	0.9	20.1	0.9	4.8	4.43
	365: 2365, HZ	Curr Wk	99	0.0	0.4	0.5	0.4	20.8	0.5	5.1	4.50
		YTD	477	0.0	0.3	1.6	2.1	21.2	0.6	4.9	4.48
	251: 2515, HZ	Curr Wk	4	0.0	0.3	0.4	0.6	18.8	0.4	5.1	4.43
		YTD	9	0.0	0.5	0.7	0.4	19.7	0.3	5.1	4.45
	477: 4707, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,786	0.0	0.9	2.1	1.0	21.9	0.6	4.8	4.49
	552: 5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	369	0.0	3.3	0.7	0.1	20.2	0.5	5.1	4.44
	028: 6428, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	690	0.0	1.6	3.2	1.8	21.5	2.6	4.9	4.55
	434: 6434, N	Curr Wk	14	0.0	0.4	1.1	1.7	19.5	0.6	6.2	4.45
		YTD	2,498	0.0	3.6	1.9	1.9	21.5	1.9	4.9	4.56
	073: 6473, N	Curr Wk	86	0.0	1.7	1.3	0.5	18.8	0.7	5.1	4.47
		YTD	165	0.0	1.9	1.2	0.4	18.9	0.6	5.1	4.49
	074: 6474, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	197	0.0	1.2	2.2	0.8	21.4	1.1	4.9	4.56
	485: 6485, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	207	0.0	1.7	0.9	0.3	20.0	0.6	4.6	4.61
	649: 6498, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	19	0.0	1.4	1.0	0.5	20.9	0.8	4.9	4.58

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 24 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
099: 6499, N	Curr Wk		2	0.0	1.8	2.0	0.0	18.5	1.5	5.1	4.53
	YTD		7	0.0	2.4	2.2	0.4	20.0	4.2	5.8	4.57
652: 6502, N	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		2	0.0	2.5	0.3	0.0	20.8	0.5	4.8	4.55
667: 6762, SSA	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		5	0.0	1.9	1.2	0.6	20.6	1.3	5.2	4.52
848: 6848, BOS	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		168	0.0	1.3	1.3	1.0	19.5	0.8	5.3	4.53
036: 8163, HM	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		14	0.0	7.5	0.1	0.3	20.4	3.0	5.6	4.62
037: 8237, HM	Curr Wk		336	0.0	1.7	3.6	0.9	20.7	0.6	5.0	4.44
	YTD		2,973	0.0	1.0	1.7	0.6	21.2	0.8	5.3	4.41
068: 8268, HM	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		239	0.0	1.9	0.9	0.4	19.3	2.0	5.7	4.53
324: 8423, BOS	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		144	0.0	1.1	2.1	1.3	21.0	2.1	4.7	4.42
913: 9013, SVTM	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		804	0.0	2.2	2.8	1.6	20.4	1.6	5.0	4.52
916: 9016, SVTM	Curr Wk		335	0.0	2.4	1.0	1.0	20.9	0.5	4.7	4.43
	YTD		4,026	0.0	1.3	1.7	1.3	21.0	0.6	5.3	4.44
919: 9019, SVTM	Curr Wk		291	0.0	3.6	1.9	1.5	22.2	2.1	5.3	4.39
	YTD		1,730	0.0	3.1	2.4	1.7	22.1	2.7	5.4	4.35
921: 9021, SVTM	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		219	0.0	5.0	1.2	0.1	20.3	1.9	4.7	4.50
239: 9023, SVTM	Curr Wk		50	0.0	0.4	0.2	0.5	20.3	0.3	5.4	4.36
	YTD		2,022	0.0	1.1	0.9	0.8	21.5	1.7	5.2	4.48
925: 9025, SVTM	Curr Wk		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD		100	0.0	1.6	0.3	0.2	20.8	1.8	4.9	4.37

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 25 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
MERCED	027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	532	0.0	0.7	2.4	0.4	20.9	0.9	5.2	4.39	
	300: 9030, SVTM	Curr Wk	1	0.0	5.5	2.0	2.0	22.5	2.0	4.6	4.58	
		YTD	1	0.0	5.5	2.0	2.0	22.5	2.0	4.6	4.58	
	430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	21	0.0	14.8	0.3	0.0	21.0	4.9	4.9	4.38	
	903: 9036, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	849	0.0	1.7	1.3	0.7	21.5	3.0	5.2	4.48	
	730: 9037, SVTM	Curr Wk	1,337	0.0	2.1	1.0	0.6	21.7	1.1	5.0	4.47	
		YTD	3,505	0.0	1.7	0.9	0.6	21.8	1.0	4.9	4.44	
	941: 9041, SVTM	Curr Wk	164	0.0	3.4	0.5	0.4	21.2	0.8	5.1	4.57	
		YTD	1,420	0.0	2.1	0.6	0.5	20.8	1.0	5.1	4.44	
	112: 16112, UG	Curr Wk	236	0.0	1.0	0.3	0.3	21.2	0.8	4.3	4.44	
		YTD	805	0.0	1.3	0.8	0.2	20.8	1.1	4.9	4.53	
	841: 58841, HM	Curr Wk	132	0.0	2.3	0.4	0.7	20.9	1.3	5.3	4.55	
		YTD	1,028	0.0	1.3	0.7	0.5	20.6	1.2	5.4	4.50	
	TOTAL MERCED		Curr Wk	3,890	0.0	2.0	1.2	0.7	21.0	0.9	4.9	4.46
			YTD	44,575	0.0	1.5	1.6	1.0	20.9	1.2	5.0	4.46
SACRAMENTO												
577: HEINZ TRIAL	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
	YTD	1	0.0	0.5	0.5	0.0	20.5	1.5	5.5	4.44		
555: MISC TRIAL	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
	YTD	1	0.0	0.5	0.0	0.0	22.0	1.0	5.5	4.42		
740: 74, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
	YTD	285	0.0	1.7	0.3	0.3	20.4	1.6	5.4	4.49		
064: 0645, LS	Curr Wk	17	0.0	1.3	0.3	0.4	19.7	1.2	5.2	4.47		
	YTD	32	0.0	1.0	0.1	0.3	20.0	1.2	5.2	4.47		
996: 1996, HZ	Curr Wk	472	0.0	0.9	2.8	2.7	20.8	1.1	4.7	4.55		
	YTD	1,773	0.0	0.9	1.7	2.5	20.7	1.3	5.0	4.58		

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 26 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	610: 2016, HZ	Curr Wk	263	0.0	0.7	3.8	1.9	19.9	1.1	4.7	4.39
		YTD	648	0.0	0.4	3.1	1.6	20.0	0.8	4.7	4.41
	552: 5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	142	0.0	0.6	0.3	0.0	19.7	0.5	5.5	4.38
	028: 6428, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	547	0.0	2.3	1.6	5.3	21.1	2.6	4.7	4.59
	434: 6434, N	Curr Wk	69	0.0	2.3	1.4	1.3	21.9	1.8	5.1	4.58
		YTD	273	0.0	1.8	1.1	1.5	21.7	1.9	5.2	4.55
	675: 6475, N	Curr Wk	251	0.0	1.0	3.9	1.9	20.3	0.6	4.6	4.56
		YTD	452	0.0	0.9	4.0	2.6	20.6	0.8	4.9	4.58
	099: 6499, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	7	0.0	2.9	1.1	1.6	21.4	2.8	5.4	4.59
	037: 8237, HM	Curr Wk	342	0.0	0.9	4.9	1.6	21.1	0.9	5.6	4.41
		YTD	515	0.0	0.9	4.5	1.5	21.1	0.9	5.5	4.40
	068: 8268, HM	Curr Wk	161	0.0	1.8	0.4	0.7	19.7	1.3	5.1	4.47
		YTD	719	0.0	1.4	0.6	1.9	19.8	2.4	5.3	4.52
	913: 9013, SVTM	Curr Wk	235	0.0	4.9	1.5	5.9	20.4	1.8	4.8	4.62
		YTD	318	0.0	4.8	1.9	4.5	20.5	2.0	5.2	4.59
	916: 9016, SVTM	Curr Wk	38	0.0	0.3	3.7	1.0	20.3	0.3	5.5	4.31
		YTD	431	0.0	0.6	3.1	1.2	21.4	0.7	5.5	4.34
	919: 9019, SVTM	Curr Wk	358	0.0	2.2	1.6	3.5	23.3	3.6	5.1	4.39
		YTD	1,163	0.0	1.8	0.9	3.2	23.0	3.8	5.2	4.40
	239: 9023, SVTM	Curr Wk	63	0.0	0.8	2.2	0.5	21.5	1.5	5.5	4.47
		YTD	251	0.0	1.7	2.1	0.7	21.7	2.3	5.5	4.51
	027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	324	0.0	1.8	4.1	1.0	21.1	1.8	5.3	4.49
	730: 9037, SVTM	Curr Wk	16	0.0	0.9	7.7	3.4	22.2	1.3	5.4	4.52
		YTD	16	0.0	0.9	7.7	3.4	22.2	1.3	5.4	4.52

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 27 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	941: 9041, SVTM	Curr Wk	15	0.0	0.9	6.2	1.7	22.9	0.6	5.3	4.51
		YTD	15	0.0	0.9	6.2	1.7	22.9	0.6	5.3	4.51
	TOTAL SACRAMENTO	Curr Wk	2,300	0.0	1.6	2.9	2.5	21.0	1.5	5.0	4.48
		YTD	7,913	0.0	1.4	2.0	2.3	21.0	1.8	5.1	4.50
SAN BENITO											
	037: 8237, HM	Curr Wk	65	0.0	0.3	2.5	1.1	20.1	0.1	5.3	4.37
		YTD	77	0.0	0.2	2.5	1.0	20.2	0.1	5.3	4.37
	068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	144	0.0	0.0	0.3	0.6	19.3	0.2	5.2	4.34
	916: 9016, SVTM	Curr Wk	164	0.0	1.5	3.0	3.9	20.8	0.5	4.6	4.40
		YTD	164	0.0	1.5	3.0	3.9	20.8	0.5	4.6	4.40
	239: 9023, SVTM	Curr Wk	56	0.0	0.4	0.6	1.1	21.3	1.7	4.9	4.42
		YTD	168	0.0	0.6	0.5	0.9	21.4	2.1	4.9	4.40
	903: 9036, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	94	0.0	0.4	0.6	0.7	20.4	1.3	7.4	4.27
TOTAL SAN BENITO		Curr Wk	285	0.0	1.0	2.4	2.7	20.8	0.6	4.8	4.40
		YTD	647	0.0	0.6	1.4	1.6	20.5	0.9	5.3	4.36
SAN JOAQUIN											
	565: MIX	Curr Wk	20	0.0	3.5	0.4	0.5	19.1	1.6	5.4	4.57
		YTD	35	0.0	2.4	0.2	0.5	19.3	1.2	5.1	4.56
	043: 43, BP	Curr Wk	145	0.0	2.1	0.2	0.9	20.6	0.8	4.9	4.57
		YTD	850	0.0	2.0	0.3	0.5	20.3	0.7	5.0	4.50
	740: 74, BP	Curr Wk	59	0.0	2.9	0.1	0.2	20.0	0.6	5.1	4.54
		YTD	827	0.0	1.3	0.5	0.3	20.2	1.3	5.5	4.49
	101: 101, BP	Curr Wk	255	0.0	3.0	0.5	0.5	20.0	1.6	4.6	4.53
		YTD	766	0.0	2.3	0.5	0.4	20.0	1.4	4.6	4.49
	210: 110, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	93	0.0	0.4	0.4	0.2	20.2	0.6	5.4	4.24

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 28 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
130:	130, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	2.9	0.4	0.5	20.3	1.5	4.43
124:	0221, HMC	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	4	0.0	2.5	0.9	0.3	22.1	3.0	4.44
064:	0645, LS	Curr Wk	206	0.0	1.8	0.2	0.9	20.6	1.9	4.61
		YTD	681	0.0	1.3	0.2	0.5	20.3	1.7	4.55
018:	0811, BOS	Curr Wk	97	0.0	2.6	0.1	0.6	21.3	1.6	4.47
		YTD	97	0.0	2.6	0.1	0.6	21.3	1.6	4.47
820:	1082, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	109	0.0	0.7	0.0	0.4	19.9	1.2	4.32
996:	1996, HZ	Curr Wk	131	0.0	0.6	1.3	0.8	21.0	1.0	4.50
		YTD	1,902	0.0	0.3	1.1	0.6	20.5	1.1	4.44
012:	2012, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	30	0.0	2.0	1.8	0.5	20.4	1.1	4.42
128:	2128, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	65	0.0	2.1	0.1	0.1	19.5	3.2	4.59
325:	2355, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	44	0.0	2.0	0.2	0.1	20.1	1.0	4.38
452:	4521, HMX 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	375	0.0	0.5	1.0	0.2	20.9	0.8	4.33
552:	5522, HM 61P	Curr Wk	295	0.0	1.6	0.1	0.2	19.1	0.6	4.36
		YTD	1,195	0.0	1.6	0.3	0.2	19.9	0.8	4.40
637:	6377, SSA	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	20	0.0	0.9	1.0	1.1	20.5	0.2	4.33
434:	6434, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	618	0.0	2.9	0.7	2.7	22.2	2.6	4.57
485:	6485, N	Curr Wk	376	0.0	2.3	0.3	0.8	19.9	1.0	4.60
		YTD	946	0.0	2.6	0.3	0.6	19.7	0.9	4.58

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 29 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
654:	6504, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	0.0	1.0	22.3	3.0	4.51
556:	6505, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	21.5	0.0	4.61
566:	6506, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.0	0.5	21.3	0.8	4.57
576:	6507, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	1.3	0.5	0.8	21.3	2.3	4.62
856:	6508, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	1.8	0.3	1.5	21.3	2.5	4.64
659:	6509, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.8	0.3	1.0	21.5	1.5	4.49
561:	6510, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	3.5	0.3	0.3	21.5	2.8	4.54
036:	8163, HM	Curr Wk	194	0.0	1.9	0.1	1.1	19.3	1.4	4.56
		YTD	208	0.0	1.9	0.1	1.1	19.3	1.4	4.56
037:	8237, HM	Curr Wk	409	0.0	0.8	0.7	0.7	21.0	0.7	4.40
		YTD	1,679	0.0	0.6	0.9	0.6	21.3	0.8	4.39
068:	8268, HM	Curr Wk	994	0.0	2.3	0.3	0.6	19.2	1.4	4.48
		YTD	3,149	0.0	1.6	0.3	0.4	19.2	1.4	4.45
324:	8423, BOS	Curr Wk	2	0.0	1.3	0.5	2.3	22.3	2.5	4.57
		YTD	105	0.0	2.2	0.4	1.9	21.5	2.6	4.48
913:	9013, SVTM	Curr Wk	113	0.0	5.2	1.3	2.9	21.0	2.6	4.52
		YTD	113	0.0	5.2	1.3	2.9	21.0	2.6	4.52
916:	9016, SVTM	Curr Wk	683	0.0	1.3	1.7	0.7	21.2	0.6	4.39
		YTD	2,327	0.0	1.1	1.2	1.8	21.6	0.5	4.41
919:	9019, SVTM	Curr Wk	428	0.0	3.4	0.5	2.0	22.8	2.7	4.37
		YTD	841	0.0	2.3	0.4	1.4	22.8	2.7	4.36

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 30 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	921: 9021, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	372	0.0	2.4	1.0	0.5	20.5	1.7	5.1	4.43
	239: 9023, SVTM	Curr Wk	83	0.0	0.6	0.1	0.3	20.6	0.7	4.7	4.50
		YTD	815	0.0	1.1	0.2	0.7	20.9	1.3	4.9	4.45
	300: 9030, SVTM	Curr Wk	39	0.0	0.5	0.0	0.3	20.4	0.6	4.6	4.54
		YTD	39	0.0	0.5	0.0	0.3	20.4	0.6	4.6	4.54
	430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	350	0.0	1.8	0.2	0.2	20.2	0.6	5.5	4.53
	903: 9036, SVTM	Curr Wk	96	0.0	2.2	0.0	0.1	20.7	2.2	4.9	4.63
		YTD	414	0.0	0.9	0.1	0.1	20.2	1.8	5.2	4.54
	730: 9037, SVTM	Curr Wk	3	0.0	1.5	1.3	0.3	20.0	0.8	5.4	4.38
		YTD	198	0.0	0.3	0.4	0.8	20.4	0.4	5.0	4.34
	409: 9040, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	114	0.0	0.8	0.1	0.2	21.3	0.9	5.1	4.32
	941: 9041, SVTM	Curr Wk	149	0.0	1.9	0.6	0.8	21.3	0.7	4.5	4.37
		YTD	339	0.0	1.2	0.3	0.6	21.1	0.6	4.7	4.37
	951: 9516, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	10	0.0	1.8	0.4	2.0	21.1	0.9	4.6	4.44
	841: 58841, HM	Curr Wk	276	0.0	1.3	0.6	0.2	20.2	1.0	5.1	4.54
		YTD	824	0.0	0.7	0.4	0.7	20.1	0.8	5.2	4.47
TOTAL SAN JOAQUIN		Curr Wk	5,053	0.0	2.0	0.6	0.8	20.4	1.2	5.0	4.47
		YTD	20,571	0.0	1.4	0.6	0.8	20.5	1.2	5.1	4.45
SANTA CLARA											
	456: 4565, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	17	0.0	0.6	4.5	3.2	21.0	0.9	5.4	4.33
	675: 6475, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	150	0.0	0.1	3.2	1.1	20.6	0.3	5.0	4.47
	099: 6499, N	Curr Wk	8	0.0	1.1	0.3	3.3	21.0	1.8	5.5	4.59
		YTD	8	0.0	1.1	0.3	3.3	21.0	1.8	5.5	4.59

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 31 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
SANTA CLARA	068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	471	0.0	0.2	0.5	0.4	19.7	0.5	5.2	4.36	
	916: 9016, SVTM	Curr Wk	54	0.0	4.1	3.5	1.3	22.2	0.9	4.4	4.47	
		YTD	54	0.0	4.1	3.5	1.3	22.2	0.9	4.4	4.47	
	919: 9019, SVTM	Curr Wk	171	0.0	0.7	0.5	3.6	22.8	2.1	5.4	4.30	
		YTD	171	0.0	0.7	0.5	3.6	22.8	2.1	5.4	4.30	
	730: 9037, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	257	0.0	0.3	4.3	2.2	20.8	0.3	5.0	4.33	
	841: 58841, HM	Curr Wk	64	0.0	1.1	1.7	1.6	20.8	0.5	5.0	4.48	
		YTD	304	0.0	0.4	2.3	2.7	20.7	0.4	4.8	4.42	
	TOTAL SANTA CLARA		Curr Wk	297	0.0	1.4	1.3	2.8	22.2	1.5	5.1	4.38
			YTD	1,432	0.0	0.5	2.0	1.8	20.7	0.6	5.1	4.38
SOLANO												
SOLANO	740: 74, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	77	0.0	0.5	0.7	0.7	20.0	2.6	5.8	4.51	
	101: 101, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	83	0.0	1.5	0.5	0.5	20.4	1.9	4.5	4.53	
	161: 116, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	5	0.0	1.2	0.6	0.0	21.0	0.0	5.2	4.47	
	118: 118,BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	4	0.0	0.6	0.6	0.1	21.1	0.3	4.7	4.42	
	247: 247, E	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	71	0.0	0.3	0.3	0.1	19.5	0.4	5.3	4.27	
	064: 0645, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	37	0.0	0.7	0.5	0.1	21.7	1.8	6.3	4.47	
018: 0811, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00		
	YTD	257	0.0	0.6	1.0	1.7	20.7	2.4	4.7	4.42		
996: 1996, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00		
	YTD	18	0.0	1.2	0.1	1.9	21.4	1.6	4.6	4.57		

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 32 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
510: 2015, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	259	0.0	1.0	0.2	2.2	21.1	2.2	4.4	4.58
610: 2016, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,276	0.0	0.4	1.7	1.3	21.2	1.8	4.6	4.41
452: 4521, HMX 61P	Curr Wk	33	0.0	1.1	0.3	0.5	20.5	0.1	4.8	4.36
	YTD	98	0.0	0.9	0.4	0.4	20.6	0.1	4.7	4.36
552: 5522, HM 61P	Curr Wk	125	0.0	1.5	0.2	0.3	19.7	1.0	5.5	4.48
	YTD	2,028	0.0	0.7	0.3	0.2	19.8	0.5	5.7	4.38
560: 5608, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	347	0.0	3.6	1.5	1.0	20.3	1.1	5.0	4.55
485: 6485, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	156	0.0	3.2	0.1	0.4	20.2	1.5	4.7	4.66
036: 8163, HM	Curr Wk	30	0.0	1.6	0.3	1.0	20.0	2.0	5.3	4.62
	YTD	846	0.0	2.6	0.2	0.6	19.3	1.4	5.6	4.54
037: 8237, HM	Curr Wk	306	0.0	0.8	0.6	0.5	20.2	0.1	5.2	4.35
	YTD	1,286	0.0	0.8	0.6	0.6	21.5	0.4	5.2	4.39
068: 8268, HM	Curr Wk	282	0.0	1.9	0.2	0.9	19.6	1.3	4.9	4.54
	YTD	2,632	0.0	1.2	0.3	0.3	19.7	1.2	5.5	4.48
916: 9016, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	166	0.0	0.4	2.0	0.7	21.4	0.3	5.9	4.39
919: 9019, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	193	0.0	0.9	0.0	0.2	22.4	2.7	5.2	4.43
239: 9023, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	642	0.0	1.3	0.1	0.1	21.2	1.3	4.9	4.49
925: 9025, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	1.5	0.5	0.0	21.5	3.0	4.5	4.53
027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	463	0.0	0.5	0.3	0.2	20.3	0.1	5.4	4.35

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 33 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
SOLANO	430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	163	0.0	0.2	0.2	0.3	20.0	0.1	5.4	4.34	
	409: 9040, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	111	0.0	0.7	0.3	0.1	22.6	1.0	6.1	4.38	
	941: 9041, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	93	0.0	1.0	0.0	0.2	22.0	1.2	5.1	4.52	
	841: 58841, HM	Curr Wk	605	0.0	1.6	0.5	0.6	20.6	0.6	5.2	4.50	
		YTD	5,060	0.0	1.2	0.4	0.4	20.6	0.6	5.3	4.48	
	TOTAL SOLANO		Curr Wk	1,381	0.0	1.5	0.4	0.6	20.2	0.7	5.1	4.47
			YTD	16,372	0.0	1.1	0.5	0.5	20.5	0.9	5.3	4.45
STANISLAUS												
STANISLAUS	565: MIX	Curr Wk	1	0.0	0.0	0.5	0.0	19.0	0.5	5.4	4.34	
		YTD	2	0.0	0.8	0.3	0.0	20.0	1.8	5.5	4.38	
	740: 74, BP	Curr Wk	99	0.0	2.3	0.2	0.6	19.4	1.6	5.2	4.57	
		YTD	417	0.0	2.6	0.3	0.6	19.4	1.4	5.2	4.51	
	080: 88, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	70	0.0	2.9	0.4	1.8	21.8	5.0	5.1	4.58	
	101: 101, BP	Curr Wk	65	0.0	0.6	0.6	0.2	19.8	1.0	4.7	4.50	
		YTD	430	0.0	1.5	0.7	0.3	20.4	1.3	4.7	4.47	
	173: 0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	244	0.0	0.4	0.8	0.2	19.7	0.7	5.4	4.42	
400: 400, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00		
	YTD	71	0.0	0.1	2.1	1.2	20.0	0.5	5.7	4.41		
064: 0645, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00		
	YTD	44	0.0	2.4	0.2	0.7	21.0	3.0	4.4	4.62		
196: 0691, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00		
	YTD	17	0.0	0.4	2.8	0.6	20.6	2.2	5.5	4.44		
018: 0811, BOS	Curr Wk	53	0.0	4.7	0.5	1.7	21.2	1.0	4.5	4.56		
	YTD	53	0.0	4.7	0.5	1.7	21.2	1.0	4.5	4.56		

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 34 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
	820: 1082, SVTM	Curr Wk	165	0.0	4.3	0.3	1.8	21.8	3.2	4.49
		YTD	829	0.0	2.0	0.5	0.8	21.2	2.3	4.39
	171: 1715, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	15	0.0	0.3	0.0	0.1	19.4	0.4	4.44
	996: 1996, HZ	Curr Wk	75	0.0	0.9	1.1	0.3	19.5	0.3	4.49
		YTD	700	0.0	1.4	0.8	0.3	20.6	0.7	4.49
	452: 4521, HMX 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	129	0.0	0.3	1.7	0.6	21.4	0.7	4.41
	552: 5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	294	0.0	1.5	0.8	0.1	20.1	0.4	4.42
	042: 6402, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	342	0.0	0.5	1.0	0.3	20.1	1.4	4.45
	485: 6485, N	Curr Wk	53	0.0	6.5	1.0	0.5	20.4	1.8	4.64
		YTD	151	0.0	4.5	0.8	0.5	19.9	1.4	4.61
	301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	297	0.0	0.1	0.7	0.2	20.1	1.4	4.37
	036: 8163, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	268	0.0	1.2	0.1	0.6	19.5	1.5	4.51
	037: 8237, HM	Curr Wk	1,073	0.0	1.3	0.5	0.5	21.1	0.7	4.48
		YTD	2,419	0.0	1.0	0.4	0.5	21.4	0.6	4.44
	068: 8268, HM	Curr Wk	74	0.0	4.6	0.3	0.4	19.4	1.8	4.52
		YTD	642	0.0	1.5	0.6	0.2	19.6	1.4	4.47
	900: 9000, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	1.5	1.5	0.5	21.0	0.5	4.44
	916: 9016, SVTM	Curr Wk	347	0.0	1.1	0.2	0.2	21.2	0.4	4.41
		YTD	660	0.0	1.2	0.1	0.2	21.1	0.4	4.42
	919: 9019, SVTM	Curr Wk	90	0.0	1.9	0.1	0.3	22.0	3.5	4.37
		YTD	572	0.0	1.1	0.3	0.2	22.1	2.5	4.31

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 35 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
	921: 9021, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	124	0.0	3.5	1.1	0.1	20.3	2.0	5.5	4.48
	239: 9023, SVTM	Curr Wk	92	0.0	0.2	0.5	0.1	20.4	0.2	4.42
	YTD	990	0.0	0.7	0.2	0.1	20.6	0.9	5.1	4.45
	027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	495	0.0	0.5	1.6	0.4	20.6	0.9	5.5	4.39
	903: 9036, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	385	0.0	2.4	0.8	0.4	21.6	1.9	5.4	4.50
	730: 9037, SVTM	Curr Wk	320	0.0	1.0	0.3	0.4	20.7	0.8	4.48
	YTD	1,677	0.0	0.8	0.4	0.4	21.1	0.8	5.0	4.44
	409: 9040, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	46	0.0	0.1	0.9	0.0	20.6	2.2	5.8	4.40
	841: 58841, HM	Curr Wk	179	0.0	1.6	1.5	0.9	19.8	0.3	4.43
	YTD	342	0.0	1.3	0.8	0.5	19.8	0.5	5.5	4.47
TOTAL STANISLAUS		Curr Wk	2,686	0.0	1.7	0.5	0.5	20.8	1.0	4.47
		YTD	12,726	0.0	1.2	0.6	0.4	20.8	1.1	4.44
SUTTER										
	577: HEINZ TRIAL	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	40	0.0	1.0	2.2	1.2	22.1	5.5	4.4	4.49
	000: UNCODED	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	28	0.0	2.6	2.1	1.3	20.7	1.7	5.5	4.47
	210: 110, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	10	0.0	0.6	9.0	3.1	20.8	1.0	4.9	4.25
	064: 0645, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	6	0.0	1.0	0.3	0.0	18.6	0.5	5.1	4.46
	820: 1082, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	309	0.0	1.5	0.5	0.2	22.0	0.5	5.6	4.44
	662: 1662, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	363	0.0	2.0	3.1	1.1	21.8	2.1	4.6	4.49

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 36 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH
	996: 1996, HZ	Curr Wk	15	0.0	2.0	3.1	1.1	20.1	1.0	4.7	4.58
		YTD	1,688	0.0	0.9	1.5	1.0	20.8	3.0	5.1	4.52
	510: 2015, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,704	0.0	1.8	1.1	1.3	19.4	1.1	4.5	4.47
	610: 2016, HZ	Curr Wk	586	0.0	2.9	2.7	1.9	20.1	1.6	4.8	4.45
		YTD	7,254	0.0	2.1	2.0	1.5	20.4	2.1	4.8	4.43
	325: 2355, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	29	0.0	4.3	0.6	1.2	21.2	7.6	5.7	4.60
	365: 2365, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	42	0.0	0.7	0.4	0.8	20.9	2.8	5.0	4.57
	052: 5235, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	60	0.0	1.8	1.5	1.9	20.5	5.2	5.4	4.40
	552: 5522, HM 61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	134	0.0	1.1	0.3	0.2	20.4	0.3	6.0	4.38
	434: 6434, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	86	0.0	3.8	1.6	2.9	22.8	2.5	4.6	4.52
	459: 6459, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	21	0.0	0.9	0.2	0.1	19.1	1.0	5.1	4.46
	394: 6493, N	Curr Wk	106	0.0	3.0	0.5	2.6	21.1	2.0	4.5	4.62
		YTD	106	0.0	3.0	0.5	2.6	21.1	2.0	4.5	4.62
	649: 6498, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	13	0.0	5.6	2.5	1.2	22.2	2.9	4.5	4.64
	099: 6499, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	8	0.0	9.7	2.3	0.9	21.9	3.5	4.9	4.66
	036: 8163, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	18	0.0	3.4	3.8	7.1	20.4	2.7	5.1	4.51
	037: 8237, HM	Curr Wk	928	0.0	1.8	2.0	0.9	21.0	0.8	5.2	4.39
		YTD	4,009	0.0	1.2	3.2	1.0	21.5	0.8	5.1	4.38

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 37 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
SUTTER	068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	493	0.0	0.8	2.9	0.5	19.5	1.3	5.4	4.45	
	916: 9016, SVTM	Curr Wk	601	0.0	3.8	5.6	1.9	21.2	0.7	5.1	4.45	
		YTD	1,960	0.0	2.6	2.8	1.0	21.6	0.7	5.0	4.42	
	919: 9019, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	15	0.0	0.2	0.2	0.1	23.1	3.8	5.1	4.37	
	027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	91	0.0	0.4	1.3	1.3	19.8	0.3	5.2	4.34	
	320: 9032, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	1,008	0.0	0.4	2.5	1.3	21.0	1.2	5.3	4.31	
	941: 9041, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	291	0.0	2.4	3.6	0.9	22.1	1.5	4.6	4.43	
	841: 58841, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	428	0.0	0.9	6.0	1.5	20.5	1.0	5.2	4.49	
	TOTAL SUTTER		Curr Wk	2,236	0.0	2.7	3.1	1.5	20.8	1.0	5.0	4.44
			YTD	20,214	0.0	1.7	2.3	1.2	20.8	1.6	4.9	4.43
TEHAMA												
TEHAMA	301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	205	0.0	1.0	6.5	1.2	20.5	1.3	4.9	4.38	
	068: 8268, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	100	0.0	1.8	4.7	2.1	19.7	2.2	5.2	4.40	
	916: 9016, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	153	0.0	1.6	6.3	1.3	21.3	0.6	4.8	4.31	
	320: 9032, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	124	0.0	0.8	5.4	1.6	21.5	2.0	4.9	4.32	
	730: 9037, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	137	0.0	1.4	5.4	2.0	21.1	1.1	5.1	4.37	
	TOTAL TEHAMA		Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
			YTD	719	0.0	1.3	5.8	1.6	20.8	1.4	4.9	4.35

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 38 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
TULARE										
	103: 403, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	83	0.0	0.4	4.1	1.7	20.2	1.7	4.30
	018: 0811, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	522	0.0	2.1	6.6	1.5	19.8	0.9	4.43
	311: 1311, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	273	0.0	1.3	6.2	1.2	18.4	0.6	4.54
	165: 1657, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	341	0.0	0.6	5.7	1.3	18.5	0.4	4.48
	662: 1662, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	174	0.0	1.2	0.4	0.2	21.4	1.0	4.57
	776: 1776, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,039	0.0	1.4	4.8	0.9	20.5	0.7	4.44
	191: 1991, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	65	0.0	1.6	0.5	0.5	19.4	2.0	4.46
	996: 1996, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	154	0.0	0.9	1.6	0.7	19.4	0.6	4.44
	456: 4565, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	25	0.0	1.2	3.6	0.4	19.7	2.2	4.49
	477: 4707, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	224	0.0	0.7	3.3	1.6	22.1	0.5	4.46
	560: 5608, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	126	0.0	3.2	1.7	0.3	19.3	0.7	4.47
	028: 6428, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	171	0.0	1.7	3.2	0.6	20.7	1.0	4.56
	848: 6848, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	214	0.0	0.6	5.5	1.3	19.4	0.4	4.33

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 39 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
YOLO	301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	478	0.0	1.2	1.7	0.7	20.1	1.6	4.8	4.50	
	919: 9019, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	242	0.0	1.7	0.2	0.3	22.4	2.4	5.0	4.32	
	027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	303	0.0	0.2	4.7	1.4	19.7	0.3	5.5	4.38	
	841: 58841, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	111	0.0	2.3	6.4	1.4	20.3	1.1	5.2	4.54	
	TOTAL TULARE	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	4,545	0.0	1.3	4.1	1.0	20.1	0.9	4.8	4.45	
	YOLO	565: MIX	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
			YTD	1	0.0	2.5	0.0	0.0	19.5	1.5	5.7	4.49
		000: UNCODED	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
			YTD	4	0.0	0.8	0.3	0.0	19.0	0.0	5.2	4.37
		740: 74, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
			YTD	134	0.0	2.0	0.4	0.6	20.3	1.0	5.7	4.46
		079: 97, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
			YTD	1	0.0	0.5	0.0	0.5	20.0	0.0	5.5	4.31
		101: 101, BP	Curr Wk	6	0.0	9.8	0.5	0.3	21.1	0.9	4.2	4.63
YTD			423	0.0	2.0	0.6	0.4	20.3	0.8	4.3	4.50	
219: 109, BP		Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	3	0.0	0.8	0.0	0.5	20.2	0.0	5.1	4.44	
210: 110, BP		Curr Wk	1	1.0	2.0	0.5	0.0	22.5	20.5	5.4	4.35	
		YTD	121	0.0	1.5	0.3	0.4	19.9	1.4	5.4	4.43	
161: 116, BP		Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	1	0.0	0.0	1.0	0.5	23.0	1.0	4.9	4.38	
124: 0221, HMC		Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
	YTD	4	0.0	1.1	0.0	0.4	21.3	2.0	4.9	4.49		

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 40 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
173:	0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	286	0.0	0.1	0.5	0.3	19.6	0.3	4.33
103:	403, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	165	0.0	0.1	0.3	0.3	20.7	0.2	4.23
064:	0645, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	94	0.0	1.0	0.1	0.4	20.6	1.6	4.58
066:	0668, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	0.0	0.0	0.0	19.5	0.5	4.34
806:	0681, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	1.4	2.8	1.5	21.3	3.8	4.41
018:	0811, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	151	0.0	0.2	3.1	0.5	21.5	0.9	4.31
820:	1082, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	380	0.0	0.8	0.2	0.2	21.3	1.7	4.39
662:	1662, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	231	0.0	0.6	3.3	1.1	21.6	2.0	4.49
171:	1715, LS	Curr Wk	11	0.0	3.2	1.2	1.7	20.2	3.3	4.50
		YTD	16	0.0	3.2	1.6	2.5	20.4	3.0	4.49
996:	1996, HZ	Curr Wk	466	0.0	0.8	0.4	1.2	20.6	0.8	4.45
		YTD	2,114	0.0	1.2	1.3	1.2	20.7	1.3	4.48
510:	2015, HZ	Curr Wk	17	0.0	0.9	0.1	2.2	19.4	0.5	4.46
		YTD	1,295	0.0	1.8	1.1	2.0	19.4	1.1	4.48
610:	2016, HZ	Curr Wk	255	0.0	1.1	1.4	2.6	20.1	2.0	4.44
		YTD	4,626	0.0	1.0	1.6	1.7	20.5	1.8	4.42
473:	2374, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	6	0.0	1.0	0.1	0.2	20.2	0.0	4.34
476:	2476, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	15	0.0	3.3	0.2	0.3	21.8	2.4	4.56

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 41 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
	251: 2515, HZ	Curr Wk	27	0.0	2.1	4.3	1.0	20.1	2.0	4.52
		YTD	28	0.0	2.1	4.2	1.0	20.1	2.0	4.52
	256: 2516, HZ	Curr Wk	18	0.0	4.4	1.7	2.2	21.3	3.1	4.51
		YTD	26	0.0	3.6	1.4	2.0	21.3	2.7	4.50
	477: 4707, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	682	0.0	2.3	1.9	1.3	21.6	0.8	4.44
	490: 4909, HMX	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	128	0.0	1.3	0.5	0.3	21.7	2.6	4.38
	052: 5235, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,072	0.0	0.6	1.4	0.4	19.5	1.1	4.44
	552: 5522, HM 61P	Curr Wk	147	0.0	5.6	0.2	0.7	20.1	0.9	4.46
		YTD	933	0.0	2.3	0.2	0.4	20.2	1.0	4.43
	560: 5608, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	291	0.0	1.6	1.5	0.9	20.4	3.3	4.53
	028: 6428, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	115	0.0	1.2	2.2	1.7	21.2	3.4	4.46
	434: 6434, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,414	0.0	1.3	2.1	1.0	21.9	2.4	4.50
	675: 6475, N	Curr Wk	44	0.0	2.7	0.7	3.8	20.3	1.1	4.58
		YTD	44	0.0	2.7	0.7	3.8	20.3	1.1	4.58
	485: 6485, N	Curr Wk	115	0.0	2.3	0.3	0.7	20.2	0.9	4.63
		YTD	404	0.0	1.7	0.1	0.7	19.8	0.8	4.63
	649: 6498, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	11	0.0	0.9	3.6	0.8	21.7	1.3	4.51
	099: 6499, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	17	0.0	1.5	7.1	1.0	20.2	2.2	4.46
	650: 6500, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	22	0.0	0.5	7.6	0.6	20.1	1.7	4.36

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 42 of 44

Week 14 Ending 10/4/2025

<u>County</u>	<u>Variety ID & Name</u>	<u>#Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
652:	6502, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.5	0.0	0.0	21.0	3.0	4.63
301:	7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,422	0.0	0.3	1.0	0.7	19.9	1.0	4.40
036:	8163, HM	Curr Wk	87	0.0	2.2	0.1	1.1	19.7	1.0	4.57
		YTD	467	0.0	2.8	0.4	0.7	19.7	1.3	4.53
823:	8232, SV	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.3	0.3	0.3	20.8	0.5	4.29
037:	8237, HM	Curr Wk	1,700	0.0	1.0	0.7	1.2	20.7	0.5	4.40
		YTD	8,516	0.0	0.7	0.8	0.6	21.0	0.4	4.36
068:	8268, HM	Curr Wk	91	0.0	5.1	0.8	0.4	19.7	1.6	4.57
		YTD	6,060	0.0	0.6	0.7	0.4	19.6	1.0	4.42
807:	8507, HM	Curr Wk	6	0.0	1.3	0.1	0.4	18.3	0.5	4.68
		YTD	188	0.0	2.1	0.0	0.6	18.7	1.9	4.62
901:	9011, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1	0.0	4.5	2.0	0.5	19.5	0.0	4.47
916:	9016, SVTM	Curr Wk	560	0.0	1.6	1.4	2.8	21.2	0.8	4.40
		YTD	4,568	0.0	0.9	1.1	0.7	21.1	0.7	4.36
919:	9019, SVTM	Curr Wk	225	0.0	1.1	0.1	0.5	21.6	2.3	4.34
		YTD	2,512	0.0	0.7	0.3	0.3	22.5	2.0	4.32
239:	9023, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	131	0.0	0.8	0.4	0.5	22.4	2.8	4.48
925:	9025, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	55	0.0	0.4	0.3	0.3	21.4	0.5	4.29
027:	9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	1,606	0.0	0.4	0.9	0.5	20.4	0.4	4.37
300:	9030, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
		YTD	2	0.0	0.0	0.0	0.3	18.8	0.3	4.41

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS

Rpt10A

Page 43 of 44

Week 14 Ending 10/4/2025

County	Variety ID & Name		#Loads	Avg Worm	Avg Mold	Avg Green	Avg MOT	Avg Hue	Avg LU	Avg Solids	Avg pH	
YOLO	320: 9032, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	3,386	0.0	0.2	1.7	0.9	20.7	0.8	5.1	4.31	
	430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	1,174	0.0	0.5	0.3	0.2	20.3	0.1	5.4	4.41	
	903: 9036, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	1	0.0	0.0	0.5	0.0	21.0	0.0	5.3	4.37	
	730: 9037, SVTM	Curr Wk	121	0.0	1.8	0.7	2.3	20.3	0.8	5.3	4.44	
		YTD	260	0.0	1.2	0.6	1.3	20.5	0.6	5.0	4.40	
	409: 9040, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	105	0.0	0.9	0.5	0.5	20.8	1.6	5.9	4.49	
	941: 9041, SVTM	Curr Wk	30	0.0	0.9	0.1	0.6	21.3	0.4	4.6	4.34	
		YTD	1,069	0.0	0.8	0.3	0.3	21.2	0.7	4.8	4.40	
	314: 37314, UG	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	1	0.0	0.0	1.5	0.0	18.5	0.0	4.8	4.27	
	841: 58841, HM	Curr Wk	147	0.0	0.7	0.3	0.4	20.5	0.4	5.6	4.39	
		YTD	7,978	0.0	0.8	0.7	0.5	20.4	0.6	5.4	4.45	
TOTAL YOLO		Curr Wk	4,074	0.0	1.5	0.7	1.5	20.7	0.9	5.1	4.42	
		YTD	54,776	0.0	0.9	1.0	0.7	20.6	1.0	5.1	4.41	
YUBA												
YUBA	996: 1996, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	192	0.0	1.2	3.9	3.6	20.3	1.5	5.0	4.48	
	610: 2016, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	507	0.0	1.8	2.4	2.6	20.6	1.5	4.6	4.40	
	037: 8237, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
		YTD	490	0.0	3.4	5.0	0.6	21.3	1.2	4.6	4.51	
	TOTAL YUBA		Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	
			YTD	1,189	0.0	2.4	3.7	1.9	20.8	1.4	4.7	4.46
	TOTAL STATEWIDE		Curr Wk	30,095	0.0	2.4	1.5	1.2	20.7	1.0	5.0	4.47
			YTD	416,351	0.0	1.3	1.6	0.8	20.5	1.1	5.1	4.43

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:41:11 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS BY COUNTY / VARIETY FOR ACCEPTED* LOADS
Week 14 Ending 10/4/2025

Rpt10A
Page 44 of 44

Processing Tomato Advisory Board CROP System - Posted Certificates Report

Rpt20A

AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS

Page 1 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
577: HEINZ TRIAL	Curr Wk	131	0.0	8.8	3.3	1.3	20.5	0.8	4.5	4.50
	YTD	526	0.0	3.6	2.0	0.9	21.3	1.5	4.7	4.48
555: MISC TRIAL	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	56	0.0	2.1	0.5	0.4	21.0	2.5	5.1	4.43
565: MIX	Curr Wk	27	0.0	2.6	0.5	0.4	19.1	1.3	5.3	4.52
	YTD	121	0.0	1.5	0.5	0.3	20.0	1.1	5.2	4.49
000: UNCODED	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	673	0.0	1.6	1.8	0.7	20.6	1.1	5.3	4.42
043: 43, BP	Curr Wk	145	0.0	2.1	0.2	0.9	20.6	0.8	4.9	4.57
	YTD	850	0.0	2.0	0.3	0.5	20.3	0.7	5.0	4.50
740: 74, BP	Curr Wk	158	0.0	2.5	0.2	0.4	19.6	1.3	5.1	4.56
	YTD	2,829	0.0	1.7	0.6	0.4	19.9	1.4	5.5	4.50
082: 82, BP	Curr Wk	1	0.0	4.0	0.0	0.5	21.0	1.0	4.5	4.45
	YTD	2	0.0	8.0	0.0	0.3	20.0	0.5	4.8	4.35
080: 88, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	70	0.0	2.9	0.4	1.8	21.8	5.0	5.1	4.58
079: 97, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	0.5	0.0	0.5	20.0	0.0	5.5	4.31
101: 101, BP	Curr Wk	326	0.0	2.7	0.5	0.5	20.0	1.5	4.6	4.53
	YTD	4,100	0.0	1.6	1.0	0.5	20.1	1.4	4.7	4.50
219: 109, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	8	0.0	3.4	0.3	0.3	20.3	0.3	5.1	4.39
210: 110, BP	Curr Wk	3	0.3	5.3	0.8	0.7	21.7	7.3	5.4	4.48
	YTD	364	0.0	1.1	0.6	0.3	19.9	0.9	5.4	4.37
161: 116, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	281	0.0	0.2	3.6	0.3	21.0	0.6	5.3	4.40
118: 118,BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	76	0.0	0.1	2.1	0.3	20.9	0.8	4.9	4.35

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

**Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**

Rpt20A

Page 2 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
211: 121, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	4	0.0	1.0	0.8	0.3	20.9	0.5	5.1	4.45
130: 130, BP	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	4	0.0	2.9	0.4	0.5	20.3	1.5	5.4	4.43
187: 187, CXD	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	935	0.0	0.5	1.1	0.2	20.9	1.7	4.7	4.37
124: 0221, HMC	Curr Wk	2	0.0	8.3	1.5	0.3	22.0	5.0	5.5	4.61
	YTD	17	0.0	3.0	0.5	0.4	21.5	3.9	5.2	4.48
247: 247, E	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	819	0.0	0.4	2.0	0.3	20.3	1.1	5.1	4.33
273: 273, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	275	0.0	1.0	3.2	0.8	20.6	1.4	5.6	4.40
173: 0371, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3,781	0.0	0.5	1.1	0.4	19.6	0.9	5.5	4.39
400: 400, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	2,536	0.0	0.3	2.1	0.5	19.7	0.8	5.3	4.45
103: 403, BQ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	662	0.0	0.6	2.6	1.1	20.6	1.6	5.2	4.34
064: 0645, LS	Curr Wk	223	0.0	1.7	0.2	0.9	20.5	1.8	4.8	4.60
	YTD	1,705	0.0	1.0	0.2	0.5	20.1	1.6	5.2	4.56
066: 0668, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	0.0	0.0	0.0	19.5	0.5	5.3	4.34
806: 0681, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	11	0.0	1.4	2.8	1.5	21.3	3.8	5.4	4.41
196: 0691, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	236	0.0	0.1	1.4	0.5	19.7	1.4	5.4	4.43
018: 0811, BOS	Curr Wk	150	0.0	3.3	0.2	1.0	21.3	1.4	4.5	4.50
	YTD	1,946	0.0	1.4	3.3	1.1	20.1	1.1	4.8	4.42

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

**Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**

Rpt20A

Page 3 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
015: 1015, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	788	0.0	1.0	1.0	0.8	20.3	1.7	5.1	4.53
820: 1082, SVTM	Curr Wk	341	0.0	3.4	1.9	1.4	21.6	2.4	5.2	4.47
	YTD	7,061	0.0	1.8	1.1	0.7	21.1	1.9	5.4	4.39
311: 1311, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	273	0.0	1.3	6.2	1.2	18.4	0.6	4.4	4.54
165: 1657, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,328	0.0	0.7	3.9	1.1	19.0	0.4	4.7	4.47
662: 1662, HZ	Curr Wk	145	0.0	4.4	3.3	0.6	20.2	1.3	5.2	4.63
	YTD	5,262	0.0	2.4	2.3	0.9	21.5	1.7	5.0	4.52
171: 1715, LS	Curr Wk	15	0.0	2.6	1.1	1.4	20.1	2.9	5.0	4.47
	YTD	65	0.0	2.1	0.7	0.9	20.1	1.3	4.7	4.47
176: 1765, HZ	Curr Wk	3	0.0	0.7	0.7	0.3	19.8	0.2	5.2	4.42
	YTD	9	0.0	0.7	0.9	0.4	21.8	0.3	4.9	4.37
765: 1765, LS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	28	0.0	1.0	0.2	0.6	21.2	0.4	4.9	4.46
776: 1776, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	5,275	0.0	0.6	2.8	0.9	20.2	0.4	5.0	4.38
191: 1991, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	638	0.0	1.3	0.9	0.4	19.4	1.3	5.0	4.45
996: 1996, HZ	Curr Wk	3,387	0.0	2.1	2.0	1.4	20.2	0.7	4.9	4.52
	YTD	32,877	0.0	1.3	1.8	1.0	20.4	1.0	4.9	4.49
110: 2011, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	1.0	0.5	0.5	20.0	3.0	6.4	4.54
012: 2012, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	285	0.0	0.8	2.6	1.2	21.3	0.8	5.3	4.41
510: 2015, HZ	Curr Wk	100	0.0	5.8	1.9	3.8	19.6	1.3	4.5	4.57
	YTD	4,999	0.0	2.3	1.6	1.8	19.5	1.2	4.5	4.50

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS

Rpt20A

Page 4 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
610: 2016, HZ	Curr Wk	2,271	0.0	4.7	2.7	1.7	20.1	1.2	4.6	4.46
	YTD	45,621	0.0	1.7	2.2	1.1	20.1	1.4	4.8	4.42
128: 2128, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	157	0.0	2.1	0.4	0.2	19.1	2.6	4.9	4.63
354: 2354, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	120	0.0	1.4	0.9	0.3	21.0	1.0	5.3	4.48
325: 2355, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	115	0.0	4.3	0.5	0.6	20.3	3.0	5.5	4.47
365: 2365, HZ	Curr Wk	209	0.0	2.0	1.1	0.4	20.8	0.5	4.8	4.53
	YTD	1,064	0.0	1.5	1.7	1.4	20.8	0.7	4.9	4.51
473: 2374, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	6	0.0	1.0	0.1	0.2	20.2	0.0	5.0	4.34
476: 2476, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	195	0.0	1.3	0.8	0.3	20.3	1.3	5.3	4.47
479: 2479, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	164	0.0	0.3	3.7	0.5	20.6	1.6	4.8	4.39
251: 2515, HZ	Curr Wk	31	0.0	1.9	3.8	1.0	19.9	1.8	5.0	4.51
	YTD	39	0.0	1.6	3.2	0.9	20.1	1.7	5.0	4.51
256: 2516, HZ	Curr Wk	18	0.0	4.4	1.7	2.2	21.3	3.1	5.3	4.51
	YTD	29	0.0	3.5	1.3	1.8	21.2	2.5	5.2	4.50
842: 3842, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	239	0.0	1.7	1.0	0.7	20.7	1.6	5.2	4.44
452: 4521, HMX 61P	Curr Wk	33	0.0	1.1	0.3	0.5	20.5	0.1	4.8	4.36
	YTD	2,113	0.0	0.8	1.1	0.2	20.4	0.6	5.4	4.38
456: 4565, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	274	0.0	0.5	6.5	1.4	20.0	1.7	5.1	4.39
477: 4707, HEINZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	5,044	0.0	1.4	2.6	1.1	21.8	0.7	4.8	4.47

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS

Rpt20A

Page 5 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
490: 4909, HMX	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	128	0.0	1.3	0.5	0.3	21.7	2.6	5.2	4.38
052: 5235, HM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,316	0.0	0.6	1.3	0.5	19.6	1.7	5.4	4.44
341: 5341, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	117	0.0	1.7	0.4	0.1	18.5	0.9	5.3	4.42
369: 5369, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	809	0.0	1.0	0.5	0.1	19.7	0.5	5.5	4.63
558: 5508, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	18	0.0	1.6	0.6	0.1	20.1	0.3	4.4	4.45
511: 5511, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,146	0.0	0.4	1.7	0.4	19.9	1.3	5.7	4.43
552: 5522, HM 61P	Curr Wk	567	0.0	2.6	0.1	0.3	19.5	0.8	5.5	4.41
	YTD	15,658	0.0	0.9	0.6	0.3	19.5	0.6	5.6	4.39
560: 5608, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	4,413	0.0	1.3	1.9	0.4	19.7	1.0	4.9	4.41
366: 6366, SUN	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	364	0.0	0.5	0.6	0.2	20.2	1.3	5.2	4.48
637: 6377, SSA	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	20	0.0	0.9	1.0	1.1	20.5	0.2	5.4	4.33
042: 6402, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	2,338	0.0	0.8	1.2	0.3	20.1	1.8	5.7	4.44
641: 6416, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3,499	0.0	0.2	2.1	0.3	21.0	1.4	4.9	4.31
028: 6428, N	Curr Wk	3	0.0	1.3	3.3	1.5	19.8	0.5	5.2	4.62
	YTD	8,094	0.0	1.7	2.8	1.4	21.2	2.4	4.9	4.51
434: 6434, N	Curr Wk	253	0.0	2.7	1.8	1.5	21.3	1.7	5.2	4.59
	YTD	7,543	0.0	2.5	2.0	1.5	21.7	2.3	4.9	4.52

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

**Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**

Rpt20A

Page 6 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
459: 6459, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	21	0.0	0.9	0.2	0.1	19.1	1.0	5.1	4.46
073: 6473, N	Curr Wk	229	0.0	4.7	1.1	0.6	19.1	1.0	5.1	4.58
	YTD	610	0.0	6.3	1.5	0.9	19.3	1.3	5.0	4.58
074: 6474, N	Curr Wk	57	0.0	2.5	3.4	0.8	20.6	0.7	4.8	4.54
	YTD	2,526	0.0	1.7	2.9	1.4	21.2	1.6	5.1	4.53
675: 6475, N	Curr Wk	336	0.0	1.2	3.1	2.1	20.2	0.7	4.7	4.56
	YTD	687	0.0	0.9	3.4	2.3	20.6	0.7	4.9	4.55
648: 6480, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	820	0.0	1.4	2.7	1.0	20.2	0.7	4.6	4.46
485: 6485, N	Curr Wk	544	0.0	2.7	0.4	0.7	20.0	1.1	4.4	4.61
	YTD	3,222	0.0	1.9	0.6	0.5	19.7	0.8	4.6	4.59
489: 6489, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	87	0.0	0.2	1.2	0.2	20.3	0.3	5.1	4.38
394: 6493, N	Curr Wk	143	0.0	2.9	0.9	2.2	20.8	1.8	4.6	4.59
	YTD	184	0.0	2.4	1.6	1.9	20.8	1.6	4.7	4.58
649: 6498, N	Curr Wk	1	0.0	1.0	1.5	0.5	20.0	1.5	5.7	4.37
	YTD	131	0.0	2.9	2.2	1.2	21.1	1.6	5.1	4.60
099: 6499, N	Curr Wk	46	0.0	6.1	1.1	1.7	20.5	3.8	5.4	4.61
	YTD	87	0.0	4.9	2.4	1.7	20.7	3.5	5.5	4.58
650: 6500, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	122	0.0	0.5	2.7	1.6	19.8	1.1	5.2	4.42
652: 6502, N	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	170	0.0	1.1	0.6	0.3	19.7	1.5	4.7	4.55
654: 6504, N	Curr Wk	1	0.0	15.0	0.5	2.0	21.0	5.5	6.2	4.64
	YTD	3	0.0	5.2	0.2	1.3	21.8	3.8	5.3	4.55
556: 6505, N	Curr Wk	3	0.0	12.8	1.5	1.8	21.5	3.8	4.7	4.79
	YTD	4	0.0	9.6	1.1	1.4	21.5	2.9	4.7	4.75

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

**Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**

Rpt20A

Page 7 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
566: 6506, N	Curr Wk	2	0.0	18.0	2.0	4.0	22.3	4.0	4.7	4.71
	YTD	4	0.0	9.4	1.0	2.3	21.8	2.4	4.6	4.64
576: 6507, N	Curr Wk	2	0.0	14.8	1.5	3.3	21.8	3.8	4.6	4.70
	YTD	4	0.0	8.0	1.0	2.0	21.5	3.0	4.5	4.66
856: 6508, N	Curr Wk	2	0.0	12.5	2.5	3.5	20.8	3.3	5.1	4.65
	YTD	4	0.0	7.1	1.4	2.5	21.0	2.9	4.7	4.64
659: 6509, N	Curr Wk	2	0.0	15.5	1.3	1.5	22.5	2.0	4.7	4.67
	YTD	4	0.0	8.1	0.8	1.3	22.0	1.8	4.6	4.58
561: 6510, N	Curr Wk	2	0.0	16.3	1.0	4.8	21.0	3.3	4.8	4.79
	YTD	4	0.0	9.9	0.6	2.5	21.3	3.0	4.7	4.66
667: 6762, SSA	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	7	0.0	1.6	1.1	0.6	20.6	3.2	5.4	4.53
848: 6848, BOS	Curr Wk	120	0.0	1.1	1.4	1.1	18.6	0.8	5.4	4.55
	YTD	1,676	0.0	1.6	3.4	1.2	19.2	0.8	5.0	4.46
301: 7103, HMX61P	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	11,168	0.0	0.3	1.3	0.5	20.1	1.1	5.3	4.40
774: 7704, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	20	0.0	6.6	1.0	0.7	21.9	5.0	4.6	4.47
075: 7705, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	22	0.0	3.5	1.1	0.5	21.5	4.1	4.7	4.50
178: 7708, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	53	0.0	3.2	0.2	0.2	19.1	3.2	5.5	4.56
077: 7744, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	1.0	0.0	0.0	19.5	0.0	5.7	4.36
011: 8011, SV	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	435	0.0	1.2	3.9	2.5	19.8	0.5	5.0	4.42
036: 8163, HM	Curr Wk	311	0.0	2.0	0.1	1.1	19.5	1.4	5.4	4.57
	YTD	8,333	0.0	2.1	0.6	0.6	19.3	1.4	5.7	4.54

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS

Rpt20A

Page 8 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
823: 8232, SV	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3	0.0	0.2	0.5	0.2	20.3	0.3	5.1	4.32
037: 8237, HM	Curr Wk	6,138	0.0	1.4	1.6	1.2	20.9	0.7	5.1	4.42
	YTD	37,950	0.0	1.0	1.7	0.7	21.2	0.7	5.2	4.39
068: 8268, HM	Curr Wk	1,602	0.0	2.5	0.3	0.6	19.4	1.4	5.1	4.50
	YTD	22,084	0.0	1.0	0.9	0.5	19.3	1.2	5.4	4.46
324: 8423, BOS	Curr Wk	2	0.0	1.3	0.5	2.3	22.3	2.5	4.8	4.57
	YTD	587	0.0	2.2	1.3	1.1	21.0	2.2	4.7	4.46
807: 8507, HM	Curr Wk	6	0.0	1.3	0.1	0.4	18.3	0.5	5.3	4.68
	YTD	333	0.0	2.2	0.6	0.7	18.5	1.6	5.3	4.59
900: 9000, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	462	0.0	0.2	1.3	0.1	22.5	0.6	4.7	4.45
901: 9011, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	4.5	2.0	0.5	19.5	0.0	4.9	4.47
912: 9012, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	86	0.0	1.4	0.4	0.3	19.2	1.7	6.0	4.51
913: 9013, SVTM	Curr Wk	348	0.0	5.0	1.4	4.9	20.6	2.0	4.8	4.59
	YTD	2,505	0.0	2.4	3.3	1.8	20.1	1.5	5.1	4.49
914: 9014, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	5	0.0	2.8	0.4	0.0	21.5	0.2	5.2	4.32
916: 9016, SVTM	Curr Wk	4,322	0.0	2.6	2.1	1.4	21.1	0.6	5.0	4.42
	YTD	22,663	0.0	1.8	1.8	1.0	21.1	0.6	5.2	4.41
919: 9019, SVTM	Curr Wk	1,568	0.0	2.4	0.9	2.1	22.6	2.7	5.2	4.36
	YTD	10,985	0.0	1.4	1.3	1.1	22.2	2.4	5.4	4.33
921: 9021, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	3,806	0.0	1.3	2.1	0.8	19.9	0.8	5.2	4.37
239: 9023, SVTM	Curr Wk	497	0.0	0.8	0.7	0.5	20.8	0.8	5.0	4.45
	YTD	18,985	0.0	1.9	0.9	0.5	21.3	1.5	5.2	4.45

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

**Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS**

Rpt20A

Page 9 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
925: 9025, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	549	0.0	1.4	0.9	0.3	21.4	1.0	5.4	4.33
027: 9027, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	17,165	0.0	0.6	1.6	0.5	20.0	0.6	5.5	4.38
300: 9030, SVTM	Curr Wk	40	0.0	0.7	0.1	0.4	20.5	0.7	4.6	4.55
	YTD	42	0.0	0.6	0.1	0.4	20.4	0.6	4.7	4.54
320: 9032, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	10,937	0.0	0.3	2.2	1.2	20.6	1.1	5.3	4.32
330: 9033, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1,332	0.0	0.6	0.9	0.4	21.6	1.0	4.7	4.41
430: 9034, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	4,583	0.0	0.8	0.6	0.3	20.1	0.6	5.6	4.48
903: 9036, SVTM	Curr Wk	104	0.0	2.3	0.1	0.1	20.8	2.3	4.9	4.62
	YTD	5,066	0.0	1.1	0.6	0.4	21.0	2.1	5.2	4.48
730: 9037, SVTM	Curr Wk	2,020	0.0	1.9	0.9	0.6	21.5	1.1	5.0	4.48
	YTD	12,302	0.0	1.6	1.2	0.6	21.4	1.0	5.1	4.42
830: 9038, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	30	0.0	3.7	6.0	2.7	21.4	0.9	4.5	4.42
409: 9040, SVTM	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	757	0.0	0.7	0.5	0.3	20.6	1.5	5.9	4.42
941: 9041, SVTM	Curr Wk	643	0.0	2.0	1.2	1.3	21.1	0.8	5.0	4.45
	YTD	8,153	0.0	1.5	0.6	0.5	21.2	1.0	5.1	4.42
951: 9516, BOS	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	20	0.0	1.3	2.8	1.3	20.7	0.6	4.6	4.43
153: 10153, HZ	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	17	0.0	8.3	1.9	1.7	20.0	4.9	5.3	4.72
112: 16112, UG	Curr Wk	309	0.0	1.3	0.3	0.3	21.2	0.9	4.4	4.46
	YTD	2,210	0.0	1.2	0.6	0.3	20.8	0.9	4.9	4.44

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM

Processing Tomato Advisory Board CROP System - Posted Certificates Report
AVERAGE DEFECTS STATEWIDE BY VARIETY FOR ACCEPTED* LOADS

Rpt20A

Page 10 of 10

Week 14 Ending 10/4/2025

<u>Variety ID & Name</u>		<u># Loads</u>	<u>Avg Worm</u>	<u>Avg Mold</u>	<u>Avg Green</u>	<u>Avg MOT</u>	<u>Avg Hue</u>	<u>Avg LU</u>	<u>Avg Solids</u>	<u>Avg pH</u>
314: 37314, UG	Curr Wk	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00
	YTD	1	0.0	0.0	1.5	0.0	18.5	0.0	4.8	4.27
841: 58841, HM	Curr Wk	2,153	0.0	2.5	0.9	0.8	20.6	1.0	5.3	4.53
	YTD	19,902	0.0	1.1	1.1	0.7	20.5	0.7	5.4	4.47
TOTAL STATEWIDE	Curr Wk	30,095	0.0	2.4	1.5	1.2	20.7	1.0	5.0	4.47
	YTD	416,351	0.0	1.3	1.6	0.8	20.5	1.1	5.1	4.43

* Loads which were Certified and Paid For

Compiled 10/6/2025 12:44:04 PM